


Sold in collaboration with Apeiron Synthesis, Inc.


## 96-0410 Apeiron nitro-Grela Catalysts Kit

Our nitro-Grela Catalysts Kit contains complexes with wide-ranging activity and application profiles. These testing catalysts have excellent potential for a hit in early stages of development.


Components also available for individual sale. Contains the following:




**44-0740** 100mg  
*nitro-Grela SI-o-Tolyl*




**44-0758** 100mg  
*nitro-Grela*




**44-0763** 100mg  
*nitro-Grela 1 gen.*



**44-0767** 100mg  
*nitro-Grela I2*



**44-0770** 100mg  
*nitro-Grela SiPr*



**44-0782** 100mg  
*nitro-Grela I2 SiPr*

**44-0770** 1,3-Bis(2,6-di-i-propylphenyl)imidazol-2-ylidene(2-i-propoxy-5-nitrobenzylidene) ruthenium(II) dichloride nitro-Grela SiPr (928795-51-1) 100mg  
 C<sub>37</sub>H<sub>49</sub>Cl<sub>2</sub>N<sub>3</sub>O<sub>3</sub>Ru; FW: 755.78; green powder. 500mg  
*air sensitive, (store cold)*  
 Note: Recommended storage 2-8°C. U.S. Patent 6/867,303 PCT/EP2003/01122.

### Technical Note:

1. Catalyst for metathesis applications.

### References:

1. *ACS Catalysis*, **2017**, 7(8), 5443-5449.
2. *Catalysis Science & Technology* **2017**, 7(6), 1284-1296.
3. *Angew. Chem.* **2017**, 129, 1001-1006.

Visit [www.strem.com](http://www.strem.com) for new product information and a searchable catalog.

**Strem Chemicals, Inc.**  
 7 Mulliken Way  
 Newburyport, MA 01950  
 U.S.A  
 Tel: 978.499.1600  
 Fax: 978.465.3104  
 Email: [info@strem.com](mailto:info@strem.com)

**Strem Chemicals, Inc.**  
 15, rue de l'Atome  
 Zone Industrielle  
 67800 BISCHEIM France  
 Tel: (33) 03 88 62 52 60  
 Fax: (33) 03 88 62 26 81  
 Email: [info.europe@strem.com](mailto:info.europe@strem.com)

**Strem Chemicals, Inc.**  
 Postfach 1215  
 77672 KEHL  
 Germany  
 Tel: 0 78 51/ 7 58 79  
 Email: [info.europe@strem.com](mailto:info.europe@strem.com)

**Strem Chemicals UK Ltd.**  
 An Independent Distributor of Strem Chemicals Products  
 Newton Hall, Town Street  
 Newton, Cambridge  
 England CB22 7ZE  
 Tel: +44 (0)1223 873 028  
 Fax: +44 (0)1223 870207  
 Email: [enquiries@strem.co.uk](mailto:enquiries@strem.co.uk)

**44-0782 [1,3-Bis(2,6-di-i-propylphenyl)imidazolidin-2-ylidene](2-i-propoxy-5-nitrobenzylidene) ruthenium(II) diiodide nitro-Grela I2 SIPr (1874265-00-5)** 100mg  
500mg  
C<sub>37</sub>H<sub>49</sub>I<sub>2</sub>N<sub>3</sub>O<sub>3</sub>Ru; FW: 938.68; olive brown powdr.  
*air sensitive, (store cold)*  
Note: Recommended storage 2-8°C. U.S. Patent 6/867,303 PCT/EP2003/01122.

Technical Note:

1. Catalyst for metathesis applications.

References:

1. *Beilstein Journal of Organic Chemistry* **2015**, *11*, 1823-1832.

**44-0767 [1,3-Bis(2,4,6-trimethylphenyl)imidazolidin-2-ylidene)-(2-i-propoxy-5-nitrobenzylidene) ruthenium(II) diiodide nitro-Grela I2 (1874264-99-9)** 100mg  
500mg  
C<sub>31</sub>H<sub>37</sub>I<sub>2</sub>N<sub>3</sub>O<sub>3</sub>Ru; FW: 854.52; olive brown powdr.  
*air sensitive, (store cold)*  
Note: Recommended storage 2-8°C. U.S. Patent 6/867,303 PCT/EP2003/01122.

Technical Note:

1. Catalyst for metathesis applications.


References:

1. *Beilstein Journal of Organic Chemistry* **2015**, *11*, 1823-1832.

**44-0758 [1,3-Bis(2,4,6-trimethylphenylimidazolidin-2-ylidene)]-(2-i-propoxy-5-nitrobenzylidene)ruthenium(II) dichloride nitro-Grela (502964-52-5)** 100mg  
500mg  
C<sub>31</sub>H<sub>37</sub>Cl<sub>2</sub>N<sub>3</sub>O<sub>3</sub>Ru; FW: 671.62; green powdr.  
Note: U.S. Patent 6,867,303, PCT/EP2003/01122. Aperion Ruthenium Metathesis Catalyst Kit component.

Technical Notes:

1. This catalyst is used for an efficient synthesis of HCV Protease Inhibitor, BILN 2061.
2. The nitro-Grela catalyst is a stable olefin metathesis initiator active in various ring-closing, cross, and enyne metathesis reactions. Its efficiency has been proven in numerous total syntheses of natural and biologically active compounds, and in material science (see Ref. 1-9)



Tech. Note (1)  
Ref. (1,2)

References:

1. *Org. Lett.*, **2008**, *1*, 1303
2. *Org. Process Res. Dev.*, **2009**, *13*, 250
3. *Org. Lett.*, **2013**, *15*, 1016
4. *Chem. Eur. J.*, **2013**, *19*, 11847
5. *Org. Lett.*, **2010**, *12*, 248
6. *Angew. Chem. Int. Ed.*, **2008**, *47*, 6483
7. *Tetrahedron Lett.*, **2006**, *47*, 6351
8. *J. Am. Chem. Soc.*, **2004**, *126*, 9318
9. *Angew. Chem. Int. Ed.*, **2002**, *41*, 4038

Visit [www.strem.com](http://www.strem.com) for new product information and a searchable catalog.

**Strem Chemicals, Inc.**  
7 Mulliken Way  
Newburyport, MA 01950  
U.S.A  
Tel: 978.499.1600  
Fax: 978.465.3104  
Email: [info@strem.com](mailto:info@strem.com)

**Strem Chemicals, Inc.**  
15, rue de l'Atome  
Zone Industrielle  
67800 BISCHEIM France  
Tel: (33) 03 88 62 52 60  
Fax: (33) 03 88 62 26 81  
Email: [info.europe@strem.com](mailto:info.europe@strem.com)

**Strem Chemicals, Inc.**  
Postfach 1215  
77672 KEHL  
Germany  
Tel: 0 78 51/ 7 58 79  
Email: [info.europe@strem.com](mailto:info.europe@strem.com)

**Strem Chemicals UK Ltd.**  
An Independent Distributor of Strem Chemicals Products  
Newton Hall, Town Street  
Newton, Cambridge  
England CB22 7ZE  
Tel: +44 (0)1223 873 028  
Fax: +44 (0)1223 870207  
Email: [enquiries@strem.co.uk](mailto:enquiries@strem.co.uk)

**44-0740 (1,3-Di-o-tolylimidazolidin-2-ylidene)(2-i-propoxy-5-nitrobenzylidene)dichlororuthenium(II) nitro-Grela SI-o-Tolyl** 100mg  
500mg  
 $C_{27}H_{29}Cl_2N_3O_3Ru$ ; FW: 615.51; green powdr.  
*air sensitive, (store cold)*  
Note: Recommended storage 2-8°C. U.S. Patent 6/867,303 PCT/EP2003/01122.

Technical Note:

1. Catalyst for metathesis applications.

References:

1. *Angew. Chem*, **2017**, 129, 1001 –1006.

---

**44-0763 Tricyclohexylphosphine(2-i-propoxy-5-nitrobenzylidene)dichlororuthenium(II) nitro-Grela 1 gen.** 100mg  
(625082-83-9) 500mg  
 $C_{28}H_{44}Cl_2NO_3PRu$ ; FW: 645.60; brown powdr.  
*air sensitive, (store cold)*  
Note: Recommended storage 2-8°C. U.S. Patent 6/867,303 PCT/EP2003/01122.

Technical Note:

1. Catalyst for metathesis applications.

References:

1. *ACS Catalysis*, **2017**, 7(8), 5443-5449.
  2. *Angew. Chem.* **2017**, 129, 1001 –1006.
  3. *Chemistry - A European Journal*, **2014**, 20(42), 13716-13721.
  4. *Advanced Synthesis & Catalysis*, **2013**, 355(10), 1997-2006.
- 

Visit [www.strem.com](http://www.strem.com) for new product information and a searchable catalog.

**Strem Chemicals, Inc.**  
7 Mulliken Way  
Newburyport, MA 01950  
U.S.A  
Tel: 978.499.1600  
Fax: 978.465.3104  
Email: [info@strem.com](mailto:info@strem.com)

**Strem Chemicals, Inc.**  
15, rue de l'Atome  
Zone Industrielle  
67800 BISCHEIM France  
Tel: (33) 03 88 62 52 60  
Fax: (33) 03 88 62 26 81  
Email: [info.europe@strem.com](mailto:info.europe@strem.com)

**Strem Chemicals, Inc.**  
Postfach 1215  
77672 KEHL  
Germany  
Tel: 0 78 51/ 7 58 79  
Email: [info.europe@strem.com](mailto:info.europe@strem.com)

**Strem Chemicals UK Ltd.**  
An Independent Distributor of Strem Chemicals Products  
Newton Hall, Town Street  
Newton, Cambridge  
England CB22 7ZE  
Tel: +44 (0)1223 873 028  
Fax: +44 (0)1223 870207  
Email: [enquiries@strem.co.uk](mailto:enquiries@strem.co.uk)