

Printing date 16.07.2021 Revision: 16.07.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Ammonium sulfide, 40-44% aqueous solution
- · Item number: 02-0950
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

- · Further information obtainable from: Technical Department
- · 1.4 Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02

2 GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling: ammonium sulphide

(Contd. on page 2)



Printing date 16.07.2021 Revision: 16.07.2021

Trade name: Ammonium sulfide, 40-44% aqueous solution

(Contd. of page 1)

· Hazard statements

H225 Highly flammable liquid and vapour.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P103 Read label before use. P231 Handle under inert gas.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

EUH031 Contact with acids liberates toxic gas.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

٠	Dangerous	components:
---	-----------	-------------

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

*Immediately remove any clothing soiled by the product.* 

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

*In case of unconsciousness place patient stably in side position for transportation.* 

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Printing date 16.07.2021 Revision: 16.07.2021

Trade name: Ammonium sulfide, 40-44% aqueous solution

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

 $\cdot$  7.3 Specific end use(s) No further relevant information available.

GR



Printing date 16.07.2021 Revision: 16.07.2021

Trade name: Ammonium sulfide, 40-44% aqueous solution

(Contd. of page 3)

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Colour: Orange
• Odour: Sulfurous
• Odour threshold: Not determined.

· nH-value: Not determined.

· pH-value: Not de

· Change in condition

Melting point/freezing point: Undetermined.

(Contd. on page 5)



Printing date 16.07.2021 Revision: 16.07.2021

Trade name: Ammonium sulfide, 40-44% aqueous solution

	(Contd. of page
Initial boiling point and boiling range	e: Undetermined.
Flash point:	22 °C
Flammability (solid, gas):	Not determined.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	4.0 Vol %
Upper:	46.0 Vol %
Vapour pressure at 20 °C:	23 hPa
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
Water:	56.0 %
VOC (EC)	0.00 %
9.2 Other information	No further relevant information available.

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Contact with acids releases toxic gases.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if inhaled.

(Contd. on page 6)



Printing date 16.07.2021 Revision: 16.07.2021

Trade name: Ammonium sulfide, 40-44% aqueous solution

(Contd. of page 5)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

· 14.1 UN-Number		
· 14.1 ON-Number · ADR, IMDG, IATA	UN2683	
· 14.2 UN proper shipping name		
$\cdot ADR$	2683 AMMONIUM SULPHIDE SOLUTION	
· IMDG, IATA	AMMONIUM SULPHIDE SOLUTION	

(Contd. on page 7)



Printing date 16.07.2021 Revision: 16.07.2021

Trade name: Ammonium sulfide, 40-44% aqueous solution

	(Contd. of page
14.3 Transport hazard class(es)	
ADR	
Class Label	8 Corrosive substances. 8+3+6.1
<i>IMDG</i>	
Class	8 Corrosive substances.
Label	8/3/6.1
IATA	
Class Label	8 Corrosive substances. 8 (3, 6.1)
14.4 Packing group	0 (2, 012)
ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
Marine pollutant:  14.6 Special precautions for user	Warning: Corrosive substances.
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler):	Warning: Corrosive substances. 80
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number:	Warning: Corrosive substances. 80 F-E,S-C
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups	Warning: Corrosive substances. 80
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number:	Warning: Corrosive substances. 80 F-E,S-C Ammonium compounds, alkalis
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Stowage Code Handling Code	Warning: Corrosive substances. 80 F-E,S-C Ammonium compounds, alkalis B SW1 Protected from sources of heat. H2 Keep as cool as reasonably practicable
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Stowage Code	Warning: Corrosive substances. 80 F-E,S-C Ammonium compounds, alkalis B SW1 Protected from sources of heat. H2 Keep as cool as reasonably practicable SG35 Stow "separated from" acids.
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Stowage Code Handling Code	Warning: Corrosive substances. 80 F-E,S-C Ammonium compounds, alkalis B SW1 Protected from sources of heat. H2 Keep as cool as reasonably practicable SG35 Stow "separated from" acids. SG68 If flashpoint 60 °C c.c. or below, segregation as for cla
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Stowage Code Handling Code Segregation Code	Warning: Corrosive substances.  80 F-E,S-C Ammonium compounds, alkalis B SW1 Protected from sources of heat. H2 Keep as cool as reasonably practicable SG35 Stow "separated from" acids. SG68 If flashpoint 60 °C c.c. or below, segregation as for cla 3, but "away from" class 4.1.
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Stowage Code Handling Code	Warning: Corrosive substances.  80 F-E,S-C Ammonium compounds, alkalis B SW1 Protected from sources of heat. H2 Keep as cool as reasonably practicable SG35 Stow "separated from" acids. SG68 If flashpoint 60 °C c.c. or below, segregation as for cla 3, but "away from" class 4.1.
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Stowage Code Handling Code Segregation Code	Warning: Corrosive substances.  80 F-E,S-C Ammonium compounds, alkalis B SW1 Protected from sources of heat. H2 Keep as cool as reasonably practicable SG35 Stow "separated from" acids. SG68 If flashpoint 60 °C c.c. or below, segregation as for cla 3, but "away from" class 4.1.
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Stowage Code Handling Code Segregation Code  14.7 Transport in bulk according to Anno Marpol and the IBC Code Transport/Additional information: ADR	Warning: Corrosive substances.  80 F-E,S-C Ammonium compounds, alkalis B SW1 Protected from sources of heat. H2 Keep as cool as reasonably practicable SG35 Stow "separated from" acids. SG68 If flashpoint 60 °C c.c. or below, segregation as for cla 3, but "away from" class 4.1.  ex II of Not applicable.
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Stowage Code Handling Code Segregation Code  14.7 Transport in bulk according to Annomation and the IBC Code Transport/Additional information: ADR Limited quantities (LQ)	Warning: Corrosive substances.  80 F-E,S-C Ammonium compounds, alkalis B SW1 Protected from sources of heat. H2 Keep as cool as reasonably practicable SG35 Stow "separated from" acids. SG68 If flashpoint 60 °C c.c. or below, segregation as for cla 3, but "away from" class 4.1.  ex II of Not applicable.
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Stowage Code Handling Code Segregation Code  14.7 Transport in bulk according to Anno Marpol and the IBC Code Transport/Additional information: ADR	Warning: Corrosive substances.  80 F-E,S-C Ammonium compounds, alkalis B SW1 Protected from sources of heat. H2 Keep as cool as reasonably practicable SG35 Stow "separated from" acids. SG68 If flashpoint 60 °C c.c. or below, segregation as for cla 3, but "away from" class 4.1.  ex II of Not applicable.  1L Code: E2
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Stowage Code Handling Code Segregation Code  14.7 Transport in bulk according to Annomation and the IBC Code Transport/Additional information: ADR Limited quantities (LQ)	Warning: Corrosive substances.  80 F-E,S-C Ammonium compounds, alkalis B SW1 Protected from sources of heat. H2 Keep as cool as reasonably practicable SG35 Stow "separated from" acids. SG68 If flashpoint 60 °C c.c. or below, segregation as for cla 3, but "away from" class 4.1.  ex II of Not applicable.  IL Code: E2 Maximum net quantity per inner packaging: 30 ml
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Stowage Code Handling Code Segregation Code  14.7 Transport in bulk according to Annomation and the IBC Code Transport/Additional information: ADR Limited quantities (LQ)	Warning: Corrosive substances.  80 F-E,S-C Ammonium compounds, alkalis B SW1 Protected from sources of heat. H2 Keep as cool as reasonably practicable SG35 Stow "separated from" acids. SG68 If flashpoint 60 °C c.c. or below, segregation as for cla 3, but "away from" class 4.1.  ex II of Not applicable.  1L Code: E2



Printing date 16.07.2021 Revision: 16.07.2021

Trade name: Ammonium sulfide, 40-44% aqueous solution

(Contd. of page 7)

· IMDG

· Limited quantities (LQ)

· Excepted quantities (EQ)

1L Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 2683 AMMONIUM SULPHIDE SOLUTION, 8 (3+6.1), II

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 10a
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

 $Flam.\ Liq.\ 2:\ Flammable\ liquids-Category\ 2$ 

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

GB