CHEMICALS, INC.

inting date 17.07.2021	Revision: 17.07.
SECTION 1: Identification of the substance/mixture and	of the company/undertaking
1.1 Product identifier	
Trade name: Lithium t-butoxide, 98+%	
Item number: 03-0780 CAS Number: 1907-33-1 EC number: 217-611-5 1.2 Relevant identified uses of the substance or mixture and uses adv No further relevant information available.	vised against
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com	
<i>Further information obtainable from: Technical Department</i> <i>1.4 Emergency telephone number:</i> <i>EMERGENCY: CHEMTREC:</i> + 1 (800) 424-9300 <i>During normal opening times:</i> +1 (978) 499-1600	
SECTION 2: Hazards identification	
Classification according to Regulation (EC) No 1272/2008 GHS02 flame	
Classification according to Regulation (EC) No 1272/2008	
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Sol. 1 H250 Catches fire spontaneously if exposed to air.	
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Sol. 1 H250 Catches fire spontaneously if exposed to air. Self-heat. 1 H251 Self-heating: may catch fire.	
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Sol. 1 H250 Catches fire spontaneously if exposed to air. Self-heat. 1 H251 Self-heating: may catch fire. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulati	
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Sol. 1 H250 Catches fire spontaneously if exposed to air. Self-heat. 1 H251 Self-heating: may catch fire. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulati	on.
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Sol. 1 H250 Catches fire spontaneously if exposed to air. Self-heat. 1 H251 Self-heating: may catch fire. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulati	on.
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Sol. 1 H250 Catches fire spontaneously if exposed to air. Self-heat. 1 H251 Self-heating: may catch fire. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulati Hazard pictograms GHS02 GHS05	on.
Pyr. Sol. 1 H250 Catches fire spontaneously if exposed to air. Self-heat. 1 H251 Self-heating: may catch fire. \widehat{V} GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulati Hazard pictograms \widehat{V} GHS02 GHS05 Signal word Danger Hazard-determining components of labelling: Lithium t-butoxide, 98+%	on.
Classification according to Regulation (EC) No 1272/2008 We GHS02 flame Pyr. Sol. 1 H250 Catches fire spontaneously if exposed to air. Self-heat. 1 H251 Self-heating: may catch fire. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulati Hazard pictograms GHS02 GHS05 Signal word Danger Hazard-determining components of labelling:	on.

CHEMICALS, INC.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Lithium t-butoxide, 98+%

	(Contd. of page 1)
H251 Self-heati	ing: may catch fire.
H314 Causes se	evere skin burns and eye damage.
· Precautionary	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P231	Handle under inert gas.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Additional info	rmation:
EUH014 React	s violently with water.
2.3 Other hazar	rds
Results of PBT	and vPvB assessment
• PBT: Not appli	

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description

1907-33-1 Lithium t-butoxide, 98+%

- Identification number(s)
- **EC number:** 217-611-5

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

GB

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Lithium t-butoxide, 98+%

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away. • 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:
- Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
- · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Thorough dedusting. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

- · Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles. • 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

(Contd. of page 2)

GB

TREMICALS, INC.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2021

Revision: 17.07.2021

(Contd. of page 3)

Trade name: Lithium t-butoxide, 98+%

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

 \cdot Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· General Information		
· Appearance:		
Form:	Powder	
Colour:	Whitish	
· Odour:	Solvent-like	
· Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Flammable.	
	Highly flammable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
• Auto-ignition temperature:	Spontaneously flammable in air.	
· Explosive properties:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
· Density at 20 •C:	$0.89 \ g/cm^3$	
· Relative density	Not determined.	
· Vapour density	Not applicable.	

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Lithium t-butoxide, 98+%

		(Contd. of page
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
VÕC (EC)	0.00 %	
Solids content:	100.0 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes severe skin burns and eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- $\cdot \textit{STOT-single exposure Based on available data, the classification criteria are not met.}$
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

GB

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Lithium t-butoxide, 98+%

- · Additional ecological information:
- · General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN3206
14.2 UN proper shipping name ADR	3206 ALKALI METAL ALCOHOLATES, SELF-HEATIN CORROSIVE, N.O.S.
IMDG, IATA	ALKALI METAL ALCOHOLATES, SELF-HEATIN CORROSIVE, N.O.S.
14.3 Transport hazard class(es)	
ADR	
Class	4
Label	4.2+8
IMDG	
Class Label	4.2 Substances liable to spontaneous combustion. 4.2/8
IATA	
Class Label	<i>4.2 Substances liable to spontaneous combustion. 4.2 (8)</i>



(Contd. of page 5)

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Lithium t-butoxide, 98+%

	(Contd. of page
· 14.4 Packing group	
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· EMS Number:	F-A, S-Q
· Stowage Category	В
· 14.7 Transport in bulk according to Anne	ex II of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
\cdot Limited quantities (LQ)	0
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· IMDG	
· Limited quantities (LQ)	0
\cdot Excepted quantities (\widetilde{EQ})	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 3206 ALKALI METAL ALCOHOLATES, SELF-HEATING
	CORROSIVE, N.O.S., 4.2 (8), II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

· Seveso category

P7 PYROPHORIC LIQUIDS AND SOLIDS

O1 Substances or mixtures with hazard statement EUH014

 \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 40

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 8)

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Lithium t-butoxide, 98+%

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Pyr. Sol. 1: Pyrophoric solids – Category 1 Self-heat. 1: Self-heating substances and mixtures – Category 1 Skin Corr. 1B: Skin corrosion/irritation – Category 1B (Contd. of page 7)

GB

