Printing date 02/15/2022

Reviewed on 02/15/2022


1 Identification

- · Product name
- Trade name: Hexafluoroacetone, anhydrous, 97%
- Item number: 09-4568
- · CAS Number:
- 684-16-2
- Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com

- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: +1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification



Printing date 02/15/2022

⊐IK

CHEMICALS, INC.

Reviewed on 02/15/2022

Printing date 02/15/2022	<i>Reviewed on 02/15/2022</i>
Trade name: Hexafluoroacetone, anhydrous, 97%	
	(Contd. of page 1)
· Hazard-determining components of labeling:	
hexafluoroacetone	
· Hazard statements	
H280 Contains gas under pressure; may explode	if heated.
H300+H330 Fatal if swallowed or if inhaled.	y
H314 Causes severe skin burns and eye damage.	
H361 Suspected of damaging fertility or the unbo	rn child.
· Precautionary statements	
P284 [In case of inadequate ventilation] w	
P301+P310 IF SWALLOWED: Immediately call d	
P303+P361+P353 If on skin (or hair): Take off immed shower.	liately all contaminated clothing. Rinse skin with water/
and easy to do. Continue rinsing.	er for several minutes. Remove contact lenses, if present
P403+P233 Store in a well-ventilated place. Keep	
P410+P403 Protect from sunlight. Store in a well	
regulations.	accordance with local/regional/national/international
· Classification system:	
· NFPA ratings (scale 0 - 4)	
4 0 Health = 4 Fire = 0 Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH $\stackrel{\bullet}{4}$ Health = *4FIRE0Fire = 0REACTIVITY0Reactivity = 0	
• Other hazards	
• Results of PBT and vPvB assessment	
• PBT: Not applicable. • vPvB: Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Substances	
· CAS No. Description	
684-16-2 hexafluoroacetone	
4 First-aid measures	
• Description of first aid measures • General information:	
<i>Immediately remove any clothing soiled by the product.</i>	
Remove breathing apparatus only after contaminated clo	othing have been completely removed
In case of irregular breathing or respiratory arrest provi	
• After inhalation:	
Supply fresh air or oxygen; call for doctor.	
In case of unconsciousness place patient stably in side po	osition for transportation.
· After skin contact. Immediately wash with water and so	· ·

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

US

Printing date 02/15/2022

CHEMICALS. INC

Reviewed on 02/15/2022

Trade name: Hexafluoroacetone, anhydrous, 97%

(Contd. of page 2)

- After eve contact: Rinse opened eve for several minutes under running water. Then consult a doctor. · After swallowing:
- Do not induce vomiting; immediately call for medical help.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

7 Handling and storage

· Handling:

· Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Only handle and refill product in closed systems. Prevent formation of aerosols.

(Contd. on page 4)

US

Printing date 02/15/2022

Reviewed on 02/15/2022

Trade name: Hexafluoroacetone, anhydrous, 97%

(Contd. of page 3)

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Protect from exposure to the light.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

684-16-2 hexafluoroacetone

REL Long-term value: 0.7 mg/m³, 0.1 ppm Skin TLV Long-term value: 0.68 mg/m³, 0.1 ppm Skin

• *Additional information:* The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment: Wear protective clothing
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes.

- Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Printing date 02/15/2022

Reviewed on 02/15/2022

Trade name: Hexafluoroacetone, anhydrous, 97%

(Contd. of page 4)



Tightly sealed goggles

9 Physical and chemical properties

General Information Appearance:		
Appearance: Form:	Compressed gas	
Color:	Colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	0.0016 g/cm ³ (0.013352 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	

Printing date 02/15/2022

Reviewed on 02/15/2022

Trade name: Hexafluoroacetone, anhydrous, 97%

• Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

(Contd. on page 7)

US

Printing date 02/15/2022

Reviewed on 02/15/2022

Trade name: Hexafluoroacetone, anhydrous, 97%

• *Other adverse effects No further relevant information available.*

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*

UN-Number	
DOT, IATA	<i>UN2420</i>
IMDG	UN2,420 UN2,42
	0112,72
UN proper shipping name	
DOT	Hexafluoroacetone
IATA	HEXAFLUOROACETONE
Transport hazard class(es)	
DOT	
INHALATION HAZARD 2	
	2.3
Class Label	2.3
	2.5
IMDG	
Class	2.3
Label	2.3/8
ΙΑΤΑ	
Class	not regulated
Label	2.3
Packing group	
DOT, IMDG, IATA	not regulated
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Gases

(Contd. of page 6)



Printing date 02/15/2022

CHEMICALS, INC

Reviewed on 02/15/2022

Trade name: Hexafluoroacetone, anhydrous, 97%

	(Contd. of	page
· Danger code (Kemler):	268	
· EMS Number:	<i>F-C,S-U</i>	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
·DOT		
Quantity limitations	On passenger aircraft/rail: Forbidden	
	On cargo aircraft only: Forbidden	
· IMDG		
· Limited quantities (LQ)	0	
• Excepted quantities (EQ)	Code: E0	
	Not permitted as Excepted Quantity	
· UN "Model Regulation":	UN 2420 HEXAFLUOROACETONE, 2.3 (8)	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· **Proposition 65** WARNING. Proposition 65 - https://www.p65warnings.ca.gov/

• Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is listed.

· Chemicals known to cause developmental toxicity:

Substance is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

US

Printing date 02/15/2022

Reviewed on 02/15/2022

	(Contd. of page
• Hazard pictog	rams
GHS05 GI	IS06 GHS08
· Signal word I	Danger
· Hazard-deter	nining components of labeling:
hexafluoroace	tone
· Hazard staten	nents
H280 (Contains gas under pressure; may explode if heated.
	Fatal if swallowed or if inhaled.
	Causes severe skin burns and eye damage.
H361 S	Suspected of damaging fertility or the unborn child.
· Precautionary	
P284	[In case of inadequate ventilation] wear respiratory protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+	P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wate shower.
<i>P305+P351+</i>	P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
Chemical safe	ty assessment: A Chemical Safety Assessment has not been carried out.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

- · Date of preparation / last revision 02/15/2022 / -
- Abbreviations and acronyms:

```
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
```

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- *vPvB: very Persistent and very Bioaccumulative*
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Press. Gas: Gases under pressure Liquefied gas
- Acute Tox. 2: Acute toxicity Category 2
- Skin Corr. 1A: Skin corrosion/irritation Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Repr. 2: Reproductive toxicity – Category 2

[·] Contact: Technical Director