Printing date 21.07.2021

CHEMICALS, INC.

Revision: 21.07.2021

| SECTION | 1: Identification of the substance/mixture an | a of the company/undertaking |
|--|--|------------------------------|
| 1.1 Product | dentifier | |
| Trade name | Hexafluoroisopropanol, 99+% | |
| | | dvised against |
| 1.3 Details of Manufactur Strem Chem 7 Mulliken V | f the supplier of the safety data sheet er/Supplier: cals, Inc. ⁷ ay ORT, MA 01950 | |
| 1.4 Emerger EMERGEN | rmation obtainable from: Technical Department cy telephone number: 'Y: CHEMTREC: + 1 (800) 424-9300 al opening times: +1 (978) 499-1600 | |
| SECTION | 2: Hazards identification | |
| | H225 Highly flammable liquid and vapour. | |
| | HS05 corrosion | |
| Skin Corr. 1 | 3 H314 Causes severe skin burns and eye damage. | |
| G C C C C C C C C C C C C C C C C C C C | 4507 | |
| | H302 Harmful if swallowed. H332 Harmful if inhaled. | |
| 2.2 Label el Labelling ad | cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regula | ttion. |
| The substan Hazard pict | | |
| | | |
| Hazard pict | HS05 GHS07 | |
| Hazard pict | HS05 GHS07 | (Contd. on pag |

Printing date 21.07.2021

Revision: 21.07.2021

| Trade name: | Hexafluoroisopropanol, 99+% |
|-------------|--|
| | |
| | (Contd. of page 1) |
| · Signal wo | rd Danger |
| · Hazard-d | etermining components of labelling: |
| 1,1,1,3,3,3 | 3-hexafluoropropan-2-ol |
| · Hazard st | atements |
| H225 | Highly flammable liquid and vapour. |
| H302 + H3 | 32 Harmful if swallowed or if inhaled. |
| H314 | Causes severe skin burns and eye damage. |
| · Precautio | nary statements |
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P103 | Read label before use. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

· **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 920-66-1 1,1,1,3,3,3-hexafluoropropan-2-ol
- · Identification number(s)
- · EC number: 213-059-4

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3) GB



(Contd. of page 1)

[·] Results of PBT and vPvB assessment

Printing date 21.07.2021

Revision: 21.07.2021

Trade name: Hexafluoroisopropanol, 99+%

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents: Water with full jet

· 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· 5.3 Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

 \cdot 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)



(Contd. of page 2)

Printing date 21.07.2021

Revision: 21.07.2021

Trade name: Hexafluoroisopropanol, 99+%

(Contd. of page 3)

| | technical facilities: No further data; see item 7. |
|--|---|
| 8.1 Control parameters | |
| Ingredients with limit values that require Additional information: The lists valid du | e monitoring at the workplace: Not required. uring the making were used as basis. |
| 8.2 Exposure controls | |
| Personal protective equipment: General protective and hygienic measure | |
| Keep away from foodstuffs, beverages and | |
| Immediately remove all soiled and contan | |
| Wash hands before breaks and at the end | of work. |
| Avoid contact with the eyes and skin. | |
| Respiratory protection: In case of brief exposure or low pollution | n use respiratory filter device. In case of intensive or longer exposure us |
| self-contained respiratory protective devi | |
| Protection of hands: | |
| μ. | |
| Protective gloves | |
| | |
| The glove material has to be impermeable | e and resistant to the product/ the substance/ the preparation. |
| | to the glove material can be given for the product/ the preparation/ th |
| chemical mixture. | |
| | eration of the penetration times, rates of diffusion and the degradation |
| Material of gloves | |
| | |
| The selection of the suitable gloves does | |
| The selection of the suitable gloves does not varies from manufacturer to manufacture | |
| The selection of the suitable gloves does not varies from manufacturer to manufacture Penetration time of glove material | r. |
| The selection of the suitable gloves does a varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. | r. |
| The selection of the suitable gloves does a varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be | r. |
| The selection of the suitable gloves does a varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. | r. |
| The selection of the suitable gloves does not varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. Eye protection: | r. |
| The selection of the suitable gloves does a varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. | r. |
| The selection of the suitable gloves does no varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles | r. found out by the manufacturer of the protective gloves and has to b |
| The selection of the suitable gloves does no varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles 9.1 Information on basic physical and cl General Information | r. found out by the manufacturer of the protective gloves and has to b |
| The selection of the suitable gloves does no varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles 9.1 Information on basic physical and ch General Information Appearance: | found out by the manufacturer of the protective gloves and has to b |
| The selection of the suitable gloves does no varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles 9.1 Information on basic physical and cl General Information Appearance: Form: | r. found out by the manufacturer of the protective gloves and has to b hemical properties Liquid |
| The selection of the suitable gloves does no varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles 9.1 Information on basic physical and cl General Information Appearance: Form: Colour: | r. found out by the manufacturer of the protective gloves and has to b hemical properties Liquid Colourless |
| The selection of the suitable gloves does no varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles 9.1 Information on basic physical and cl General Information Appearance: Form: Colour: Odour: | r. found out by the manufacturer of the protective gloves and has to b hemical properties Liquid Colourless Undistinguishable. |
| The selection of the suitable gloves does a varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles 9.1 Information on basic physical and cl General Information Appearance: Form: Colour: Odour: Odour threshold: | r. found out by the manufacturer of the protective gloves and has to be hemical properties Liquid Colourless Undistinguishable. Not determined. |
| The selection of the suitable gloves does a varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles 9.1 Information on basic physical and ch General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: | r. found out by the manufacturer of the protective gloves and has to be hemical properties Liquid Colourless Undistinguishable. |
| The selection of the suitable gloves does a varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles 9.1 Information on basic physical and ch General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition | r. found out by the manufacturer of the protective gloves and has to b hemical properties Liquid Colourless Undistinguishable. Not determined. Not determined. |
| The selection of the suitable gloves does a varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles 9.1 Information on basic physical and cl General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: | r. found out by the manufacturer of the protective gloves and has to b hemical properties Liquid Colourless Undistinguishable. Not determined. Not determined. |
| The selection of the suitable gloves does a varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles 9.1 Information on basic physical and ch General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition | r. found out by the manufacturer of the protective gloves and has to b hemical properties Liquid Colourless Undistinguishable. Not determined. Not determined. |
| The selection of the suitable gloves does a varies from manufacturer to manufacture Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles 9.1 Information on basic physical and cl General Information Appearance: Form: Colour: Odour: Odour: Dour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: | found out by the manufacturer of the protective gloves and has to be hemical properties Liquid Colourless Undistinguishable. Not determined. Not determined. Undetermined. 258 °C |



Printing date 21.07.2021

CHEMICALS, INC

Revision: 21.07.2021

Trade name: Hexafluoroisopropanol, 99+%

| | (Contd. of page - |
|---|--|
| Ignition temperature: | |
| Decomposition temperature: | Not determined. |
| • Auto-ignition temperature: | Not determined. |
| · Explosive properties: | Product is not explosive. However, formation of explosive air/vapou mixtures are possible. |
| · Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| · Vapour pressure: | Not determined. |
| · Density at 20 •C: | 1.596 g/cm ³ |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with | |
| water: | Not miscible or difficult to mix. |
| · Partition coefficient: n-octanol/water: | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Organic solvents: | 100.0 % |
| VOC (EC) | 100.00 % |
| · 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- $\cdot \ \textbf{10.6 Hazardous decomposition products:} \ No \ dangerous \ decomposition \ products \ known.$

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed or if inhaled.

· LD/LC50 values relevant for classification:

920-66-1 1,1,1,3,3,3-hexafluoropropan-2-ol

Oral LD50 600 mg/kg (mouse)

· Primary irritant effect:

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

(Contd. on page 6)

GB

Printing date 21.07.2021

Revision: 21.07.2021

Trade name: Hexafluoroisopropanol, 99+%

- · Serious eye damage/irritation
- Causes severe skin burns and eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- \cdot Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| SECTION 14: Transport information | | |
|---------------------------------------|---|--|
| · 14.1 UN-Number · ADR, IMDG, IATA | UN3265 | |
| · 14.2 UN proper shipping name | | |
| $\cdot ADR$ | 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S | |
| | (1,1,1,3,3,3-hexafluoropropan-2-ol) | |
| · IMDG, IATA | CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S | |
| | (1,1,1,3,3,3-hexafluoropropan-2-ol) | |

(Contd. of page 5)

Printing date 21.07.2021

CHEMICALS, INC.

Revision: 21.07.2021

(Contd. of page 6)

| rade name: Hexafluoroisopropanol, 99+% | | |
|--|-------------------------|--|
| | | |
| 14.3 Transport hazard class(es) | | |
| ADR, IMDG, IATA | | |
| | | |
| · Class | 8 Corrosive substances. | |
| · Label | 8 | |
| · 14.4 Packing group | | |
| · ADR, IMDĞ, IATA | II | |

| Label | 8 |
|--|--|
| 14.4 Packing group | |
| ADR, IMDĞ, IATA | II |
| 14.5 Environmental hazards: | |
| - | No |
| Marine pollutant: | NO |
| 14.6 Special precautions for user | Warning: Corrosive substances. |
| Danger code (Kemler): | 80 |
| EMS Number: | F- A , S - B |
| Segregation groups | Acids |
| Stowage Category | В |
| Stowage Code | SW2 Clear of living quarters. |
| 147 Transport in bulk according to Ann | nov II of |
| 14.7 Transport in bulk according to Ann Marmal and the IPC Code | |
| Marpol and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| ADR | |
| Limited quantities (LQ) | lL |
| Excepted quantities (EQ) | Code: E2 |
| Encopied quantities $(\Box \underline{\mathcal{L}})$ | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| Transport category | 2 |
| Tunnel restriction code | Ē |
| | |
| | 17 |
| Limited quantities (LQ) | |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| UN ''Model Regulation'': | UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O. |
| | |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

· Seveso category P5c FLAMMABLE LIQUIDS

 \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

 \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 8)

GB

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 21.07.2021

Revision: 21.07.2021

Trade name: Hexafluoroisopropanol, 99+%

(Contd. of page 7)

| SECTION 16: Other information | |
|--|-----------------------|
| This information is based on our present knowledge. However, this shall not constitute a specific product features and shall not establish a legally valid contractual relationship. | guarantee for an |
| Department issuing SDS: Technical Department. | |
| Contact: Technical Director | |
| Abbreviations and acronyms: | |
| ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement conce | rning the Internation |
| Carriage of Dangerous Goods by Road) | |
| MDG: International Maritime Code for Dangerous Goods | |
| ATA: International Air Transport Association | |
| GHS: Globally Harmonised System of Classification and Labelling of Chemicals | |
| EINECS: European Inventory of Existing Commercial Chemical Substances | |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | |
| VOC: Volatile Organic Compounds (USA, EU) | |
| LC50: Lethal concentration, 50 percent | |
| LD50: Lethal dose, 50 percent | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| PVB: very Persistent and very Bioaccumulative | |
| Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 | |
| Skin Corr. 1B: Skin corrosion/irritation – Category 1B | |

