

Printing date 07/21/2021 Reviewed on 07/21/2021

1 Identification

· Product name

· Trade name: 2,2,2-Trifluoroethanol, 99%

• *Item number:* 09-7310

· CAS Number: 75-89-8

• **EC number:** 200-913-6

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Information department: Technical Department

 $\cdot \textit{Emergency telephone number:}$

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. of page 1)



Safety Data Sheet according to OSHA HCS

Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: 2,2,2-Trifluoroethanol, 99%

· Hazard pictograms









GHS06

GHS07

- · **Signal word** Danger
- · Hazard-determining components of labeling:

2,2,2-trifluoroethanol

· Hazard statements

H226 Flammable liquid and vapor. H301+H331 Toxic if swallowed or if inhaled. H312 Harmful in contact with skin. H315 Causes skin irritation.

H319 Causes serious eye irritation. H341 Suspected of causing genetic defects.

H361 Suspected of damaging fertility or the unborn child.

H335 May cause respiratory irritation.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 4Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *4Fire = 3

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

75-89-8 2,2,2-trifluoroethanol

(Contd. on page 3)



Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: 2,2,2-Trifluoroethanol, 99%

· Identification number(s)

(Contd. of page 2)

· EC number: 200-913-6

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- · PAC-1:

0.9 ppm

(Contd. on page 4)



Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: 2,2,2-Trifluoroethanol, 99%

(Contd. of page 3)

· *PAC-2*:

10 ppm

· PAC-3:

24 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

75-89-8 2,2,2-trifluoroethanol

WEEL Long-term value: 0.3 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

- · Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)



Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: 2,2,2-Trifluoroethanol, 99%

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Partition coefficient (n-octanol/water): Not determined.

α τ	•	, ,				
UPA	MOLCO	and	α	nomical	nra	novitoe
				remical		
	, , , , , , , , , , , , , , , , , , , ,				P	P

Information on basic physical and	chemical properties		
General Information Appearance:			
Form:	Liquid		
Color:	Colorless		
Odor:	undistinguishable		
Odor threshold:	Not determined.		
pH-value:	Not determined.		
Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	74-75 °C (165-167 °F)		
Flash point:	Not applicable.		
Flammability (solid, gaseous):	Not determined.		
Ignition temperature:			
Decomposition temperature:	Not determined.		
Auto igniting:	Not determined.		
Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
Vapor pressure:	Not determined.		
Density at 20 °C (68 °F):	1.373 g/cm³ (11.45769 lbs/gal)		
Relative density	Not determined.		
Vapor density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with			
Water:	Not miscible or difficult to mix.		

(Contd. on page 6)



Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: 2,2,2-Trifluoroethanol, 99%

(Contd. of page 5)

· Viscosity:

Dynamic:Not determined.Kinematic:Not determined.Organic solvents:100.0 %VOC content:100.0 %

1373.0 g/l / 11.46 lb/gl

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

75-89-8 2,2,2-trifluoroethanol

 Oral
 LD50
 240 mg/kg (rat)

 Dermal
 LD50
 1680 mg/kg (rat)

- · Primary irritant effect:
- \cdot on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 7)

(Contd. of page 6)



Safety Data Sheet according to OSHA HCS

Reviewed on 07/21/2021 Printing date 07/21/2021

Trade name: 2,2,2-Trifluoroethanol, 99%

· Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes: Not known to be hazardous to water.

· Results of PBT and vPvB assessment

· **PBT**: Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information						
· UN-Number · DOT, IMDG, IATA						

UN1992

· UN proper shipping name

 $\cdot DOT$

Flammable liquids, toxic, n.o.s. (2,2,2-trifluoroethanol)

FLAMMABLE LIQUID, TOXIC, N.O.S. (2,2,2-trifluoroethanol) · IMDG, IATA

- · Transport hazard class(es)
- $\cdot DOT$





· Class · Label 3 Flammable liquids 3, 6.1

· IMDG



· Class

3,

· Label

3/6.1

 \cdot IATA





· Class

3 Flammable liquids

· Label

3 (6.1)

(Contd. on page 8)



Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: 2,2,2-Trifluoroethanol, 99%

	(Contd. of pag
· Packing group	
· DOT, IMDG, IATA	III
Environmental hazards:	
· Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	30
EMS Number:	F- E , S - D
Stowage Category	A
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
· DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (\widetilde{EQ})	Code: E1
- · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN ''Model Regulation'':	UN 1992 FLAMMABLE LIQUIDS, TOXIC, N.O.S. (2,2, TRIFLUOROETHANOL), 3 (6.1), III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

(Contd. on page 9)



Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: 2,2,2-Trifluoroethanol, 99%

(Contd. of page 8)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms









GHS02

GHS06

GHS07 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

2,2,2-trifluoroethanol

· Hazard statements

H226 Flammable liquid and vapor.
H301+H331 Toxic if swallowed or if inhaled.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H361 Suspected of damaging fertility or the unborn child.

H335 May cause respiratory irritation.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

 $P305 + P351 + P338 \ If \ in \ eyes: \ Rinse \ cautiously \ with \ water for \ several \ minutes. \ Remove \ contact \ lenses, \ if \ present$

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/21/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 10)



Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: 2,2,2-Trifluoroethanol, 99%

(Contd. of page 9)

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 3: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Muta. 2: Germ cell mutagenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2

 $STOT\,SE\,3:\,Specific\,target\,organ\,toxicity\,(single\,exposure)-Category\,3$

US