Printing date 07/15/2021

Reviewed on 07/14/2021

### **1** Identification

- · Product name
- · Trade name: Ethylmagnesium chloride, 2M in ether
- Item number: 12-0800
- · EINECS Number: 219-206-9
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Strem Chemicals, Inc.

7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com

• Information department: Technical Department • Emergency telephone number:

*EMERGENCY:* CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

### 2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2H225 Highly flammable liquid and vapor.Water-react. 1H260 In contact with water releases flammable gases, which may ignite spontaneously.

GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger


• *Hazard-determining components of labeling:* Diethyl ether, anhydrous Chloroethylmagnesium

(Contd. on page 2)

US

Printing date 07/15/2021

Reviewed on 07/14/2021



### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
60-29-7	Diethyl ether, anhydrous	80.0%	
2386-64-3	Chloroethylmagnesium	20.0%	

### 4 First-aid measures

#### · Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

US

Printing date 07/15/2021

Reviewed on 07/14/2021

Trade name: Ethylmagnesium chloride, 2M in ether

- After swallowing:
- Immediately call a doctor.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Sand. Do not use water. CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures* Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:				
60-29-7 Diethyl et	her, anhydrous	500 ppm		
2386-64-3 Chloroeth	ylmagnesium	30 mg/m3		
· PAC-2:				
60-29-7 Diethyl et	her, anhydrous	3200* ppm		
2386-64-3 Chloroeth	ylmagnesium	330 mg/m3		
· PAC-3:				
60-29-7 Diethyl et	her, anhydrous	19000*** ppm		
2386-64-3 Chloroeth	ylmagnesium	2,000 mg/m3		

### 7 Handling and storage

· Handling: Handle under inert gas.

· Precautions for safe handling Open and handle receptacle with care.

(Contd. of page 2)

Printing date 07/15/2021

Reviewed on 07/14/2021

Trade name: Ethylmagnesium chloride, 2M in ether

(Contd. of page 3)

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.
- 8 Exposure controls/personal protection
- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
- At this time, the remaining constituent has no known exposure limits.
- 60-29-7 Diethyl ether, anhydrous
- PEL Long-term value: 1200 mg/m<sup>3</sup>, 400 ppm
- TLV Short-term value: 1520 mg/m<sup>3</sup>, 500 ppm
  - Long-term value: 1210 mg/m<sup>3</sup>, 400 ppm
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment: Wear protective clothing
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US -

Printing date 07/15/2021

CHEMICALS, INC

Reviewed on 07/14/2021

Trade name:	Ethylmagnesium	chloride,	2M in ether

· Eye protection:

(Contd. of page 4)



Tightly sealed goggles

#### **9** Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Light brown · Odor: Sweetish · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** Undetermined. · Flash point: Not applicable. · Flammability (solid, gaseous): Not determined. 170 °C (338 °F) · Ignition temperature: · Decomposition temperature: Not determined. Product is not selfigniting. · Auto igniting: · Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. · Explosion limits: 1.7 Vol % Lower: Upper: 36.0 Vol % · Vapor pressure at 20 °C (68 °F): 587 hPa (440 mm Hg) · Density: Not determined. · Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Not miscible or difficult to mix. Water: · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dvnamic: Not determined. Kinematic: Not determined. · Solvent content: **Organic** solvents: 80.0 % 80.0 % **VOC content:**

800.0 g/l / 6.68 lb/gl

(Contd. on page 6)

Printing date 07/15/2021

Reviewed on 07/14/2021

Trade name: Ethylmagnesium chloride, 2M in ether

(Contd. of page 5)

• Other information

No further relevant information available.

#### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### 60-29-7 Diethyl ether, anhydrous

Oral LD50 1215 mg/kg (rat)

Inhalative LC50/4 h 73000 mg/l (rat)

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Harmful* 

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

· Toxicity

• Aquatic toxicity: No further relevant information available.

· Persistence and degradability No further relevant information available.

(Contd. on page 7)

US

(Contd. of page 6)

### Safety Data Sheet according to OSHA HCS

Printing date 07/15/2021

CHEMICALS, INC

Reviewed on 07/14/2021

### Trade name: Ethylmagnesium chloride, 2M in ether

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

#### · Waste treatment methods

• Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN3399
UN proper shipping name DOT IMDG, IATA	Organometallic substance, liquid, water-reactive, flammable ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIV FLAMMABLE
Transport hazard class(es) DOT	
Class	4.3 Substances which, in contact with water, emit flammable gases
Label	4.3, 3
Class Label	<i>4.3 Substances which, in contact with water, emit flammable gases 4.3/3</i>
Class	4.3 Substances which, in contact with water, emit flammable gases

Printing date 07/15/2021

CHEMICALS, INC.

Reviewed on 07/14/2021

Trade name: Ethylmagnesium chloride, 2M in ether

	(Contd. of page
Label	4.3 (3)
Packing group DOT, IMDG, IATA	Ι
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Substances which, in contact with water, emit flammab
EMS Number: Stowage Category Stowage Code Handling Code Segregation Code	gases F-G,S-N D SW2 Clear of living quarters. H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 when stowed of deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. SG35 Stow "separated from" acids.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	0
	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: Forbidden On cargo aircraft only: 1 L
UN "Model Regulation":	UN 3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATE REACTIVE, FLAMMABLE, 4.3 (3), I

### **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 9)

<sup>-</sup> U

Printing date 07/15/2021 Reviewed on 07/14/2021 Trade name: Ethylmagnesium chloride, 2M in ether (Contd. of page 8) · Carcinogenic categories · EPA (Environmental Protection Agency) None of the ingredients is listed. • TLV (Threshold Limit Value established by ACGIH) None of the ingredients is listed. · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02 GHS05 GHS07 · Signal word Danger · Hazard-determining components of labeling: Diethyl ether, anhydrous Chloroethylmagnesium · Hazard statements H225 Highly flammable liquid and vapor. H260 In contact with water releases flammable gases, which may ignite spontaneously. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H336 May cause drowsiness or dizziness. · Precautionary statements P231+P232 Handle under inert gas. Protect from moisture. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents under inert gas. P501 Dispose of contents/container in accordance with local/regional/national/international

regulations. • **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/15/2021 / -
- Abbreviations and acronyms:
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 10)

<sup>-</sup> US

Printing date 07/15/2021

Reviewed on 07/14/2021

## Trade name: Ethylmagnesium chloride, 2M in ether

	(Contd. of page 9)
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flam. Liq. 2: Flammable liquids – Category 2	
Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
	US



US