Printing date 07/16/2021

Reviewed on 07/16/2021

1 Identification

- · Product name
- · Trade name: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino))-1,1'-biphenyl, 98% tBuDavePhos
- *Item number:* 15-1048
- CAS Number: 224311-49-3
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- Information department: Technical Department
 Emergency telephone number: EMERGENCY: CHEMTREC: +1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.

- · Label elements
- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS).* • *Hazard pictograms*




· Signal word Warning


Hazard-determining components of labeling:
2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos
Hazard statements
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Precautionary statements
P262 Do not get in eyes, on skin, or on clothing.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 2)

Printing date 07/16/2021

Reviewed on 07/16/2021





3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 224311-49-3 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos

4 First-aid measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino))-1,1'-biphenyl, 98% tBuDavePhos

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.

(Contd. on page 4)



US

Printing date 07/16/2021

CHEMICALS, INC

Reviewed on 07/16/2021

(Contd. of page 3)

Trade name: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino))-1,1'-biphenyl, 98% tBuDavePhos

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Crystalline	
Color:	White	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	

US

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino))-1,1'-biphenyl, 98% tBuDavePhos

		(Contd. of page
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/	vater): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0~%	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- \cdot on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)

US

Printing date 07/16/2021

CHEMICALS, INC

Reviewed on 07/16/2021

(Contd. of page 5)

Trade name: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino))-1,1'-biphenyl, 98% tBuDavePhos

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Transport information		
UN-Number DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA Class	not regulated	
Packing group DOT, IMDG, IATA	not regulated	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex . MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	not regulated	

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- Section 355 (extremely hazardous substances):
- Substance is not listed.
- · Section 313 (Specific toxic chemical listings):
- Substance is not listed.

(Contd. on page 7)

- ÚS

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino))-1,1'-biphenyl, 98% tBuDavePhos

TSCA (roxic Substances Control Act): Substance is not listed. Proposition 65 Chemicals known to cause cancer: Substance is not listed. Chemicals known to cause reproductive toxicity for females: Substance is not listed. Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause reproductive toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TV (Threshold Limit Value established by ACGIH) Substance is not listed. Substance is not listed. Substance is not listed. NIOSII-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hacard pictograms Figure 4 GHS label elements Hacard-determining components of labeling: 2-Di-I-burylphosphino-2'. (N.N-dimethylamino)biphenyl, 98% tBuDavePhos Hacard-determition. H315 Causes skin irritation. H325 May cause respiratory irrita		(Contd. of page
Proposition 65 Chemicals known to cause cancer: Substance is not listed. Chemicals known to cause reproductive toxicity for females: Substance is not listed. Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. MOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHSIO7 Signal word Warning Hazard statements H315 Causes skin irritation. H315 Causes skin irritation. H316 Causes serious ey irritation. H317 Causes skin irritation. H318 Causes sterious ey inversion P260 Do not get in eyes, on skin, or		
Chemicals known to cause cancer: Substance is not listed. Chemicals known to cause reproductive toxicity for females: Substance is not listed. Chemicals known to cause eproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. TLS (Antional Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Signal word Warning Hazard determing Hazard determing Hazard statements H315 Causes skin irritation. H315 Causes skin irritation. H315 Causes skin irritation. H316 Causes serious eye irritation. H317 Causes serious eye irritation. H318 Causes serious eye irritation. H319 Causes serious eyes irritation. H326 Causes serious eyes irritation. H337 Chauses serious eyes irritation. H338 Chauses serious eyes irritation. H339 Causes serious eyes irritation. H340 Chuese serious eyes irritation. H340 Chuese serious eyes irritation. H341 CAUED: Remove person to fresh air and keep comfortable for breathing. P260 Wear protective gloves/protective colohing. P280 Wear protective gloves/protective colohing. P280 Wear protective gloves/protective colohing. P280 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container ightly closed. P301 Dispose of contents/container in accordance with local/regional/internation regulations.		i iisieu.
Substance is not listed. Chemicals known to cause reproductive toxicity for females: Substance is not listed. Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Inreshold Limit Value established by ACGIH) Substance is not listed. TIV (Inreshold Limit Value established by ACGIH) Substance is not listed. GIIS label elements The substance is not listed. GIIS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GiIS and word Warning Hazard-determining components of labeling: -Di-t-butylphosphinc-2'(N.N-dimethylamino)biphenyl, 98% tBuDavePhos Haj15 Causes skin irritation. H315 Causes skin irritation. H315 Causes skin irritation. H315 Causes cikin eys: nn skin, or on clothing. P260 Wear protective gloves/protective clothing/eye protection/face protection. P280 Wear protective gloves/protective clothing/eye prote	-	
Chemicals known to cause reproductive toxicity for females: Substance is not listed. Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms View Signal word Warning Hazard-determining components of labeling: 2-Di-butylphosphino-2'-(N.N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H315 Causes skin irritation. P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres and easy to do. Continue rinsing. <		
Substance is not listed. Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is not stied. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms V Signal word Warning Hazard-determining components of labeling: 2-Di-butylphosphino-2 ⁺ (N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H326 Causes skin irritation. H335 May cause respiratory irritation. Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in		
Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Vol GHS07 Signal word Warning Hazard-determining components of labeling: 2. Di-t-butylphosphino-2' (N/N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H315 Cause serious eye irritation. H315 May cause respiratory irritation. P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective glove/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF I		
Substance is not listed. Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms V GHS07 Signal word Warning Hazard-determining components of labeling: 2-Di-t-butylphosphino-2 ⁺ (N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard determents H315 Causes skin irritation. H315 Causes serious eye irritation. H315 May cause respiratory irritation. P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. <t< td=""><td>Substance is no</td><td>t listed.</td></t<>	Substance is no	t listed.
Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms V GHS07 Signal word Warning Hazard-determining components of labeling: -Dit-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H319 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. P262 Do not get in eyes, on skin, or on clothing. P262 Do not get in eyes, on skin, or on clothing. P262 Do not get in eyes, on skin, or on clothing. P264 P30+P331 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	Chemicals know	wn to cause reproductive toxicity for males:
Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Vortice GHS07 Signal word Warning Hazard-determining components of labeling: -Dit-butylphosphino-2" (N.N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H319 Causes serious ey irritation. H319 Causes seriorin eye irritation. H319 Causes seriorin eye irritation. H325 May cause respiratory irritation. P262 Do not get in eyes, on skin, or on clothing. P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presators and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	Substance is no	t listed.
Substance is not listed. Carcinogenic categories EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Vortice GHS07 Signal word Warning Hazard-determining components of labeling: -Dit-butylphosphino-2" (N.N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H319 Causes serious ey irritation. H319 Causes seriorin eye irritation. H319 Causes seriorin eye irritation. H325 May cause respiratory irritation. P262 Do not get in eyes, on skin, or on clothing. P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presators and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	Chemicals know	wn to cause developmental toxicity:
EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H326 Causes serious eye irritation. P262 Do not get in eyes, on skin, or on clothing. P262 Do not get in eyes, on skin, or on clothing. P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305 +P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly close		
EPA (Environmental Protection Agency) Substance is not listed. TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H326 Causes serious eye irritation. P262 Do not get in eyes, on skin, or on clothing. P262 Do not get in eyes, on skin, or on clothing. P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305 +P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly close	Carcinogenic c	ategories
TLV (Threshold Limit Value established by ACGIH) Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS tabel elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms	-	-
Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS tabel elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS tabel elements GHS tabel of tabeling: GHS07 Signal word Warning Hazard-determining components of labeling: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. P262 Do not get in eyes, on skin, or on clothing. P264 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dis	Substance is no	t listed.
NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: GHSO7 Signal word Warning Hazard-determining components of labeling: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H335 May cause respiratory irritation. Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P263 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.	TLV (Threshold	d Limit Value established by ACGIH)
Substance is not listed. GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: Signal word Warning Hazard-determining components of labeling: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H3262 Do not get in eyes, on skin, or on clothing. P262 Do not get in eyes, on skin, or on clothing. P262 Do not get in eyes, on skin, or on clothing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.	Substance is no.	t listed.
GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: Signal word Warning Hazard-determining components of labeling: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. P262 Do not get in eyes, on skin, or on clothing. P263 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.	NIOSH-Ca (Na	tional Institute for Occupational Safety and Health)
The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Vigor GHS07 Signal word Warning Hazard-determining components of labeling: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H315 Causes skin irritation. H315 Causes skin irritation. H315 Causes skin irritation. H320 Causes respiratory irritation. Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.	Substance is no	t listed.
Hazard pictograms Vigor Signal word Warning Hazard-determining components of labeling: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H315 Causes skin irritation. H315 Causes skin irritation. H335 May cause respiratory irritation. Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.		
Hazard pictograms Vigor Signal word Warning Hazard-determining components of labeling: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H315 Causes skin irritation. H315 Causes skin irritation. H335 May cause respiratory irritation. Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.	GHS label elem	nents
Visition Signal word Warning Hazard-determining components of labeling: 2.Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.		
Signal word Warning Hazard-determining components of labeling: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H335 May cause respiratory irritation. Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.	The substance is	s classified and labeled according to the Globally Harmonized System (GHS).
Signal word Warning Hazard-determining components of labeling: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H335 May cause respiratory irritation. Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.	The substance is	s classified and labeled according to the Globally Harmonized System (GHS).
Signal word Warning Hazard-determining components of labeling: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H335 May cause respiratory irritation. Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.	The substance is	s classified and labeled according to the Globally Harmonized System (GHS).
Signal word Warning Hazard-determining components of labeling: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H335 May cause respiratory irritation. Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.	The substance is	s classified and labeled according to the Globally Harmonized System (GHS).
Signal word Warning Hazard-determining components of labeling: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H335 May cause respiratory irritation. Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.	The substance is	s classified and labeled according to the Globally Harmonized System (GHS).
Hazard-determining components of labeling:2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhosHazard statementsH315 Causes skin irritation.H319 Causes serious eye irritation.H335 May cause respiratory irritation.Precautionary statementsP262Do not get in eyes, on skin, or on clothing.P280Wear protective gloves/protective clothing/eye protection/face protection.P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.P304+P340IF INHALED: Remove person to fresh air and keep comfortable for breathing.P403+P233Store in a well-ventilated place. Keep container tightly closed.P501Dispose of contents/container in accordance with local/regional/national/internation regulations.	The substance i. Hazard pictogra	s classified and labeled according to the Globally Harmonized System (GHS).
Hazard-determining components of labeling:2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhosHazard statementsH315 Causes skin irritation.H319 Causes serious eye irritation.H335 May cause respiratory irritation.Precautionary statementsP262Do not get in eyes, on skin, or on clothing.P280Wear protective gloves/protective clothing/eye protection/face protection.P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.P304+P340IF INHALED: Remove person to fresh air and keep comfortable for breathing.P403+P233Store in a well-ventilated place. Keep container tightly closed.P501Dispose of contents/container in accordance with local/regional/national/internation regulations.	The substance i. Hazard pictogra	s classified and labeled according to the Globally Harmonized System (GHS).
 2-Di-t-butylphosphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. 	The substance i. Hazard pictogra OFS07	s classified and labeled according to the Globally Harmonized System (GHS). ams
Hazard statementsH315 Causes skin irritation.H319 Causes serious eye irritation.H335 May cause respiratory irritation.Precautionary statementsP262Do not get in eyes, on skin, or on clothing.P280Wear protective gloves/protective clothing/eye protection/face protection.P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pressand easy to do. Continue rinsing.P304+P340IF INHALED: Remove person to fresh air and keep comfortable for breathing.P403+P233Store in a well-ventilated place. Keep container tightly closed.P501Dispose of contents/container in accordance with local/regional/national/internation regulations.	The substance is Hazard pictogra OHS07 Signal word Wa	s classified and labeled according to the Globally Harmonized System (GHS). ams arning
 H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. 	The substance i. Hazard pictogra OHS07 Signal word Wa Hazard-determa	s classified and labeled according to the Globally Harmonized System (GHS). ams arning ining components of labeling:
 H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. 	The substance is Hazard pictogra GHS07 Signal word Wa Hazard-determa 2-Di-t-butylpho	s classified and labeled according to the Globally Harmonized System (GHS). ams arning ining components of labeling: sphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos
 H335 May cause respiratory irritation. Precautionary statements P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. 	The substance is Hazard pictogra GHS07 Signal word Wa Hazard-determa 2-Di-t-butylpho Hazard stateme	s classified and labeled according to the Globally Harmonized System (GHS). ams arning ining components of labeling: sphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos ents
Precautionary statementsP262Do not get in eyes, on skin, or on clothing.P280Wear protective gloves/protective clothing/eye protection/face protection.P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.P304+P340IF INHALED: Remove person to fresh air and keep comfortable for breathing.P403+P233Store in a well-ventilated place. Keep container tightly closed.P501Dispose of contents/container in accordance with local/regional/national/internation regulations.	The substance i. Hazard pictogra GHS07 Signal word Wa Hazard-determa 2-Di-t-butylpho Hazard stateme H315 Causes sk	s classified and labeled according to the Globally Harmonized System (GHS). ams arning ining components of labeling: sphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos ents kin irritation.
 P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. 	The substance is Hazard pictogra GHS07 Signal word Wa Hazard-determa 2-Di-t-butylpho Hazard stateme H315 Causes sk H319 Causes se	s classified and labeled according to the Globally Harmonized System (GHS). ams urning ining components of labeling: sphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos ints kin irritation. erious eye irritation.
 P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. 	The substance is Hazard pictogra GHS07 Signal word Wa Hazard-determa 2-Di-t-butylpho Hazard stateme H315 Causes sk H319 Causes se H335 May caus	s classified and labeled according to the Globally Harmonized System (GHS). ams urning ining components of labeling: sphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos ints kin irritation. erious eye irritation. er respiratory irritation.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. 	The substance is Hazard pictogra GHS07 Signal word Wa Hazard-determa 2-Di-t-butylpho Hazard stateme H315 Causes sk H319 Causes se H335 May caus Precautionary s	s classified and labeled according to the Globally Harmonized System (GHS). ams arning ining components of labeling: sphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos mts kin irritation. erious eye irritation. erious eye irritation. statements
and easy to do. Continue rinsing.P304+P340IF INHALED: Remove person to fresh air and keep comfortable for breathing.P403+P233Store in a well-ventilated place. Keep container tightly closed.P501Dispose of contents/container in accordance with local/regional/national/internationregulations.	The substance is Hazard pictogra GHS07 Signal word Wa Hazard-determa 2-Di-t-butylpho Hazard stateme H315 Causes sk H319 Causes se H335 May caus Precautionary s P262	s classified and labeled according to the Globally Harmonized System (GHS). ams arning ining components of labeling: sphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos ents kin irritation. erious eye irritation. erious eye irritation. er respiratory irritation. statements Do not get in eyes, on skin, or on clothing.
P304+P340IF INHALED: Remove person to fresh air and keep comfortable for breathing.P403+P233Store in a well-ventilated place. Keep container tightly closed.P501Dispose of contents/container in accordance with local/regional/national/internation regulations.	The substance is Hazard pictogra GHS07 Signal word Wa Hazard-determa 2-Di-t-butylpho Hazard stateme H315 Causes sk H319 Causes se H335 May caus Precautionary s P262	s classified and labeled according to the Globally Harmonized System (GHS). ams arning ining components of labeling: sphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos ents kin irritation. erious eye irritation. erious eye irritation. er respiratory irritation. statements Do not get in eyes, on skin, or on clothing.
P403+P233Store in a well-ventilated place. Keep container tightly closed.P501Dispose of contents/container in accordance with local/regional/national/internation regulations.	The substance is Hazard pictogra GHS07 Signal word Wa Hazard-determa 2-Di-t-butylpho Hazard stateme H315 Causes sk H319 Causes se H335 May caus Precautionary s P262 P280	s classified and labeled according to the Globally Harmonized System (GHS). ams uning ining components of labeling: sphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos ents sin irritation. erious eye irritation. erious eye irritation. erious eye irritation. statements Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press
P501 Dispose of contents/container in accordance with local/regional/national/internation regulations.	The substance is Hazard pictogra GHS07 Signal word Wa Hazard-determ 2-Di-t-butylpho Hazard stateme H315 Causes sk H319 Causes se H335 May caus Precautionary s P262 P280 P305+P351+P.	s classified and labeled according to the Globally Harmonized System (GHS). ams uning ining components of labeling: sphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos ents sin irritation. erious eye irritation. erious eye irritation. erious eye irritation. statements Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.
regulations.	The substance is Hazard pictogra GHS07 Signal word Wa Hazard-determa 2-Di-t-butylpho Hazard stateme H315 Causes sk H319 Causes se H335 May caus Precautionary s P262 P280 P305+P351+P. P304+P340	s classified and labeled according to the Globally Harmonized System (GHS). ams urning ining components of labeling: sphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos ents cin irritation. erious eye irritation. erious eye irritation. statements Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	The substance is Hazard pictogra GHS07 Signal word Wa Hazard-determa 2-Di-t-butylpho Hazard stateme H315 Causes sk H319 Causes se H335 May cause P262 P280 P305+P351+P P304+P340 P403+P233	s classified and labeled according to the Globally Harmonized System (GHS). ams urning ining components of labeling: sphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos ints cin irritation. errous eye irritation. errous eye irritation. errous eye irritation. statements Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Store in a well-ventilated place. Keep container tightly closed.
	The substance is Hazard pictogra GHS07 Signal word Wa Hazard-determa 2-Di-t-butylpho Hazard stateme H315 Causes sk H319 Causes se H335 May cause P262 P280 P305+P351+P P304+P340 P403+P233	s classified and labeled according to the Globally Harmonized System (GHS). ams urning ining components of labeling: sphino-2'-(N,N-dimethylamino)biphenyl, 98% tBuDavePhos ints cin irritation. errous eye irritation. errous eye irritation. errous eye irritation. statements Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/internation



Printing date 07/16/2021

CHEMICALS, INC.

Reviewed on 07/16/2021

Trade name: 2-Di-t-butylphosphino-2'-(N,N-dimethylamino))-1,1'-biphenyl, 98% tBuDavePhos

(Contd. of page 7)

Contact: Technical Director Date of preparation / last revision 07/16/2021 / - Abbreviations and acronyms:	Uti	her information
Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A		
Date of preparation / last revision 07/16/2021 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSH: National Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Kin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	Dep	partment issuing SDS: Technical Department.
Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	Cor	ntact: Technical Director
Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	Dat	te of preparation / last revision 07/16/2021 / -
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A		
Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A		
IMDG: International Maritime Code for Dangerous GoodsDOT: US Department of TransportationIATA: International Air Transport AssociationACGIH: American Conference of Governmental Industrial HygienistsCAS: Chemical Abstracts Service (division of the American Chemical Society)NFPA: National Fire Protection Association (USA)HMIS: Hazardous Materials Identification System (USA)VOC: Volatile Organic Compounds (USA, EU)PBT: Persistent, Bioaccumulative and ToxicvPvB: very Persistent and very BioaccumulativeNIOSH: National Institute for Occupational SafetyOSHA: Occupational Safety & HealthTLV: Threshold Limit ValuePEL: Permissible Exposure LimitREL: Recommended Exposure LimitSkin Irrit. 2: Skin corrosion/irritation – Category 2A		
DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A		
IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A		
ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A		
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A		
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A		
VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A		
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	HM	IS: Hazardous Materials Identification System (USA)
vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	VOC	C: Volatile Organic Compounds (USA, EU)
NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	PBT	: Persistent, Bioaccumulative and Toxic
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	vPvl	B: very Persistent and very Bioaccumulative
TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	NIO	NH: National Institute for Occupational Safety
PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A		
REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A		
Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A		A Contract of the second s
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A		
		0 5