

Printing date 11/18/2022 Reviewed on 11/18/2022

1 Identification

· Product name

· Trade name: <u>CALLERYIM</u> Potassium hexamethyldisilazane, 20% solution in tetrahydrofuran

· Item number: 19-1090

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@ascensusspecialties.com

· Information department: Technical Department

· Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 2 H351 Suspected of causing cancer.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS07

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS02

02 GHS05

GHS07 GHS0

- · Signal word Danger
- · Hazard-determining components of labeling: Tetrahydrofuran [109-99-9]

(Contd. on page 2)



Printing date 11/18/2022 Reviewed on 11/18/2022

Trade name: CALLERYTM Potassium hexamethyldisilazane, 20% solution in tetrahydrofuran

(Contd. of page 1)

Silanamine, 1,1,1-tri-methyl-N-(trimethylsilyl)-,potassium salt

1,1,1,3,3,3-hexamethyldisilazane

· Hazard statements

H225 Highly flammable liquid and vapor. Causes severe skin burns and eve damage. H314 H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking. P210

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

Store in a well-ventilated place. Keep container tightly closed. P403+P233

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *4Fire = 3

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
109-99-9	Tetrahydrofuran [109-99-9]	76.0%		
40949-94-8	Silanamine, 1,1,1-tri-methyl-N-(trimethylsilyl)-,potassium salt	20.0%		
513-35-9	2-methylbut-2-ene	2.0%		
999-97-3	1,1,1,3,3,3-hexamethyldisilazane	1.5%		

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)



Printing date 11/18/2022 Reviewed on 11/18/2022

Trade name: CALLERYTM Potassium hexamethyldisilazane, 20% solution in tetrahydrofuran

(Contd. of page 2)

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

<i>PAC-1:</i>		
109-99-9	Tetrahydrofuran [109-99-9]	100 ppm
513-35-9	2-methylbut-2-ene	4.2 ppm
999-97-3	1,1,1,3,3,3-hexamethyldisilazane	2.5 mg/m3
1310-58-3	Potassium hydroxide, pellets	0.18 mg/m3
78-79-5	isoprene (stabilized)	5 ppm
<i>PAC-2:</i>		
109-99-9	Tetrahydrofuran [109-99-9]	500 ppm
513-35-9	2-methylbut-2-ene	46 ppm
999-97-3	1,1,1,3,3,3-hexamethyldisilazane	28 mg/m3
1310-58-3	Potassium hydroxide, pellets	2 mg/m3
78-79-5	isoprene (stabilized)	1,000 ppn
<i>PAC-3:</i>		
109-99-9	Tetrahydrofuran [109-99-9]	5000* ppn
513-35-9	2-methylbut-2-ene	280 ppm
999-97-3	1,1,1,3,3,3-hexamethyldisilazane	170 mg/m.

d. on page -



Printing date 11/18/2022 Reviewed on 11/18/2022

Trade name: CALLERYTM Potassium hexamethyldisilazane, 20% solution in tetrahydrofuran

	(Contd. of page 3)
1310-58-3 Potassium hydroxide, pellets	54 mg/m3
78-79-5 isoprene (stabilized)	4000* ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

109-99-9 Tetrahydrofuran [109-99-9]

PEL	Long-term value: 590 mg/m³, 200 ppm
REL	Short-term value: 735 mg/m³, 250 ppm Long-term value: 590 mg/m³, 200 ppm
	Long-term value: 590 mg/m³, 200 ppm
TLV	Short-term value: 295 mg/m³, 100 ppm Long-term value: 147 mg/m³, 50 ppm
	Long-term value: 147 mg/m³, 50 ppm
	Skin

· Ingredients with biological limit values:

109-99-9 Tetrahydrofuran [109-99-9]

BEI 2 mg/L

Medium: urine Time: end of shift

Parameter: Tetrahydrofuran

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment: Wear protective clothing
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

(Contd. on page 5)



Printing date 11/18/2022 Reviewed on 11/18/2022

Trade name: CALLERYTM Potassium hexamethyldisilazane, 20% solution in tetrahydrofuran

(Contd. of page 4)

· Breathing equipment: Not required.

· Protection of hands:



Protective gloves

Gloves must be impervious to the chemical substance

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and cl · General Information	hemical properties
· Appearance:	
Form:	Liquid
Color:	Colorless
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	65.5 °C (150 °F)
· Flash point:	-24.5 °C (-12 °F)
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	230 °C (446 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	1.5 Vol %
Upper:	12.0 Vol %

(Contd. on page 6)



Printing date 11/18/2022 Reviewed on 11/18/2022

Trade name: CALLERYTM Potassium hexamethyldisilazane, 20% solution in tetrahydrofuran

	(Contd. o	of page
Vapor pressure at 20 °C (68 °F):	200 hPa (150 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	76.0 %	
VOC content:	76.0 %	
	760.0 g/l / 6.34 lb/gl	
Solids content:	20.4 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- $\cdot \textit{Reactivity No further relevant information available}.$
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

109-99-9 Tetrahydrofuran [109-99-9]

Oral LD50 2500 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 7)



Printing date 11/18/2022 Reviewed on 11/18/2022

Trade name: CALLERY^{IM} Potassium hexamethyldisilazane, 20% solution in tetrahydrofuran

(Contd. of page 6)

· Carcinogenic categories	
· IARC (International Agency for Research on Cancer)	
78-79-5 isoprene (stabilized)	28
· NTP (National Toxicology Program)	
78-79-5 isoprene (stabilized)	R
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

1	4	T	rans	port	inj	formai	tion

- · UN-Number
- **DOT, IMDG, IATA** UN2920
- · UN proper shipping name

· **DOT** Corrosive liquids, flammable, n.o.s.

· IMDG, IATA CORROSIVE LIQUID, FLAMMABLE, N.O.S.

(Contd. on page 8)



Printing date 11/18/2022 Reviewed on 11/18/2022

Trade name: CALLERYTM Potassium hexamethyldisilazane, 20% solution in tetrahydrofuran

(Contd. of page 7)

· Transport hazard class(es)

 $\cdot DOT$





· Class 8 Corrosive substances 8, 3

· Label

· IMDG





· Class 8 Corrosive substances

· Label 8/3

 \cdot IATA





8 Corrosive substances · Class

· Label 8 (3)

· Packing group

· DOT, IMDG, IATA Ι

· Environmental hazards: Not applicable.

Warning: Corrosive substances · Special precautions for user

F-E,S-Č · EMS Number:

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": UN 2920 CORROSIVE LIQUIDS, FLAMMABLE, N.O.S., 8 (3), I

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

78-79-5 isoprene (stabilized)

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 9)



Printing date 11/18/2022 Reviewed on 11/18/2022

Trade name: CALLERYTM Potassium hexamethyldisilazane, 20% solution in tetrahydrofuran

(Contd. of page 8)

· Proposition 65

· Chemicals known to cause cancer:

78-79-5 isoprene (stabilized)

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

109-99-9 Tetrahydrofuran [109-99-9]

SC

· TLV (Threshold Limit Value established by ACGIH)

109-99-9 Tetrahydrofuran [109-99-9]

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS05

GHS07 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

Tetrahydrofuran [109-99-9]

Silanamine, 1,1,1-tri-methyl-N-(trimethylsilyl)-,potassium salt

1,1,1,3,3,3-hexamethyldisilazane

· Hazard statements

H225 Highly flammable liquid and vapor.

Causes severe skin burns and eye damage. H314

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 10)



Printing date 11/18/2022 Reviewed on 11/18/2022

Trade name: CALLERYTM Potassium hexamethyldisilazane, 20% solution in tetrahydrofuran

(Contd. of page 9)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · **Department issuing SDS:** Technical Department.
- Contact: Technical Director
- · Date of preparation / last revision 11/18/2022 / -
- · Abbreviations and acronvms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Muta. 2: Germ cell mutagenicity – Category 2

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3