

Printing date 07/16/2021

Reviewed on 07/16/2021

1 Identification

- **Product name**
- **Trade name:** Potassium monoperoxysulfate OXONE®
- **Item number:** 19-5395
- **CAS Number:**
70693-62-8
- **EC number:**
274-778-7
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Strem Chemicals, Inc.
7 Mulliken Way
NEWBURYPORT, MA 01950
USA
info@strem.com
- **Information department:** Technical Department
- **Emergency telephone number:**
EMERGENCY: CHEMTREC: +1 (800) 424-9300
During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS03 Flame over circle

Ox. Sol. 3 H272 May intensify fire; oxidizer.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.



GHS07

STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**

- **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS03



GHS05



GHS07

- **Signal word** Danger

- **Hazard statements**

H272 May intensify fire; oxidizer.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

(Contd. on page 2)

US

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: Potassium monoperoxysulfate OXONE®

(Contd. of page 1)

· **Precautionary statements**

- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P284 In case of inadequate ventilation wear respiratory protection.
- P220 Keep/Store away from clothing/combustible materials.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 4
Fire = 3
Reactivity = 0

The substance possesses oxidizing properties.

· **HMIS-ratings (scale 0 - 4)**

HEALTH	4
FIRE	3
REACTIVITY	0

Health = 4
Fire = 3
Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Substances**

· **CAS No. Description**

70693-62-8 Potassium monoperoxysulfate OXONE®

· **Identification number(s)**

· **EC number:** 274-778-7

4 First-aid measures

· **Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

US

(Contd. on page 3)

Safety Data Sheet
according to OSHA HCS

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: Potassium monoperoxysulfate OXONE®

(Contd. of page 2)

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Sand. Do not use water.
CO2, sand, extinguishing powder. Do not use water.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

Substance is not listed.

· **PAC-2:**

Substance is not listed.

· **PAC-3:**

Substance is not listed.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Thorough dedusting.
Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

US

(Contd. on page 4)

Safety Data Sheet
according to OSHA HCS

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: Potassium monopersulfate OXONE®

(Contd. of page 3)

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

70693-62-8 Potassium monopersulfate OXONE®

TLV	Long-term value: 0.1 mg/m ³ as Persulfates
-----	--

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:** Wear protective clothing

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:** A NIOSH approved respirator in accordance with 29 CFR 1910.134.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Solid

Color: White

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not applicable.

(Contd. on page 5)

Safety Data Sheet
according to OSHA HCS

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: Potassium monoperoxysulfate OXONE®

(Contd. of page 4)

· Change in condition Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
VOC content:	0.0 g/l / 0.00 lb/gl
Solids content:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 6)

Safety Data Sheet
according to OSHA HCS

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: Potassium monoperoxysulfate OXONE®

(Contd. of page 5)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

Substance is not listed.

· **NTP (National Toxicology Program)**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

US

(Contd. on page 7)

Safety Data Sheet
according to OSHA HCS

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: Potassium monoperoxysulfate OXONE®

(Contd. of page 6)

14 Transport information

· **UN-Number**
· **DOT, IMDG, IATA**

UN3085

· **UN proper shipping name**
· **DOT**
· **IMDG, IATA**

Oxidizing solid, corrosive, n.o.s.
OXIDIZING SOLID, CORROSIVE, N.O.S.

· **Transport hazard class(es)**
· **DOT**



· **Class**
· **Label**

5.1 Oxidizing substances
5.1, 8

· **IMDG**



· **Class**
· **Label**

5.1 Oxidizing substances
5.1/8

· **IATA**



· **Class**
· **Label**

5.1 Oxidizing substances
5.1 (8)

· **Packing group**
· **DOT, IMDG, IATA**

III

· **Environmental hazards:**
· **Marine pollutant:**

No

· **Special precautions for user**
· **Danger code (Kemler):**
· **EMS Number:**
· **Stowage Category**
· **Handling Code**
· **Segregation Code**

Not applicable.
80
F-A,S-Q
B
H1 Keep as dry as reasonably practicable
SG38 Stow "separated from" ammonium compounds.
SG49 Stow "separated from" cyanides
SG60 Stow "separated from" peroxides

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

(Contd. on page 8)

Safety Data Sheet
according to OSHA HCS

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: Potassium monoperoxysulfate OXONE®

(Contd. of page 7)

· Transport/Additional information:

· DOT

· Quantity limitations

On passenger aircraft/rail: 5 kg

On cargo aircraft only: 25 kg

· IMDG

· Limited quantities (LQ)

5 kg

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

· UN "Model Regulation":

UN 3085 OXIDIZING SOLID, CORROSIVE, N.O.S., 5.1 (8), III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

Safety Data Sheet
according to OSHA HCS

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: Potassium monoperoxysulfate OXONE®

(Contd. of page 8)

· **Hazard pictograms**



GHS03 GHS05 GHS07

· **Signal word** *Danger*

· **Hazard statements**

- H272 *May intensify fire; oxidizer.*
- H314 *Causes severe skin burns and eye damage.*
- H335 *May cause respiratory irritation.*

· **Precautionary statements**

- P280 *Wear protective gloves/protective clothing/eye protection/face protection.*
- P284 *In case of inadequate ventilation wear respiratory protection.*
- P220 *Keep/Store away from clothing/combustible materials.*
- P305+P351+P338 *If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
- P403+P233 *Store in a well-ventilated place. Keep container tightly closed.*
- P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **National regulations:**

- **Water hazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** *Technical Department.*

· **Contact:** *Technical Director*

· **Date of preparation / last revision** 07/16/2021 / -

· **Abbreviations and acronyms:**

- ADR: *Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*
- IMDG: *International Maritime Code for Dangerous Goods*
- DOT: *US Department of Transportation*
- IATA: *International Air Transport Association*
- ACGIH: *American Conference of Governmental Industrial Hygienists*
- EINECS: *European Inventory of Existing Commercial Chemical Substances*
- CAS: *Chemical Abstracts Service (division of the American Chemical Society)*
- NFPA: *National Fire Protection Association (USA)*
- HMIS: *Hazardous Materials Identification System (USA)*
- VOC: *Volatile Organic Compounds (USA, EU)*
- PBT: *Persistent, Bioaccumulative and Toxic*
- vPvB: *very Persistent and very Bioaccumulative*
- NIOSH: *National Institute for Occupational Safety*
- OSHA: *Occupational Safety & Health*
- TLV: *Threshold Limit Value*
- PEL: *Permissible Exposure Limit*
- REL: *Recommended Exposure Limit*
- Ox. Sol. 3: *Oxidizing solids – Category 3*
- Skin Corr. 1A: *Skin corrosion/irritation – Category 1A*
- STOT SE 3: *Specific target organ toxicity (single exposure) – Category 3*