

Printing date 07/16/2021

Reviewed on 07/16/2021

1 Identification

- · Product name
- Trade name: <u>Titanium nanoparticles, pure, (50-70nm) in isopropanol at 100 mg/L (surfactant and reactant-</u> free)
- *Item number:* 22-0203
- · CAS Number:
- 67-63-0
- *EC number:* 200-661-7
- Index number: 603-117-00-0
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

- · Hazard-determining components of labeling:
- Isopropyl alcohol
- Hazard statements H225 Highly flammable liquid and vapor.

(Contd. on page 2)

US

Printing date 07/16/2021

CHEMICALS, INC

Reviewed on 07/16/2021

	(Contd. of page
H319 Causes s	erious eye irritation.
	se drowsiness or dizziness.
· Precautionary	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P305+P351+1	P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese
D402 D222	and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
Classification	
NFPA ratings	(scale 0 - 4)
	Health = 1
	Fire = 3
	Reactivity = 0
HMIS-ratings	(scale 0 - 4)
HEALTH 1	
	Health = 1
FIRE 3	Fire = 3
	Reactivity = 0
Other hazards	
	and vPvB assessment
PBT: Not appl	
vPvB: Not app	
•••••••••••••••••••	
	n/information on ingredients
Composition	· · ·
Composition Chemical chan	vacterization: Substances
Composition Chemical chan CAS No. Desc	acterization: Substances ription
Composition Chemical chan CAS No. Desc 67-63-0 Isopro	racterization: Substances ription pyl alcohol
Composition Chemical chan CAS No. Desc 67-63-0 Isopro Identification	racterization: Substances ription pyl alcohol number(s)
Composition Chemical chan CAS No. Desc	racterization: Substances ription pyl alcohol number(s) 00-661-7
Composition Chemical char CAS No. Desc 67-63-0 Isopro Identification EC number: 2	racterization: Substances ription pyl alcohol number(s) 00-661-7
Composition Chemical char CAS No. Desc 67-63-0 Isopro Identification EC number: 2 Index number	vacterization: Substances ription pyl alcohol number(s) 00-661-7 : 603-117-00-0
Composition Chemical char CAS No. Desc 67-63-0 Isopro Identification EC number: 2 Index number	vacterization: Substances ription pyl alcohol number(s) 00-661-7 : 603-117-00-0
Composition Chemical chan CAS No. Desc 67-63-0 Isopro Identification EC number: 2 Index number	vacterization: Substances ription pyl alcohol number(s) 00-661-7 : 603-117-00-0

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: Titanium nanoparticles, pure, (50-70nm) in isopropanol at 100 mg/L (surfactant and reactant-free)

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures* Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

• PAC-1:

· PAC-2:

· PAC-3:

7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- *Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

400 ppm

2000* ppm

12000** ppm

US

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: Titanium nanoparticles, pure, (50-70nm) in isopropanol at 100 mg/L (surfactant and reactant-free)

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

67-63-0 Isopropyl alcohol

PEL Long-term value: 980 mg/m³, 400 ppm

- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI

· Ingredients with biological limit values:

67-63-0 Isopropyl alcohol

BEI 40 mg/L

Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

- Avoia contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

(Contd. of page 4)

Safety Data Sheet according to OSHA HCS

Printing date 07/16/2021

CHEMICALS, INC.

Reviewed on 07/16/2021

Trade name: Titanium nanoparticles, pure, (50-70nm) in isopropanol at 100 mg/L (surfactant and reactant-free)

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Oddor threshold:Not determined.pH-value:Not determined.Change in condition Melting point/Boiling range:Undetermined.Boiling point/Boiling range:Undetermined.Boiling point/Boiling range:Not determined.Flash point:13 °C (55 °F)Flammability (solid, gaseous):Not determined.Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Not determined.Product is not explosive. However, formation of explosive air/vapo mixtures are possible.Explosion limits: Lower:50 g/m³ 300 g/m³Vapor pressure at 20 °C (68 °F):43 hPa (32 mm Hg)Density at 20 °C (68 °F):0.785 g/cm³ (6.55083 lbs/gal)Relative density Vapor densityNot determined.Solubility in / Miscibility with Water at 20 °C (68 °F):1 g/lPartition coefficient (n-octanol/water):Not determined.	
Form:LiquidColor:GreyOdor:Alcohol-likeOdor threshold:Not determined. <i>pH-value:</i> Not determined. <i>pH-value:</i> Not determined.Change in conditionMedtermined.Melting point/Belting range:82 °C (180 °F)Flash point:13 °C (55 °F)Flash point:13 °C (55 °F)Flammability (solid, gaseous):Not determined.Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Not determined.Onger of explosion:Product is not explosive. However, formation of explosive air/vapor mixtures are possible.Explosion limits: Lower:50 g/m³ 300 g/m³Upper:300 g/m³Vapor pressure at 20 °C (68 °F):43 hPa (32 mm Hg)Density at 20 °C (68 °F):0.75083 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water at 20 °C (68 °F):1 g/lPartition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic at 20 °C (68 °F):2.43 mPas Kinematic:Not determined.Viscosity: Dynamic at 20 °C (68 °F):2.43 mPas Kinematic:Viscosity: Dynamic at 20 °C (68 °F):2.43 mPas Kinematic:	
Color: Grey Odor Alcohol-like Odor threshold: Not determined. pH-value: Not determined. Change in condition Boiling point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. S2 °C (180 °F) Flash point: 13 °C (55 °F) Flammability (solid, gaseous): Not determined. Ignition temperature: 425 °C (797 °F) Pocomposition temperature: Not determined. Auto igniting: Not determined. Mot determined. Mot determined. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 50 g/m³ Upper: 300 g/m³ S00 g/m³ Vapor pressure at 20 °C (68 °F): 43 hPa (32 mm Hg) Density at 20 °C (68 °F): Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Wate at 20 °C (68 °F): Yapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Yap 'C (68 °F)	Liquid
Odor: Alcohol-like Odor threshold: Not determined. pH-value: Not determined. Glampe in condition Undetermined. Melting point/Melting range: 82 °C (180 °F) Flash point: 13 °C (55 °F) Flash point: 13 °C (55 °F) Flammability (solid, gaseous): Not determined. Ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Auto igniting: Not determined. Auto igniting: Not determined. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: Lower: 50 g/m³ Vapor pressure at 20 °C (68 °F): 43 hPa (32 mm Hg) Obensity at 20 °C (68 °F): 0.785 g/cm³ (6.55083 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Wate at 20 °C (68 °F): Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosit	
Odor threshold: Not determined. pH-value: Not determined. Change in condition Undetermined. Melting point/Melting range: 82 °C (180 °F) Flash point: 13 °C (55 °F) Flammability (solid, gaseous): Not determined. Ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Auto igniting: Not determined. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 50 g/m³ Upper: 300 g/m³ Vapor pressure at 20 °C (68 °F): 43 hPa (32 mm Hg) Density at 20 °C (68 °F): 0.785 g/cm³ (6.55083 lbs/gal) Relative density Not determined. Vapor pressure at 20 °C (68 °F): 1 g/l Pranetition coefficient (n-octanol/water): Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Not determined. Viscosity: Dynamic at 20 °C (68 °F): 2.43 mPas Kinematia: Not determined. Not deteremined. VO	
pH-value: Not determined. Change in condition Melting point/Belling range: Undetermined. 82 °C (180 °F) Flash point: 13 °C (55 °F) Flash point: 13 °C (55 °F) Flammability (solid, gaseous): Not determined. Ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Auto igniting: Not determined. Auto igniting: Not determined. Danger of explosion: Product is not explosive. However, formation of explosive air/vapo mixtures are possible. Explosion limits: Lower: 50 g/m ³ Upper: 300 g/m ³ Vapor pressure at 20 °C (68 °F): 43 hPa (32 mm Hg) Density at 20 °C (68 °F): 0.785 g/cm ³ (6.55083 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/1 Partition coefficient (n-octanol/water): Not determined. . 'Viscosity: Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Mot determined. Not determined. 'Viscosity:: Not determined. 'Viscosity:: No	
Change in condition Melting point/Belting range: Undetermined. Boiling point/Boiling range: 82 °C (180 °F) Flash point: 13 °C (55 °F) Flammability (solid, gaseous): Not determined. Ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Auto igniting: Not determined. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 50 g/m³ Upper: 300 g/m³ Vapor pressure at 20 °C (68 °F): 43 hPa (32 mm Hg) Density at 20 °C (68 °F): 0.785 g/cm³ (6.55083 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined. Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. Viscosity: Not determined. Organic solvents: 100.0 %	
Metring point/Metring range:Undetermined. 82 °C (180 °F)Flash point:13 °C (55 °F)Flammability (solid, gaseous):Not determined.Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Not determined.Auto igniting:Not determined.Danger of explosion:Product is not explosive. However, formation of explosive air/vapor mixtures are possible.Explosion limits: Lower:50 g/m³ 300 g/m³Vapor pressure at 20 °C (68 °F):43 hPa (32 mm Hg)Density at 20 °C (68 °F):0.785 g/cm³ (6.55083 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water at 20 °C (68 °F):1 g/Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic at 20 °C (68 °F):Viscosity: Dynamic at 20 °C (68 °F):2.43 mPas Kinematic: Not determined.Viscosity: Dynamic at 20 °C (68 °F):1 g/Viscosity: Dynamic at 20 °C (68 °F):1 0.0 %	
Boiling point/Boiling range: 82 °C (180 °F) Flash point: 13 °C (55 °F) Flammability (solid, gaseous): Not determined. Ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Auto igniting: Not determined. Auto igniting: Not determined. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: Lower: 50 g/m³ Upper: 300 g/m³ Vapor pressure at 20 °C (68 °F): 43 hPa (32 mm Hg) Density at 20 °C (68 °F): 0.785 g/cm³ (6.55083 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Wate at 20 °C (68 °F): Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. Organic solvents: 100.0 %	Undetermined
Flash point: 13 °C (55 °F) Flammability (solid, gaseous): Not determined. Ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Auto igniting: Not determined. Danger of explosion: Product is not explosive. However, formation of explosive air/vapomixtures are possible. Explosion limits: Lower: 50 g/m³ Upper: 300 g/m³ Vapor pressure at 20 °C (68 °F): 43 hPa (32 mm Hg) Density at 20 °C (68 °F): 0.785 g/cm³ (6.55083 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined. Viscosity: Dynamic at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. Viscosity: Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. Organic solvents: 100.0 % Vod content:	
Flammability (solid, gaseous): Not determined. Ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Auto igniting: Not determined. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 50 g/m³ Lower: 50 g/m³ Upper: 300 g/m³ Vapor pressure at 20 °C (68 *F): 0.785 g/cm³ (6.55083 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined. Water at 20 °C (68 *F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 *F): Dynamic at 20 °C (68 *F): 2.43 mPas Kinematic: Not determined. Viscosity: Dynamic at 20 °C (68 *F): Dynamic at 20 °C (68 *F): 2.43 mPas Kinematic: Not determined. Organic solvents: 100.0 %	
Ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Auto igniting: Not determined. Auto igniting: Not determined. Danger of explosion: Product is not explosive. However, formation of explosive air/vapo mixtures are possible. Explosion limits: Image: Sol g/m³ Lower: 50 g/m³ Upper: 300 g/m³ Vapor pressure at 20 °C (68 °F): 43 hPa (32 mm Hg) Density at 20 °C (68 °F): 0.785 g/cm³ (6.55083 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. Viscosity: Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. Organic solvents: 100.0 %	13 °C (55 °F)
Decomposition temperature:Not determined.Auto igniting:Not determined.Auto igniting:Not determined.Danger of explosion:Product is not explosive. However, formation of explosive air/vapor mixtures are possible.Explosion limits:Product is not explosive. However, formation of explosive air/vapor mixtures are possible.Explosion limits: $50 g/m^3$ Lower: $50 g/m^3$ Upper: $300 g/m^3$ Vapor pressure at 20 °C (68 °F): $43 hPa (32 mm Hg)$ Density at 20 °C (68 °F): $0.785 g/cm^3 (6.55083 lbs/gal)$ Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water at 20 °C (68 °F): $1 g/l$ Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic at 20 °C (68 °F): $2.43 mPas$ Kinematic: Not determined.Organic solvents:I00.0 % 	Not determined.
Auto igniting: Not determined. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Image: Sology and Sology	425 °C (797 °F)
Danger of explosion: Product is not explosive. However, formation of explosive air/vapa mixtures are possible. • Explosion limits: 50 g/m³ Lower: 50 g/m³ • Vapor pressure at 20 °C (68 °F): 43 hPa (32 mm Hg) • Density at 20 °C (68 °F): 0.785 g/cm³ (6.55083 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Matter at 20 °C (68 °F): • Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. • Organic solvents: 100.0 % • VOC content: 100.0 %	Not determined.
mixtures are possible. Explosion limits: Lower: 50 g/m³ Upper: 300 g/m³ • Vapor pressure at 20 °C (68 °F): 43 hPa (32 mm Hg) • Density at 20 °C (68 °F): 0.785 g/cm³ (6.55083 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Water at 20 °C (68 °F): • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Dynamic at 20 °C (68 °F): Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. • Organic solvents: 100.0 % VOC content: 100.0 %	Not determined.
Lower: 50 g/m³ Upper: 300 g/m³ · Vapor pressure at 20 °C (68 °F): 43 hPa (32 mm Hg) · Density at 20 °C (68 °F): 0.785 g/cm³ (6.55083 lbs/gal) · Relative density Not determined. · Vapor attain rate Not determined. · Solubility in / Miscibility with Water at 20 °C (68 °F): · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic at 20 °C (68 °F): Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. · Organic solvents: 100.0 % VOC content: 100.0 %	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Lower: 50 g/m³ Upper: 300 g/m³ · Vapor pressure at 20 °C (68 °F): 43 hPa (32 mm Hg) · Density at 20 °C (68 °F): 0.785 g/cm³ (6.55083 lbs/gal) · Relative density Not determined. · Vapor attain rate Not determined. · Solubility in / Miscibility with Water at 20 °C (68 °F): · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic at 20 °C (68 °F): Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. · Organic solvents: 100.0 % VOC content: 100.0 %	
• Vapor pressure at 20 °C (68 °F): 43 hPa (32 mm Hg) • Density at 20 °C (68 °F): 0.785 g/cm³ (6.55083 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l • Partition coefficient (n-octanol/water): Not determined. • • Viscosity: Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. • • Voc content: 100.0 % •	$50 g/m^3$
• Density at 20 °C (68 °F): 0.785 g/cm³ (6.55083 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Evaporation rate Not determined. • Solubility in / Miscibility with Water at 20 °C (68 °F): • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Dynamic at 20 °C (68 °F): • Viscosity: 0.745 g/l • Viscosity: 0.745 g/l • Organic solvents: 100.0 % • VOC content: 100.0 %	$300 g/m^3$
Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Not determined. Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. Organic solvents: 100.0 % VOC content: 100.0 %	43 hPa (32 mm Hg)
Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Mater at 20 °C (68 °F): Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. Organic solvents: 100.0 % VOC content:	0.785 g/cm ³ (6.55083 lbs/gal)
• Evaporation rate Not determined. • Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l • Partition coefficient (n-octanol/water): Not determined. • Viscosity: • Viscosity: • Viscosity: 0 °C (68 °F): 2.43 mPas • Kinematic: Not determined. • Organic solvents: • VOC content: 100.0 %	Not determined.
 Solubility in / Miscibility with Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. Organic solvents: 100.0 % VOC content: 100.0 % 	Not determined.
Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. Organic solvents: 100.0 % VOC content: 100.0 %	Not determined.
Water at 20 °C (68 °F): 1 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. Organic solvents: 100.0 % VOC content: 100.0 %	
• Viscosity: Dynamic at 20 °C (68 °F): 2.43 mPas Kinematic: Not determined. Organic solvents: 100.0 % VOC content: 100.0 %	1 g/l
Dynamic at 20 °C (68 °F):2.43 mPasKinematic:Not determined.Organic solvents:100.0 %VOC content:100.0 %	r): Not determined.
Kinematic:Not determined.Organic solvents:100.0 %VOC content:100.0 %	
Organic solvents: 100.0 % VOC content: 100.0 %	2.43 mPas
VOC content: 100.0 %	Not determined.
1000.0 g/l / 8.35 lb/gl	100.0 %
	1000.0 g/l / 8.35 lb/gl

Printing date 07/16/2021

CHEMICALS.

Reviewed on 07/16/2021

(Contd. of page 5)

Trade name: Titanium nanoparticles, pure, (50-70nm) in isopropanol at 100 mg/L (surfactant and reactant-free)

• Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-63-0 Isopropyl alcohol

Oral	LD50	5045 mg/kg (rat)
Dermal		12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity


- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- \cdot Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 7)

3

US

CHEMICALS, INC



CHEMICALS, INC

Safety Data Sheet according to OSHA HCS

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: Titanium nanoparticles, pure, (50-70nm) in isopropanol at 100 mg/L (surfactant and reactant-free)

	(Contd. of page 7
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
Limited quantities (LQ)	1L
$\cdot Excepted$ quantities ($\widetilde{E}Q$)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S., 3, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

• TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

US -

Printing date 07/16/2021

CHEMICALS, INC.

Reviewed on 07/16/2021

	um nanoparticles, pure, (50-70nm) in isopropanol at 100 mg/2	L (surfactant and reactant-free)
· Hazard pictogra	ams	(Contd. of page
<u>く(い)く</u>		
GHS02 GHS	507	
· Signal word Da		
	ining components of labeling:	
Isopropyl alcoh		
• Hazard stateme		
	ummable liquid and vapor.	
	rious eye irritation.	
	e drowsiness or dizziness.	
• Precautionary s		m a bin a
P210	Keep away from heat/sparks/open flames/hot surfaces. No s.	
P280 P261	Wear protective gloves/protective clothing/eye protection/fa Avoid breathing dust/fume/gas/mist/vapors/spray	ce protection.
		Ramova contact longas if mass
1 303+P331+P.	338 If in eyes: Rinse cautiously with water for several minutes.	Kemove contact tenses, ij preset
P403+P233	and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly close	od.
P501	Dispose of contents/container in accordance with local	
1 501	regulations.	
	w assessment: A Chemical Safety Assessment has not been carrie	
6 Other inform	nation	
This information		ot constitute a guarantee for ar
This informatic specific product • Department iss	p <mark>ation</mark> on is based on our present knowledge. However, this shall no t features and shall not establish a legally valid contractual relat uing SDS: Technical Department.	ot constitute a guarantee for an
This informatic specific product • Department issu • Contact: Techn	p <mark>ation</mark> on is based on our present knowledge. However, this shall no t features and shall not establish a legally valid contractual relat uing SDS: Technical Department. ical Director	ot constitute a guarantee for an
This informatic specific product • Department issu • Contact: Techn • Date of prepara	nation on is based on our present knowledge. However, this shall no t features and shall not establish a legally valid contractual relat uing SDS: Technical Department. ical Director ttion / last revision 07/16/2021 / -	ot constitute a guarantee for an
This informatic specific product • Department issu • Contact: Techn • Date of prepara • Abbreviations a	nation on is based on our present knowledge. However, this shall no t features and shall not establish a legally valid contractual relat uing SDS: Technical Department. ical Director ttion / last revision 07/16/2021 / - und acronyms:	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Techn • Date of prepara • Abbreviations a ADR: Accord euro	nation on is based on our present knowledge. However, this shall no t features and shall not establish a legally valid contractual relat uing SDS: Technical Department. ical Director ttion / last revision 07/16/2021 / - und acronyms: péen sur le transport des marchandises dangereuses par Route (European	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Techn. • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger	nation on is based on our present knowledge. However, this shall no t features and shall not establish a legally valid contractual relat uing SDS: Technical Department. ical Director ttion / last revision 07/16/2021 / - und acronyms:	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Techn. • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger IMDG: Internationa DOT: US Departme	nation on is based on our present knowledge. However, this shall no t features and shall not establish a legally valid contractual relat uing SDS: Technical Department. ical Director ution / last revision 07/16/2021 / - und acronyms: péen sur le transport des marchandises dangereuses par Route (European ous Goods by Road) al Maritime Code for Dangerous Goods out of Transportation	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Techn. • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger IMDG: Internationa DOT: US Departme IATA: International	nation on is based on our present knowledge. However, this shall no t features and shall not establish a legally valid contractual relat uing SDS: Technical Department. ical Director ution / last revision 07/16/2021 / - und acronyms: péen sur le transport des marchandises dangereuses par Route (European ous Goods by Road) ul Maritime Code for Dangerous Goods ent of Transport Association	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Technu • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American	nation on is based on our present knowledge. However, this shall no t features and shall not establish a legally valid contractual relat uing SDS: Technical Department. ical Director ution / last revision 07/16/2021 / - und acronyms: péen sur le transport des marchandises dangereuses par Route (European ous Goods by Road) al Maritime Code for Dangerous Goods out of Transportation	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Techno • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American EINECS: European CAS: Chemical Abs	pation on is based on our present knowledge. However, this shall not t features and shall not establish a legally valid contractual relat uing SDS: Technical Department. ical Director ttion / last revision 07/16/2021 / - und acronyms: péen sur le transport des marchandises dangereuses par Route (European ous Goods by Road) al Maritime Code for Dangerous Goods out of Transportation 'Air Transport association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society)	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Technu • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American EINECS: European CAS: Chemical Abs NFPA: National Fin	pation on is based on our present knowledge. However, this shall not t features and shall not establish a legally valid contractual relat uing SDS: Technical Department. ical Director tion / last revision 07/16/2021 / - und acronyms: péen sur le transport des marchandises dangereuses par Route (European ous Goods by Road) Il Maritime Code for Dangerous Goods ont of Transport association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA)	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Techn. • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American Q EINECS: European CAS: Chemical Abs NFPA: National Fin HMIS: Hazardous M	Pation on is based on our present knowledge. However, this shall not t features and shall not establish a legally valid contractual relat uing SDS: Technical Department. ical Director tion / last revision 07/16/2021 / - und acronyms: péen sur le transport des marchandises dangereuses par Route (European ous Goods by Road) al Maritime Code for Dangerous Goods int of Transportation 'Air Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA)	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Techn. • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American CAS: Chemical Abs NFPA: National Fin HMIS: Hazardous M VOC: Volatile Orga	pation on is based on our present knowledge. However, this shall not t features and shall not establish a legally valid contractual relat uing SDS: Technical Department. ical Director tion / last revision 07/16/2021 / - und acronyms: péen sur le transport des marchandises dangereuses par Route (European ous Goods by Road) Il Maritime Code for Dangerous Goods ont of Transport association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA)	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Techn. • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American EINECS: European CAS: Chemical Abs NFPA: National Fin HMIS: Hazardous M VOC: Volatile Orga LC50: Lethal conce LD50: Lethal dose,	Pation on is based on our present knowledge. However, this shall not efeatures and shall not establish a legally valid contractual relat uing SDS: Technical Department. ical Director ation / last revision 07/16/2021 / - and acronyms: péen sur le transport des marchandises dangereuses par Route (European cous Goods by Road) al Maritime Code for Dangerous Goods ant of Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA) mic Compounds (USA, EU) ntration, 50 percent 50 percent	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Technu • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American EINECS: European CAS: Chemical Abs NFPA: National Fin HMIS: Hazardous M VOC: Volatile Orga LC50: Lethal conce LD50: Lethal dose, PBT: Persistent, Bio	Pation on is based on our present knowledge. However, this shall not t features and shall not establish a legally valid contractual relat uing SDS: Technical Department. ical Director ution / last revision 07/16/2021 / - und acronyms: péen sur le transport des marchandises dangereuses par Route (European ous Goods by Road) al Maritime Code for Dangerous Goods ent of Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA) unic Compounds (USA, EU) nitration, 50 percent 50 percent	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Technu • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American EINECS: European CAS: Chemical Abs NFPA: National Fin HMIS: Hazardous M VOC: Volatile Orga LC50: Lethal conce LD50: Lethal dose, PBT: Persistent, Bio vPvB: very Persistent	Pation on is based on our present knowledge. However, this shall not t features and shall not establish a legally valid contractual relativity ical Director tical Director titon / last revision 07/16/2021 / - und acronyms: péen sur le transport des marchandises dangereuses par Route (European ous Goods by Road) al Maritime Code for Dangerous Goods ont of Transport association Air Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA) mic Compounds (USA, EU) nitration, 50 percent 50 percent paccumulative and Toxic nt and very Bioaccumulative	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Technu • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American EINECS: European CAS: Chemical Abs NFPA: National Fin HMIS: Hazardous M VOC: Volatile Orga LC50: Lethal conce LD50: Lethal dose, PBT: Persistent, Bio vPvB: very Persistent	Pation on is based on our present knowledge. However, this shall not t features and shall not establish a legally valid contractual relativity ical Director thion / last revision 07/16/2021 / - und acronyms: péen sur le transport des marchandises dangereuses par Route (European ous Goods by Road) al Maritime Code for Dangerous Goods out of Transportation Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA) mic Compounds (USA, EU) ntration, 50 percent 50 pe	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Techno • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American EINECS: European CAS: Chemical Abs NFPA: National Fin HMIS: Hazardous M VOC: Volatile Orga LC50: Lethal conce LD50: Lethal dose, PBT: Persistent, Bid vPvB: very Persiste NIOSH: National In OSHA: Occupational TLV: Threshold Lin	Pation on is based on our present knowledge. However, this shall not t features and shall not establish a legally valid contractual relation tical Director tical Director titon / last revision 07/16/2021 / - und acronyms: péen sur le transport des marchandises dangereuses par Route (European ous Goods by Road) al Maritime Code for Dangerous Goods out of Transportation Pair Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA) mic Compounds (USA, EU) nitration, 50 percent 50 percent coaccumulative and Toxic nt and very Bioaccumulative issitute for Occupational Safety al Safety & Health nit Value	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Techn. • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American EINECS: European CAS: Chemical Abs NFPA: National Fin HMIS: Hazardous M VOC: Volatile Orga LC50: Lethal conce LD50: Lethal dose, PBT: Persistent, Bie vPB: very Persistet, NIOSH: National In OSHA: Occupationa TLV: Threshold Lin PEL: Permissible E	Pation on is based on our present knowledge. However, this shall not t features and shall not establish a legally valid contractual relation ical Director tion / last revision 07/16/2021 / - tion / last revision 07/16/2021 / - tion acronyms: péen sur le transport des marchandises dangereuses par Route (European ous Goods by Road) al Maritime Code for Dangerous Goods ont of Transportation Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA) unic Compounds (USA, EU) ntration, 50 percent 50 percent socumulative and Toxic nt and very Bioaccumulative testitute for Occupational Safety al Safety & Health tit Value Exposure Limit	ot constitute a guarantee for an tionship.
This informatic specific product • Department issu • Contact: Techno • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American EINECS: European CAS: Chemical Abs NFPA: National Fin HMIS: Hazardous M VOC: Volatile Orga LC50: Lethal conce LD50: Lethal dose, PBT: Persistent, Bid vPvB: very Persiste NIOSH: National In OSHA: Occupational TLV: Threshold Lin	Action on is based on our present knowledge. However, this shall not t features and shall not establish a legally valid contractual rela- uing SDS: Technical Department. ical Director ution / last revision 07/16/2021 / - und acronyms: péen sur le transport des marchandises dangereuses par Route (European ous Goods by Road) al Maritime Code for Dangerous Goods mut of Transportation 'Air Transport Association Conference of Governmental Industrial Hygienists Inventory of Existing Commercial Chemical Substances tracts Service (division of the American Chemical Society) re Protection Association (USA) Materials Identification System (USA) mic Compounds (USA, EU) ntration, 50 percent 50 percent 50 percent 50 percent 50 percent 50 percent 50 percent 51 parcent 52 parcent 53 parcent 54 parcent 55 percent 55 percent 56 percent 56 percent 57 percent 58 percent 59 percent 59 percent 50 per	ot constitute a guarantee for an tionship.

Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

US