

Printing date 02/15/2022

Reviewed on 02/03/2016


1 Identification

- **Product name**
- **Trade name:** Cobalt oxide-molybdenum oxide on alumina (3.5% CoO, 14% MoO₃)
- **Item number:** 27-0480
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Strem Chemicals, Inc.
7 Mulliken Way
NEWBURYPORT, MA 01950
USA
info@strem.com
- **Information department:** Technical Department
- **Emergency telephone number:**
EMERGENCY: CHEMTREC: + 1 (800) 424-9300
During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** not applicable
- **Hazard pictograms** not applicable
- **Signal word** not applicable
- **Hazard statements** not applicable
- **Precautionary statements**
 - P262 Do not get in eyes, on skin, or on clothing.
 - P280 Wear protective gloves/protective clothing/eye protection/face protection.
 - P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 - P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**

	Health = 1
	Fire = 0
	Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**

<table border="1" style="display: inline-table;"><tr><td style="background-color: #0000FF; color: white;">HEALTH</td><td style="background-color: #0000FF; color: white;">*1</td></tr><tr><td style="background-color: #FF0000; color: white;">FIRE</td><td style="background-color: #FF0000; color: white;">0</td></tr><tr><td style="background-color: #FFFF00; color: black;">REACTIVITY</td><td style="background-color: #FFFF00; color: black;">0</td></tr></table>	HEALTH	*1	FIRE	0	REACTIVITY	0	Health = *1
HEALTH	*1						
FIRE	0						
REACTIVITY	0						
	Fire = 0						
	Reactivity = 0						
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

US

(Contd. on page 2)

Safety Data Sheet
according to OSHA HCS

Printing date 02/15/2022

Reviewed on 02/03/2016

Trade name: Cobalt oxide-molybdenum oxide on alumina (3.5% CoO, 14% MoO3)

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

1344-28-1	aluminium oxide	82.0%
1313-27-5	molybdenum trioxide	14.0%
1308-06-1	tricobalt tetraoxide	4.0%

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

1344-28-1	aluminium oxide	15 mg/m3
1313-27-5	molybdenum trioxide	2.3 mg/m3
1308-06-1	tricobalt tetraoxide	0.082 mg/m3

· **PAC-2:**

1344-28-1	aluminium oxide	170 mg/m3
-----------	-----------------	-----------

(Contd. on page 3)

Safety Data Sheet
according to OSHA HCS

Printing date 02/15/2022

Reviewed on 02/03/2016

Trade name: Cobalt oxide-molybdenum oxide on alumina (3.5% CoO, 14% MoO3)

(Contd. of page 2)

1313-27-5	molybdenum trioxide	43 mg/m ³
1308-06-1	tricobalt tetraoxide	4.5 mg/m ³
· PAC-3:		
1344-28-1	aluminium oxide	990 mg/m ³
1313-27-5	molybdenum trioxide	260 mg/m ³
1308-06-1	tricobalt tetraoxide	27 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

1344-28-1 aluminium oxide

PEL	Long-term value: 15*, 5** mg/m ³ *Total dust; ** Respirable fraction
REL	Long-term value: 10* 5** mg/m ³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV	Long-term value: 1* mg/m ³ as Al; *as respirable fraction

1313-27-5 molybdenum trioxide

PEL	Long-term value: 5 mg/m ³ as Mo
TLV	Long-term value: 0.5 mg/m ³ as Mo; respirable fraction

1308-06-1 tricobalt tetraoxide

PEL	Long-term value: 0.1* mg/m ³ as Co; *for metal dust and fume
REL	Long-term value: 0.05 mg/m ³ as Co; metal dust & fume
TLV	Long-term value: 0.02 mg/m ³ as Co, BEI

(Contd. on page 4)

Safety Data Sheet
according to OSHA HCS

Printing date 02/15/2022

Reviewed on 02/03/2016

Trade name: Cobalt oxide-molybdenum oxide on alumina (3.5% CoO, 14% MoO3)

(Contd. of page 3)

· Ingredients with biological limit values:

1308-06-1 tricobalt tetraoxide

BEI	15 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Cobalt (background)
	1 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Cobalt (background, semi-quantitative)

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

· Breathing equipment: Not required.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Pellets
Color:	Grey
· Odor:	Odorless
· Odor threshold:	Not determined.

· pH-value: Not applicable.

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.

(Contd. on page 5)

Safety Data Sheet
according to OSHA HCS

Printing date 02/15/2022

Reviewed on 02/03/2016

Trade name: Cobalt oxide-molybdenum oxide on alumina (3.5% CoO, 14% MoO3)

(Contd. of page 4)

· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Product is not flammable
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
VOC content:	0.0 g/l / 0.00 lb/gl
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
1313-27-5 molybdenum trioxide		
Oral	LD50	125 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.

(Contd. on page 6)

Safety Data Sheet
according to OSHA HCS

Printing date 02/15/2022

Reviewed on 02/03/2016

Trade name: Cobalt oxide-molybdenum oxide on alumina (3.5% CoO, 14% MoO3)

(Contd. of page 5)

- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product is not subject to classification according to internally approved calculation methods for preparations:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

1308-06-1	tricobalt tetraoxide	2B
-----------	----------------------	----

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Disposal must be made according to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **DOT, ADN, IMDG, IATA** not regulated
- **UN proper shipping name**
- **DOT, ADN, IMDG, IATA** not regulated
- **Transport hazard class(es)**
- **DOT, ADN, IMDG, IATA**
- **Class** not regulated

(Contd. on page 7)

Safety Data Sheet
according to OSHA HCS

Printing date 02/15/2022

Reviewed on 02/03/2016

Trade name: Cobalt oxide-molybdenum oxide on alumina (3.5% CoO, 14% MoO3)

(Contd. of page 6)

- **Packing group**
- **DOT, IMDG, IATA** not regulated
- **Environmental hazards:**
- **Marine pollutant:** No
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.
- **UN "Model Regulation":** not regulated

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

All ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65 WARNING. Proposition 65 - <https://www.p65warnings.ca.gov/>**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

1344-28-1	aluminium oxide	A4
1308-06-1	tricobalt tetraoxide	A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements not applicable**
- **Hazard pictograms not applicable**
- **Signal word not applicable**
- **Hazard statements not applicable**
- **Precautionary statements**
P262 Do not get in eyes, on skin, or on clothing.

(Contd. on page 8)

Safety Data Sheet
according to OSHA HCS

Printing date 02/15/2022

Reviewed on 02/03/2016

Trade name: Cobalt oxide-molybdenum oxide on alumina (3.5% CoO, 14% MoO3)

(Contd. of page 7)

- P280 *Wear protective gloves/protective clothing/eye protection/face protection.*
- P305+P351+P338 *If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
- P304+P340 *IF INHALED: Remove person to fresh air and keep comfortable for breathing.*
- P403+P233 *Store in a well-ventilated place. Keep container tightly closed.*
- P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Technical Department.
- **Contact:** Technical Director
- **Date of preparation / last revision** 02/15/2022 / -
- **Abbreviations and acronyms:**
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - DOT: US Department of Transportation
 - IATA: International Air Transport Association
 - ACGIH: American Conference of Governmental Industrial Hygienists
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - NFPA: National Fire Protection Association (USA)
 - HMIS: Hazardous Materials Identification System (USA)
 - VOC: Volatile Organic Compounds (USA, EU)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - NIOSH: National Institute for Occupational Safety
 - OSHA: Occupational Safety & Health
 - TLV: Threshold Limit Value
 - PEL: Permissible Exposure Limit
 - REL: Recommended Exposure Limit
 - BEI: Biological Exposure Limit