CHEMICALS, INC.

| rinting date 17.07   | .2021   | Revision: 17.07.202        |
|--|---|----------------------------|
| SECTION 1  | : Identification of the substance/mixture and   | of the company/undertaking |
| · 1.1 Product ide  | entifier  |                            |
| · Trade name: <u>C</u>   | Copper powder, spherical (99.9%)  |                            |
|  | 29-0075<br><b>Tentified uses of the substance or mixture and uses adv</b><br>vant information available.  | rised against              |
| <ul> <li>1.3 Details of the second secon</li></ul> | ls, Inc.<br>,<br>RT, MA 01950   |                            |
| • <b>1.4 Emergency</b><br>EMERGENCY:   | nation obtainable from: Technical Department<br>telephone number:<br>CHEMTREC: + 1 (800) 424-9300<br>opening times: +1 (978) 499-1600   |                            |
|  | : Hazards identification  |                            |
| • 2.1 Classification of Classi       | : Hazards identification<br>on of the substance or mixture<br>according to Regulation (EC) No 1272/2008<br>102 flame  |                            |
| 2.1 Classification of Classification of GHS GHS  | on of the substance or mixture<br>according to Regulation (EC) No 1272/2008<br>02 flame<br>H228 Flammable solid.  |                            |
| 2.1 Classification of Classification of GHS GHS  | on of the substance or mixture<br>according to Regulation (EC) No 1272/2008<br>02 flame   |                            |
| 2.1 Classification of Classification of GHS<br>GHS<br>Flam. Sol. 1   | on of the substance or mixture<br>according to Regulation (EC) No 1272/2008<br>02 flame<br>H228 Flammable solid.  | 5.                         |
| 2.1 Classification of Classification of GHS<br>GHS<br>Flam. Sol. 1   | on of the substance or mixture<br>according to Regulation (EC) No 1272/2008<br>02 flame<br>H228 Flammable solid.<br>09 environment<br>ic 2 H411 Toxic to aquatic life with long lasting effects   | 5.                         |
| 2.1 Classification of Classification of GHS<br>GHS<br>Flam. Sol. 1<br>Quantic Chroni   | on of the substance or mixture<br>according to Regulation (EC) No 1272/2008<br>02 flame<br>H228 Flammable solid.<br>09 environment<br>ic 2 H411 Toxic to aquatic life with long lasting effects   | S                          |
| 2.1 Classification of<br>Classification of<br>GHS<br>Flam. Sol. 1<br>Construction<br>Flam. Sol. 1<br>Construction<br>GHS<br>Aquatic Chroni<br>Construction<br>GHS<br>Eye Irrit. 2<br>STOT SE 3<br>C.2 Label element<br>Labelling accon   | on of the substance or mixture<br>according to Regulation (EC) No 1272/2008<br>102 flame<br>H228 Flammable solid.<br>109 environment<br>109 environment<br>110 causes to aquatic life with long lasting effects<br>111 Toxic to aquatic life with long lasting effects<br>112 H411 Toxic to aquatic life with long lasting effects<br>113 Causes serious eye irritation.<br>113 H319 Causes serious eye irritation.<br>113 H319 Cause respiratory irritation.<br>113 H319 Cause respiratory irritation.<br>113 Causes for the current of the              |                            |
| <ul> <li>2.1 Classification of Classification of Classification of GHS</li> <li>Flam. Sol. 1</li> <li>Flam. Sol. 1</li> <li>GHS</li> <li>Aquatic Chroni</li> <li>GHS</li> <li>Eye Irrit. 2</li> <li>STOT SE 3</li> <li>2.2 Label element</li> <li>Labelling acconthe substance of Classification</li> </ul>  | on of the substance or mixture<br>according to Regulation (EC) No 1272/2008<br>102 flame<br>H228 Flammable solid.<br>109 environment<br>109 environment<br>110 causes to aquatic life with long lasting effects<br>111 Toxic to aquatic life with long lasting effects<br>112 H411 Toxic to aquatic life with long lasting effects<br>113 Causes serious eye irritation.<br>113 H319 Causes serious eye irritation.<br>113 H319 Cause respiratory irritation.<br>113 H319 Cause respiratory irritation.<br>113 Causes for the current of the              |                            |
| <ul> <li>2.1 Classification of Classification of Classification of GHS</li> <li>Flam. Sol. 1</li> <li>Flam. Sol. 1</li> <li>GHS</li> <li>Aquatic Chroni</li> <li>GHS</li> <li>Eye Irrit. 2</li> <li>STOT SE 3</li> <li>2.2 Label element</li> <li>Labelling acconthe substance of Classification</li> </ul>  | on of the substance or mixture<br>according to Regulation (EC) No 1272/2008<br>102 flame<br>H228 Flammable solid.<br>109 environment<br>109 environment<br>115 Causes to aquatic life with long lasting effects<br>116 Causes serious eye irritation.<br>117 H319 Causes serious eye irritation.<br>118 H319 Cause respiratory irritation.<br>118 H319 Cause respiratory irritation.<br>119 Cause cause respiratory irritation.<br>119 Cause cause respiratory irritation.<br>110 Cause cause respiratory irritation.<br>110 Cause cause cause conding to the CLP regulation<br>110 Cause conding to the CLP regulation<br>110 Cause conding to the CLP regulation<br>110 Cause conding to the CLP regulation cause cause conding to the CLP regulation cause cause cause cause conding to the cause caus |                            |

Printing date 17.07.2021

CHEMICALS, INC

Revision: 17.07.2021

Trade name: Copper powder, spherical (99.9%)

| Signal word Da                    | (Contd. of page 1)   |
|-----------------------------------|--|
|                                   | ining components of labelling:   |
| copper                            | 8 · · · · · · · · · · · · · · · · · · ·  |
| Hazard stateme                    | ents   |
| H228 Flammah                      |  |
|                                   | erious eye irritation.   |
|                                   | e respiratory irritation.  |
|                                   | iquatic life with long lasting effects.  |
| <b>Precautionary</b>              |  |
| P101                              | If medical advice is needed, have product container or label at hand.  |
| P102                              | Keep out of reach of children.   |
| P103                              | Read label before use.   |
| P210                              | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                       |
| P280                              | Wear protective gloves/protective clothing/eye protection/face protection.   |
| P261                              | Avoid breathing dust/fume/gas/mist/vapours/spray.  |
| P305+P351+P                       | 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P403+P233                         | Store in a well-ventilated place. Keep container tightly closed.   |
| P501                              | Dispose of contents/container in accordance with local/regional/national/international regulations.                                  |
| 2.3 Other hazar<br>Results of PBT |  |
| PBT: Not appli                    | cable.   |
| vPvB: Not appl                    | icable.  |

## **SECTION 3: Composition/information on ingredients**

 3.1 Chemical characterisation: Substances
 CAS No. Description 7440-50-8 copper

· Identification number(s)

• EC number: 231-159-6

## **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

GB -

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Copper powder, spherical (99.9%)

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7440-50-8 copper

WEL Short-term value: 2\*\* mg/m<sup>3</sup> Long-term value: 0.2\* 1\*\* mg/m<sup>3</sup> \*fume \*\*dusts and mists (as Cu)

• Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

· Personal protective equipment:

- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

(Contd. on page 4)



(Contd. of page 2)

GB

## HEMICALS, INC.

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2021

Revision: 17.07.2021

(Contd. of page 3)

#### Trade name: Copper powder, spherical (99.9%)

#### • Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

 $\cdot$  Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

| <ul> <li>9.1 Information on basic physical and o</li> <li>General Information</li> </ul> |                        |  |
|--|------------------------|--|
| · Appearance:  |                        |  |
| Form:  | Powder                 |  |
| Colour:  | Copper coloured        |  |
| · Odour:   | Odourless              |  |
| · Odour threshold:   | Not determined.        |  |
| · pH-value:  | Not applicable.        |  |
| · Change in condition  |                        |  |
| Melting point/freezing point:  | Undetermined.          |  |
| Initial boiling point and boiling range  | ?: Undetermined.       |  |
| · Flash point:   | Not applicable.        |  |
| · Flammability (solid, gas):   | Flammable.             |  |
| · Ignition temperature:  | 465 °C                 |  |
| · Decomposition temperature:   | Not determined.        |  |
| • Auto-ignition temperature:   | Not determined.        |  |
| · Explosive properties:  | Not determined.        |  |
| · Explosion limits:  |                        |  |
| Lower:   | 2 Vol %                |  |
| Upper:   | 13 Vol %               |  |
| · Vapour pressure:   | Not applicable.        |  |
| · Density at 20 °C:  | 8.92 g/cm <sup>3</sup> |  |
| · Relative density   | Not determined.        |  |
| · Vapour density   | Not applicable.        |  |

GF

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Copper powder, spherical (99.9%)

|   |  | (Contd. of page |
|---|--|-----------------|
| · Evaporation rate                        | Not applicable.                            |                 |
| · Solubility in / Miscibility with        |  |                 |
| water:                                    | Insoluble.                                 |                 |
| · Partition coefficient: n-octanol/water: | Not determined.                            |                 |
| · Viscosity:                              |  |                 |
| Dynamic:                                  | Not applicable.                            |                 |
| Kinematic:                                | Not applicable.                            |                 |
| · Solvent content:                        |  |                 |
| Organic solvents:                         | 0.0 %                                      |                 |
| VÕC (EC)                                  | 0.00 %                                     |                 |
| Solids content:                           | 100.0 %                                    |                 |
| • 9.2 Other information                   | No further relevant information available. |                 |

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- $\cdot$  Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- $\cdot \textit{STOT-repeated exposure Based on available data, the classification criteria are not met.}$
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- $\cdot$  Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

GB

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Copper powder, spherical (99.9%)

- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes: Also poisonous for fish and plankton in water bodies.
- Toxic for aquatic organisms · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| · 14.1 UN-Number<br>· ADR, IMDG, IATA             | UN3089   |
|---|--|
| · 14.2 UN proper shipping name<br>· ADR<br>· IMDG | 3089 METAL POWDER, FLAMMABLE, N.O.S.<br>METAL POWDER, FLAMMABLE, N.O.S., MARIN.<br>POLLUTANT |
| ·IATA   | METAL POWDER, FLAMMABLE, N.O.S.  |
| · 14.3 Transport hazard class(es)                 |  |
| ADR   |  |
|   |  |
| · Class   | 4  |
| · Label   | 4.1  |
| · IMDG  |  |
|   |  |
| Class   | 4.1 Flammable solids, self-reactive substances and soli desensitised explosives.             |



(Contd. of page 5)

Printing date 17.07.2021

Revision: 17.07.2021

|  | (Contd. of page  |
|--|--|
| Label                                    | 4.1  |
|  | 7.1  |
| IATA                                     |  |
|  |  |
| Class                                    | 4.1 Flammable solids, self-reactive substances and solid desensitised explosives.  |
| Label                                    | 4.1  |
| 14.4 Packing group                       |  |
| ADR, IMDG, IATA                          | II   |
| 14.5 Environmental hazards:              |  |
| Marine pollutant:                        | No   |
|  | Symbol (fish and tree)   |
| Special marking (ADR):                   | Symbol (fish and tree)   |
| 14.6 Special precautions for user        | Not applicable.  |
| EMS Number:                              | F-G,S-G  |
| Segregation groups                       | Heavy metals and their salts (including their organometalli<br>compounds), powdered metals<br>B  |
| Stowage Category<br>Handling Code        | H1 Keep as dry as reasonably practicable   |
| Segregation Code                         | SG17 Stow "separated from" class 5.1   |
|  | SG25 Stow "separated from" goods of classes 2.1 and 3.<br>SG26 In addition: from goods of classes 2.1 and 3 whe<br>stowed on deck of a containership a minimum distance of tw<br>container spaces athwartship shall be maintained, whe<br>stowed on ro-ro ships a distance of 6 m athwartship shall b<br>maintained. |
| 14.7 Transport in bulk according to Anne |  |
| Marpol and the IBC Code                  | Not applicable.  |
| Transport/Additional information:        |  |
| ADR                                      |  |
| Limited quantities (LQ)                  | 1 kg   |
| Excepted quantities (EQ)                 | Code: E2<br>Maximum not avantitu non innan nachaoina. 20 a   |
|  | Maximum net quantity per inner packaging: 30 g<br>Maximum net quantity per outer packaging: 500 g  |
| IMDG                                     |  |
| Limited quantities (LQ)                  | 1 kg   |
| Excepted quantities $(\widetilde{EQ})$   | Code: E2   |
|  | Maximum net quantity per inner packaging: 30 g<br>Maximum net quantity per outer packaging: 500 g  |
| UN ''Model Regulation'':                 | UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II   |

(Contd. on page 8)



Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Copper powder, spherical (99.9%)

(Contd. of page 7)

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

• Seveso category E2 Hazardous to the Aquatic Environment

• Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Sol. 1: Flammable solids – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2