#### Printing date 17.07.2021

CHEMICALS, INC.

Revision: 17.07.2021

| Trade name: <u>Copper(II</u>  | ) methoxide, 99%   |              |
|---|--|--------------|
| Item number: 29-0500  |  |              |
| CAS Number:   |  |              |
| 1184-54-9<br>1 2 Relevant identified  | uses of the substance or mixture and uses advised against  |              |
| No further relevant info  |  |              |
| •   | er of the safety data sheet  |              |
| Manufacturer/Supplier   |  |              |
| Strem Chemicals, Inc.   |  |              |
| 7 Mulliken Way  | 1050   |              |
| NEWBURYPORT, MA (<br>USA  | 1930   |              |
| info@strem.com  |  |              |
| Further information ob  | tainable from: Technical Department  |              |
| 1.4 Emergency telephor  | ne number:   |              |
|   | TREC: + 1 (800) 424-9300   |              |
| During normal opening   | times: +1 (978) 499-1600   |              |
|   |  |              |
| SECTION 2: Hazar  | ds identification  |              |
| 2.1 Classification of the   | substance or mixture   |              |
|   | g to Regulation (EC) No 1272/2008  |              |
| $\mathbf{\Lambda}$  |  |              |
| GHS07   |  |              |
| $\sim$  |  |              |
| •   |  |              |
| Skin Irrit. 2 H315 Cau.   | ses skin irritation.   |              |
|   | ses skin irritation.<br>ses serious eye irritation.  |              |
| Eye Irrit. 2 H319 Cau   |  |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May  | ses serious eye irritation.  |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to 2  | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b>  |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to<br>The substance is classifi   | ses serious eye irritation.<br>cause respiratory irritation.   |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to<br>The substance is classifi   | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b>  |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to<br>The substance is classifi   | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b>  |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to<br>The substance is classifi   | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b>  |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to<br>The substance is classifi<br>Hazard pictograms  | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b>  |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to<br>The substance is classifi   | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b>  |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to<br>The substance is classifi<br>Hazard pictograms  | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b>  |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to<br>The substance is classifi<br>Hazard pictograms<br>GHS07<br>Signal word Warning  | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b><br>ed and labelled according to the CLP regulation.  |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to<br>The substance is classifi<br>Hazard pictograms<br>GHS07<br>Signal word Warning<br>Hazard-determining con<br>Copper(II) methoxide, 9   | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b><br>ed and labelled according to the CLP regulation.<br>mponents of labelling:  |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to<br>The substance is classifi<br>Hazard pictograms<br>GHS07<br>Signal word Warning<br>Hazard-determining con<br>Copper(II) methoxide, 9<br>Hazard statements  | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b><br>ed and labelled according to the CLP regulation.<br>enponents of labelling:<br>9%   |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to<br>The substance is classifi<br>Hazard pictograms<br>GHS07<br>Signal word Warning<br>Hazard-determining con<br>Copper(II) methoxide, 9<br>Hazard statements<br>H315 Causes skin irrita   | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b><br>ed and labelled according to the CLP regulation.<br>enponents of labelling:<br>9%   |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to<br>The substance is classifi<br>Hazard pictograms<br>GHS07<br>Signal word Warning<br>Hazard-determining con<br>Copper(II) methoxide, 9<br>Hazard statements<br>H315 Causes skin irrita<br>H319 Causes serious ey   | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b><br>ed and labelled according to the CLP regulation.<br>ed and labelling:<br>9%<br>tion.<br>e irritation.   |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to 2<br>The substance is classifi<br>Hazard pictograms<br>GHS07<br>Signal word Warning<br>Hazard-determining con<br>Copper(II) methoxide, 9<br>Hazard statements<br>H315 Causes skin irrita.<br>H319 Causes serious ey<br>H335 May cause respired   | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b><br>ed and labelled according to the CLP regulation.<br>ed and labelling:<br>9%<br>tion.<br>e irritation.<br>utory irritation.  |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to 2<br>The substance is classifi<br>Hazard pictograms<br>GHS07<br>Signal word Warning<br>Hazard-determining co<br>Copper(II) methoxide, 9<br>Hazard statements<br>H315 Causes skin irrita.<br>H319 Causes serious ey<br>H335 May cause respire<br>Precautionary statement<br>P101 If methodia          | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b><br>ed and labelled according to the CLP regulation.<br>mponents of labelling:<br>9%<br>tion.<br>e irritation.<br>tiory irritation.<br>ts<br>edical advice is needed, have product container or label at hand.                    |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to 2<br>The substance is classifi<br>Hazard pictograms<br>GHS07<br>Signal word Warning<br>Hazard-determining con<br>Copper(II) methoxide, 9<br>Hazard statements<br>H315 Causes skin irrita.<br>H319 Causes serious ey<br>H335 May cause respired<br>Precautionary statement<br>P101 If ma<br>P102 Keep | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b><br>ed and labelled according to the CLP regulation.<br>mponents of labelling:<br>9%<br>tion.<br>e irritation.<br>tory irritation.<br>tory irritation.<br>ts<br>edical advice is needed, have product container or label at hand. |              |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to 2<br>The substance is classifi<br>Hazard pictograms<br>GHS07<br>Signal word Warning<br>Hazard-determining con<br>Copper(II) methoxide, 9<br>Hazard statements<br>H315 Causes skin irrita.<br>H319 Causes serious ey<br>H335 May cause respired<br>Precautionary statement<br>P101 If ma<br>P102 Keep | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b><br>ed and labelled according to the CLP regulation.<br>mponents of labelling:<br>9%<br>tion.<br>e irritation.<br>tiory irritation.<br>ts<br>edical advice is needed, have product container or label at hand.                    | (Cantd as a  |
| Eye Irrit. 2 H319 Cau.<br>STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to 2<br>The substance is classifi<br>Hazard pictograms<br>GHS07<br>Signal word Warning<br>Hazard-determining con<br>Copper(II) methoxide, 9<br>Hazard statements<br>H315 Causes skin irrita.<br>H319 Causes serious ey<br>H335 May cause respired<br>Precautionary statement<br>P101 If ma              | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b><br>ed and labelled according to the CLP regulation.<br>mponents of labelling:<br>9%<br>tion.<br>e irritation.<br>tory irritation.<br>tory irritation.<br>ts<br>edical advice is needed, have product container or label at hand. | (Contd. on p |
| STOT SE 3 H335 May<br>2.2 Label elements<br>Labelling according to<br>The substance is classifi<br>Hazard pictograms<br>GHS07<br>Signal word Warning<br>Hazard-determining co<br>Copper(II) methoxide, 9<br>Hazard statements<br>H315 Causes skin irrita<br>H319 Causes serious ey<br>H335 May cause respirat<br>Precautionary statement<br>P101 If ma<br>P102 Keep                               | ses serious eye irritation.<br>cause respiratory irritation.<br><b>Regulation (EC) No 1272/2008</b><br>ed and labelled according to the CLP regulation.<br>mponents of labelling:<br>9%<br>tion.<br>e irritation.<br>tory irritation.<br>tory irritation.<br>ts<br>edical advice is needed, have product container or label at hand. | (Contd. on p |

## HEMICALS, INC.

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2021

Revision: 17.07.2021

#### Trade name: Copper(II) methoxide, 99%

|                | (Contd. of page 1)   |
|----------------|--|
| P231           | Handle under inert gas.  |
| P235           | Keep cool.   |
| P222           | Do not allow contact with air.   |
| P305+P351      | +P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if |
|                | present and easy to do. Continue rinsing.  |
| P422           | Store contents under inert gas.  |
| P501           | Dispose of contents/container in accordance with local/regional/national/international       |
|                | regulations.   |
| 2 2 Oth and he |  |

· 2.3 Other hazards

• Results of PBT and vPvB assessment

• *PBT:* Not applicable. • *vPvB:* Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.1 Chemical characterisation: Substances

· CAS No. Description

1184-54-9 Copper(II) methoxide, 99%

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GB

Printing date 17.07.2021

Revision: 17.07.2021

(Contd. of page 2)

Trade name: Copper(II) methoxide, 99%

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Open and handle receptacle with care.

· Handling: Handle under inert gas.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Keep cool.

- Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Recommended storage temperature: Store at temperatures not exceeding -18 °C. Keep cool.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

• **Respiratory protection:** 

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

CHEMICALS, INC.

| inting date 17.07.2021   |  | Revision: 17.07.20 |
|--|--|--------------------|
| ade name: Copper(II) methoxide, 99%  |  |                    |
| · Eye protection:  |  | (Contd. of pag     |
| Tightly sealed goggles   |  |                    |
| • 9.1 Information on basic physical and cl<br>• General Information  | hemical properties   |                    |
| · Appearance:<br>Form:<br>Colour:  | Powder<br>Blue   |                    |
| · Odour:<br>· Odour threshold:   | Alcohol-like<br>Not determined.  |                    |
| · pH-value:  | Not applicable.  |                    |
| <ul> <li>Change in condition<br/>Melting point/freezing point:<br/>Initial boiling point and boiling range.</li> </ul> | Undetermined.<br>: Undetermined.   |                    |
| · Flash point:   | Not applicable.  |                    |
| · Flammability (solid, gas):   | Not determined.  |                    |
| · Ignition temperature:  |  |                    |
| Decomposition temperature:   | Not determined.  |                    |
| · Auto-ignition temperature:   | Not determined.  |                    |
| • Explosive properties:  | Product does not present an explosion hazard.                            |                    |
| · Explosion limits:<br>Lower:<br>Upper:  | Not determined.<br>Not determined.                                       |                    |
| · Vapour pressure:   | Not applicable.  |                    |
| • Density:<br>• Relative density<br>• Vapour density<br>• Evaporation rate   | Not determined.<br>Not determined.<br>Not applicable.<br>Not applicable. |                    |
| · Solubility in / Miscibility with water:  | Insoluble.   |                    |
| · Partition coefficient: n-octanol/water:  | Not determined.  |                    |
| · Viscosity:<br>Dynamic:<br>Kinematic:   | Not applicable.<br>Not applicable.                                       |                    |
| · Solvent content:<br>Organic solvents:<br>VOC (EC)  | 0.0 %<br>0.00 %  |                    |
| Solids content:<br>• 9.2 Other information   | 100.0 %<br>No further relevant information available.                    |                    |

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

GB

Printing date 17.07.2021

Revision: 17.07.2021

(Contd. of page 4)

Trade name: Copper(II) methoxide, 99%

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- $\cdot$  Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- $\cdot$  Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)



Printing date 17.07.2021

CHEMICALS

Revision: 17.07.2021

Trade name: Copper(II) methoxide, 99%

(Contd. of page 5)

| 14.1 UN-Number   |                 |  |
|--|-----------------|--|
| · ADR, ADN, IMDG, IATA                                   | not regulated   |  |
| · 14.2 UN proper shipping name<br>· ADR, ADN, IMDG, IATA | not regulated   |  |
| · 14.3 Transport hazard class(es)                        |                 |  |
| · ADR, ADN, IMDG, IATA<br>· Class                        | not regulated   |  |
| · 14.4 Packing group<br>· ADR, IMDG, IATA                | not regulated   |  |
| · 14.5 Environmental hazards:                            |                 |  |
| · Marine pollutant:                                      | No              |  |
| $\cdot$ 14.6 Special precautions for user                | Not applicable. |  |
| · 14.7 Transport in bulk according to Ann                | ex II of        |  |
| Marpol and the IBC Code                                  | Not applicable. |  |

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

- *VOC: Volatile Organic Compounds (USA, E PBT: Persistent, Bioaccumulative and Toxic*
- vPvB: very Persistent and very Bioaccumulative
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- *Eye Irrit. 2: Serious eye damage/eye irritation Category 2*
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3

<sup>·</sup> Contact: Technical Director

<sup>•</sup> Abbreviations and acronyms: