Printing date 17.07.2021

- -

Revision: 17.07.2021

875385-38-7 • 1.2 Relevant information available. • 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com • Further information obtainable from: Technical Department • 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification • Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 • GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. 2.2 Label elements • Labeling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Isaard pictograms • GHS07 Signal word Warning Hazard-determining components of labelling: Bis[4.4.4-tri]huro-1-(2-thienyl-1.3-butanedionato]zinc TMEDA adduct, 99% Hazard-determinion, H319 Causes serious eye irritation. H325 May cause respiratory irritation. H325 May cause respiratory irritation. H335 May cause respiratory irritation. H319 Causes and Labelled according to the CLP regulation. H319 Causes according to Regulation (EC) No 1272/2008 He substance is classified and labelled according to the CLP regulation. H326 May cause respiratory irritation. H326 May cause respir	· 1.1 Product iden	-	
$ \begin{array}{llllllllllllllllllllllllllllllllllll$			
87585-38-7 -1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department -1.4 Lenergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification -2.1 Classification of the substance or mixture - Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation 2.2 Label elements - Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation Hacard pictograms		-3055	
 1.3 Relevant identified uses of the substance or mixture and uses advised against No further relevant information of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. Multiken Way NEWBURYPORT, MA 01950 USA Info®strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes skin irritation. StrOT SE3 H335 May cause respiratory irritation. 2.1 Classified and labelled according to the CLP regulation. 4.1 Endergence is classified and labelled according to the CLP regulation. Hazard pictograms Gisfort Signal word Warning Hazard-determining components of labelling: Bis/4.4.4.trifturor-1(-2.thieryl-1,3-butanedionato]zinc TMEDA adduct, 99% Hazard pictograms H319 Causes serious eye irritation. H319 Causes ave irritation. H319 Causes irritation. H319 Caus			
No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Section according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. STOT SE 3 H335 May cause respiratory irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Eye Irrit. 2 H315 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Hazard pictograms Supplier of the substance of labelling: Big14, 4+ ritiouro-1-(2-thieny)-1.3-butaneedionatolzinc TMEDA adduct, 99% Hazard statements H319 Causes serious eye irritation. H325 Causes serious eye irritation. H325 Causes serious eye irritation. H326 Cause serious eye irritation. H327 Causes serious eye irritation. H328 Cause serious eye irritation. H339 Cause respiratory irritation. H335 May cause respiratory i		ntified uses of the substance or mixture and uses advised against	
$\begin{array}{llllllllllllllllllllllllllllllllllll$			
Manufacturer/Supplier: Strem Chemicals, Inc. Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Image: Streme Stepse State Sta	-		
$ Strem Chemicals, Inc. 7 Multiken Way KEWBLRYPORT, MA 01950 USA Info@strem.com Further information obtainable from: Technical Department - 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 Sterner information opening times: +1 (978) 499-1600 Sterner information opening times: +1 (978) 499-1600 Sterner information of the substance or mixture Classification according to Regulation (EC) No 1272/2008 \widehat{V} GHS07Skin Irrit. 2 H315 Causes skin irritation.Stor St 3 H335 May cause serious eye irritation.Stor St 3 H335 May cause respiratory irritation.Stor St 3 H335 May cause respiratory irritation.21 Label elementsLabelling according to Regulation (EC) No 1272/2008The substance is classified and labelled according to the CLP regulation.Hazard pictogramsGisnal word WarningHazard determining components of labelling:Bis[4.4.4.4.trifluoro-1-(2-thienyl-1,3-butanedionato]zinc TMEDA adduct, 99%Hazard statementsH315 Causes skin irritation.H315 Causes skin irritation.H315 Causes serious eye irritation.H315 Causes areinationH315 Causes areinationH315 Causes areinationH315 Causes areinationH315$			
7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com • Further information obtainable from: Technical Department • I 4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (000) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 \widehat{O} GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. Stort SE 3 H335 May cause respiratory irritation. • 2.1 Label elements • Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. • Hazard pictograms • Signal word Warning • Hazard-determining components of lubelling: Bis[4,4,4-trifluoro-1-(2-thienyl-1,3-butanedionato]zinc TMEDA adduct, 99% • Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes serious respiratory irritation. H315 Causes skin irritation. H315 Causes skin irritation. H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes serious respiratory irritation. H315 Causes skin irritation. H315 Causes a serious eye irritation. H315 Causes a serious eye irritation. H315 Causes a skin irritation. H315 Causes a skin irritation. H315 Causes a serious eye irritation. H315 Causes a serious eye irritation. H315 Causes a serious eye irritation. H	v	11	
NEWBURYPORT, MA 01950 USA info@stren.com • Further information obtainable from: Technical Department • 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800, 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 \widehat{V} GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. 2:1 Label elements • Labeling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. • Hazard-determining components of labelling: Bis[4, 4, 4 + trifluoro - 1/2 - thienyl - 1,3 - butanedionato]zinc TMEDA adduct, 99% • Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H315 Causes skin irritation. H315 Causes skin irritation. H316 Causes skin irritation. H316 Causes skin irritation. H315 Causes skin irritation. H315 Causes skin irritation.		,	
info@strem.com Further information obtainable from: Technical Department I d'Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008		Г, МА 01950	
Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 $\widetilde{\psi}$ GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Stort S 3 H335 May cause respiratory irritation. Stort of Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Wight for the substance of labelling: Biglad word Warning Hazard-determining components of labelling: Bis[4.4.4-trifluoro-1-(2-thienyl-1,3-butanedionato]zinc TMEDA adduct, 99% Histor Scause skin irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes desiritation.	USA		
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	info@strem.com		
• 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 $\widehat{\psi}$ GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. SIOT SE 3 H335 May cause respiratory irritation. • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. • Hazard pictograms • Signal word Warning • Argard-determining components of labelling: Bis[4,4,4-trifluoro-1-(2-thieny)-1,3-butanedionato]zinc TMEDA adduct, 99% • Hazard-determining. H315 Causes skin irritation. H319 Causes serious eye irritation. H310 T If medical advice is needed, have product container or label at hand. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Reed label before use.	· Further informa	tion obtainable from: Technical Department	
During normal opening times: $+1 (978) 499-1600$ SECTION 2: Hazards identification • .1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 • $\widehat{\psi}$ GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. • 2.1 Label elements • Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. • Hazard pictograms • Hazard pictograms • Signal word Warning • Hazard-determining components of labelling: Bis[4,4,4-rif(luoro-1-(2-thienyl-1,3-butanedionato]zinc TMEDA adduct, 99% • Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes serious rege irritation. H319 Causes serious rege irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes additione is needed, have product container or label at hand. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.	· 1.4 Emergency to	elephone number:	
SECTION 2: Hazards identification • Section of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 With the substance or mixture Classification according to Regulation (EC) No 1272/2008 With the substance or mixture Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. Stor SE 3 H335 May cause respiratory irritation. STOT SE 3 H335 May cause respiratory irritation. Label elements Label according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Offect Signal word Warning Hazard-determining components of labelling: Bis[4,4,4-trifluoro-1-(2-thienyl-1,3-butanedionato]zinc TMEDA adduct, 99% Hazard statements H315 Causes skin irritation.			



according to 1907/2006/EC, Article 31

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Bis[4,4,4-trifluoro-1-(2-thienyl-1,3-butanedionato]zinc TMEDA adduct, 99%

	(Contd. of page 1)
P231	Handle under inert gas.
P222	Do not allow contact with air.
P305+P351+P338	B IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· 2.3 Other hazards	

Safety data sheet

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

· CAS No. Description

873585-38-7 Bis[4,4,4-trifluoro-1-(2-thienyl-1,3-butanedionato]zinc TMEDA adduct, 99%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions: No special measures required.

· 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

· 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Bis[4,4,4-trifluoro-1-(2-thienyl-1,3-butanedionato]zinc TMEDA adduct, 99%

(Contd. of page 2)

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Open and handle receptacle with care.

- · Handling: Handle under inert gas.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

GB —

Printing date 17.07.2021

CHEMICALS, INC.

Revision: 17.07.2021

Trade name: Bis[4,4,4-trifluoro-1-(2-thienyl	-1,3-butanedionato]zinc TMEDA adduct, 99%	
• Eye protection: Tightly sealed goggles		(Contd. of page 3)
 9.1 Information on basic physical and cl General Information Appearance: Form: Colour: Odour: Odour threshold: 	Powder White Odourless Not determined.	
• pH-value: • Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Not applicable. Undetermined. Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not determined.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
• Auto-ignition temperature:	Not determined.	
• Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper: · Vapour pressure:	Not determined. Not determined. Not applicable.	
Density: Relative density Vapour density Evaporation rate	Not determined. Not determined. Not applicable. Not applicable.	
· Solubility in / Miscibility with water:	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
 Solvent content: Organic solvents: VOC (EC) 9.2 Other information 	0.0 % 0.00 % No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 5)

GB

Printing date 17.07.2021

Trade name: Bis[4,4,4-trifluoro-1-(2-thienyl-1,3-butanedionato]zinc TMEDA adduct, 99%

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

(Contd. of page 4)



Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Bis[4,4,4-trifluoro-1-(2-thienyl-1,3-butanedionato]zinc TMEDA adduct, 99%

(Contd. of page 5)

SECTION 14: Transport information	tion	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	not regulated	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.	
· UN ''Model Regulation'':	not regulated	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3