Printing date 17.07.2021

CHEMICALS, INC.

Revision: 17.07.2021

SECTION 1:	Identification of the substance/mixture and of the company/undertaking
· 1.1 Product ider	tifier
· Trade name: <u>Se</u>	lenium powder (99.99%)
	4-0090 ntified uses of the substance or mixture and uses advised against ant information available.
•	e supplier of the safety data sheet upplier: s, Inc.
• 1.4 Emergency EMERGENCY:	ation obtainable from: Technical Department felephone number: CHEMTREC: + 1 (800) 424-9300 opening times: +1 (978) 499-1600
SECTION 2:	Hazards identification
· 2.1 Classificatio · Classification ad	Hazards identification n of the substance or mixture ecording to Regulation (EC) No 1272/2008 6 skull and crossbones
• 2.1 Classificatio • Classification ad	n of the substance or mixture ecording to Regulation (EC) No 1272/2008 6 skull and crossbones
· 2.1 Classificatio · Classification ad	n of the substance or mixture ecording to Regulation (EC) No 1272/2008
• 2.1 Classification • Classification at • Cla	n of the substance or mixture ecording to Regulation (EC) No 1272/2008 6 skull and crossbones H301 Toxic if swallowed.
• 2.1 Classification • Classification at • Cla	n of the substance or mixture ccording to Regulation (EC) No 1272/2008 6 skull and crossbones H301 Toxic if swallowed. H331 Toxic if inhaled.
• 2.1 Classification • Classification and • Classification and • GHSC Acute Tox. 3 Acute Tox. 3 • GHSC STOT RE 2	n of the substance or mixture ccording to Regulation (EC) No 1272/2008 6 skull and crossbones H301 Toxic if swallowed. H331 Toxic if inhaled. 8 health hazard
 2.1 Classification Classification and GHSO Acute Tox. 3 Acute Tox. 3 GHSO STOT RE 2 Aquatic Chronic 2.2 Label element Labelling accord 	n of the substance or mixture ecording to Regulation (EC) No 1272/2008 6 skull and crossbones H301 Toxic if swallowed. H331 Toxic if inhaled. 8 health hazard H373 May cause damage to organs through prolonged or repeated exposure. 4 H413 May cause long lasting harmful effects to aquatic life. nts ding to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation.
 2.1 Classification Classification and GHSO Acute Tox. 3 Acute Tox. 3 GHSO STOT RE 2 Aquatic Chronic 2.2 Label element Labelling according the substance is Hazard pictograd 	n of the substance or mixture coording to Regulation (EC) No 1272/2008 6 skull and crossbones H301 Toxic if swallowed. H331 Toxic if inhaled. 8 health hazard H373 May cause damage to organs through prolonged or repeated exposure. 4 H413 May cause long lasting harmful effects to aquatic life. 4 H413 May cause long lasting harmful effects to aquatic life. ths ting to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation. ms
 2.1 Classification at Classification at GHS0 Acute Tox. 3 Acute Tox. 3 GHS0 STOT RE 2 Aquatic Chronic 2.2 Label element Labelling according The substance is 	n of the substance or mixture coording to Regulation (EC) No 1272/2008 6 skull and crossbones H301 Toxic if swallowed. H331 Toxic if inhaled. 8 health hazard H373 May cause damage to organs through prolonged or repeated exposure. 4 H413 May cause long lasting harmful effects to aquatic life. hts ling to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation. ms

Printing date 17.07.2021

CHEMICALS.

Revision: 17.07.2021

Trade name: Selenium powder (99.99%)

	(Contd. of page 1)
· Hazard-determi	ning components of labelling:
selenium	
Hazard stateme	nts
Н301+Н331 То	xic if swallowed or if inhaled.
Н373 Ма	ay cause damage to organs through prolonged or repeated exposure.
Н413 Ма	ay cause long lasting harmful effects to aquatic life.
Precautionary s	tatements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other hazar	
· Results of PBT	and vPvB assessment
· PBT: Not applie	
vPvB: Not appli	

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- CAS No. Description 7782-49-2 selenium
- · Identification number(s)
- EC number: 231-957-4
- Index number: 034-001-00-2

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Selenium powder (99.99%)

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- \cdot 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
- **6.3** *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

Thorough dedusting. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace: Not required.

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

GB



(Contd. of page 2)

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Selenium powder (99.99%)

(Contd. of page 3)

- · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. · Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles · 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Powder Colour: Grey **Odourless** · Odour: · Odour threshold: Not determined. · pH-value: Not applicable. · Change in condition 170-217 °C *Melting point/freezing point:* Initial boiling point and boiling range: 690 °C
 - Flash point:
 Not applicable.

 Flammability (solid, gas):
 Not determined.

 Ignition temperature:
 Not determined.

 Auto-ignition temperature:
 Not determined.

 Explosive properties:
 Product does not present an explosion hazard.

(Contd. on page 5)

Printing date 17.07.2021

CHEMICALS.

Revision: 17.07.2021

Trade name: Selenium powder (99.99%)

	(Contd.	. of page
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	1 hPa	
Density at 20 °C:	4.81 g/cm^3	
Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
VÕC (EC)	0.00 %	
Solids content:	100.0 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Toxic if swallowed or if inhaled.

· LD/LC50 values relevant for classification:

Oral LD50 6700 mg/kg (rat)

7782-49-2 selenium

- *Oral LD50* 6700 mg/kg (rat)
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- \cdot Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Printing date 17.07.2021

CHEMICALS, INC

Revision: 17.07.2021

Trade name: Selenium powder (99.99%)

- (Contd. of page 5)
- \cdot **Reproductive toxicity** Based on available data, the classification criteria are not met.
- $\cdot \textit{STOT-single exposure Based on available data, the classification criteria are not met.}$
- · STOT-repeated exposure
- May cause damage to organs through prolonged or repeated exposure.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- \cdot Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number	
ADR, IMDG, IATA	UN3283
· 14.2 UN proper shipping name	
ADR	3283 SELENIUM COMPOUND, SOLID, N.O.S.
· IMDG, IATA	SELENIUM COMPOUND, SOLID, N.O.S.
ADR	
· Class	6
Clubb	

Printing date 17.07.2021

Revision: 17.07.2021

ide name: Selenium powder (99.99%)	
	(Contd. of page
· IMDG, IATA	
6	
· Class	6.1 Toxic substances.
· Label	6.1
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· EMS Number:	F-A,S-A
· Stowage Category	A
• 14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.
· Transport/Additional information:	
ADR	
· Limited quantities (LQ)	5 kg
\cdot Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 g
1000	Maximum net quantity per outer packaging: 1000 g
· IMDG · Limited quantities (LQ)	5 kg
· Limited quantities (LQ) · Excepted quantities (EQ)	Code: El
Exception quantities (EQ)	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
· UN ''Model Regulation'':	UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category H2 ACUTE TOXIC
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director

(Contd. on page 8) GB

CHEMICALS, INC

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Selenium powder (99.99%)

	(Contd. of page 7)
· Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning	z the International
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 3: Acute toxicity – Category 3	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4	
	GI

