Printing date 07/17/2021

CHEMICALS, INC.

Reviewed on 07/17/2021

1 Identification

- · Product name
- · Trade name: Zirconium rod (99.8%)
- *Item number:* 40-0080
- CAS Number: 7440-67-7
- EC number:
- 231-176-9
- Index number: 040-001-00-3
- \cdot Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Label elements	
	nents not applicable
	ams not applicable
Signal word not	
	ents not applicable
• Precautionary s	
P262	Do not get in eyes, on skin, or on clothing.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
<i>P305+P351+P</i> .	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internationa regulations.
· Classification s	ystem:
· NFPÅ ratings (
	Iealth = 0
	iire = 0
	Peactivity = 0
· HMIS-ratings (scale 0 - 4)
	Health = 0
FIRE 0	Fire = 0

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Zirconium rod (99.8%)

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 7440-67-7 zirconium powder (pyrophoric)
- · Identification number(s)
- **EC number:** 231-176-9
- Index number: 040-001-00-3

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13.
- · Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

10 mg/m3

(Contd. on page 3)



US

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Zirconium rod (99.8%)

(Contd. of page 2)

83 mg/m3

· PAC-3:

· PAC-2:

500 mg/m3

7 Handling and storage

- · Handling:
- Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

7440-67-7 zirconium powder (pyrophoric)

- PEL Long-term value: 5 mg/m³ as Zr
- *REL* Short-term value: 10 mg/m³ Long-term value: 5 mg/m³ as Zr
- TLV Short-term value: 10 mg/m³ Long-term value: 5 mg/m³ as Zr

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 4)

US

Printing date 07/17/2021

CHEMICALS, INC.

Reviewed on 07/17/2021

Trade name: Zirconium rod (99.8%)

(Contd. of page 3)

• *Material of gloves* The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be

observed.

• Eye protection: Safety glasses

9 Physical and chemical properties

 Information on basic physical and chemical properties General Information Appearance: Form: Solial Calor: Odor lares Odor threshold: Not determined. pH-value: Not applicable. Change in condition Melting point/Beiling range: J.S57 °C (38 °F) Boiling point/Beiling range: J.S77 °C (38 °F) Boiling point/Beiling range: S.S77 °C (38 °F) Planting point/Beiling range: S.S77 °C (38 °F) Flash point: Not applicable. Flammability (solid, gaseous): Product is not flammable Ignition temperature: 80 °C (176 °F) Decomposition temperature: Not determined. Auto igniting: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not applicable. Perduicable. Solubility in / Miscibility with Vapor pressure: Not applicable. Solubility in / Miscibility with Water: Insoluble. Portition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not applicable. Solvent content:	Information on basis abusisal and	about and mon aution	
Appearance: Form:Solid Color:GreyOdor:GreyOdor threshold:Not determined.• PH-value:Not applicable.• PH-value:Not applicable.• Change in condition Melting point/Boiling range:1.852 °C (35 °F) 3.577 °C (38 °F)• Boiling point/Boiling range:3.577 °C (38 °F)• Flash point:Not applicable.• Flash point:Not applicable.• Ignition temperature:80 °C (176 °F)• Decomposition temperature:Not determined.• Auto igniting:Not determined.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits: Lower: Upper:Not determined.• Vapor pressure:Not determined.• Vapor pressure:Not determined.• Vapor densityNot determined.• Vapor densityNot applicable.• Evaporation rateNot applicable.• Solubility in / Miscibility with Water:Not applicable.• Viscosity: Dynamic: Kinematic:Not applicable.• Solubility in / Miscibility with Water:Not applicable.• Viscosity: Dynamic: Dynamic: Not applicable.Not applicable.• Solubility in / Miscibility with Water:Not applicable. <td< th=""><th></th><th>cnemical properties</th><th></th></td<>		cnemical properties	
Form:SolidColor:GreyOdor:OdorlessOdor threshold:Not determined.• pH-value:Not applicable.• Change in condition Melting point/Melting range:1.852 °C (35 °F) Boiling point/Boiling range:3.577 °C (38 °F)Soliding point/Boiling range:• Flash point:Not applicable.• Flash point:Not applicable.• Flammability (solid, gaseous):Product is not flammable• Jgnition temperature:80 °C (176 °F)• Decomposition temperature:Not determined.• Auto igniting:Not determined.• Danger of explosion:Product does not present an explosion hazard.• Explosin limits: Lower:Not determined.• Upper:Not determined.• Vapor pressure:Not applicable.• Density at 20 °C (68 °F):6.506 g/cm³ (54.29257 lbs/gal)• Relative densityNot applicable.• Danger of ficient (n-octanol/water): Not determined.• Vapor densityNot applicable.• Solubility in / Miscibility with Water:Insoluble.• Viscosity: Dynamic: Kinematic:Not applicable.• Solvent content: Organic solvents:Not applicable.• Solvent content: Organic solvents:Not applicable.• Solvent content: Organic solvents:Not applicable.			
Odor:OdorlessOdor threshold:Not determined.• pH-value:Not applicable.• Change in condition Melting point/Boiling range:1.852 °C (35 °F) Boiling point/Boiling range:• Flash point:Not applicable.• Flash point:Not applicable.• Flammability (solid, gaseous):Product is not flammable• Ignition temperature:80 °C (176 °F)• Decomposition temperature:Not determined.• Auto igniting:Not determined.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits: Lower:Not determined.• Upper:Not determined.• Vapor pressure:Not determined.• Vapor pressure:Not applicable.• Density at 20 °C (68 °F):6.506 g/cm³ (54.29257 lbs/gal)• Relative densityNot applicable.• Exaporation rateNot applicable.• Evaporation rateNot applicable.• Solubility in / Miscibility with Water:Insoluble.• Viscosity: Dynamic: Kinematic:Not applicable.• Solvent content: Organic solvents:Not applicable.• Solvent content: Organic solvents:Not applicable.		Solid	
• Odor threshold: Not determined. • pH-value: Not applicable. • Change in condition Melting point/Boiling range: 1.852 °C (35 °F) Boiling point/Boiling range: Boiling point/Boiling range: 3.577 °C (38 °F) • Flash point: Not applicable. • Flammability (solid, gaseous): Product is not flammable • Ignition temperature: 80 °C (176 °F) • Decomposition temperature: Not determined. • Auto igniting: Not determined. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Iover: Lower: Not determined. • Vapor pressure: Not applicable. • Vapor pressure: Not applicable. • Vapor pressure: Not applicable. • Vapor ansity Not applicable. • Vapor ansity Not applicable. • Vapor family Not applicable. • Vapor family Not applicable. • Solubility in / Miscibility with Not applicable. • Solubility in / Miscibility with Insoluble. • Viscosity: Not applicable. • Partition coefficient (n-octanol/water): Not determin	Color:	Grey	
· pH-value:Not applicable.· Change in condition Melting point/Melting range:1.852 °C (35 °F) 3.577 °C (38 °F)· Boiling point/Boiling range:3.577 °C (38 °F)· Flash point:Not applicable.· Flammability (solid, gaseous):Product is not flammable· Ignition temperature:80 °C (176 °F)· Decomposition temperature:Not determined.· Auto igniting:Not determined.· Danger of explosion:Product does not present an explosion hazard.· Explosion limits: Lower: Upper:Not determined.· Vapor pressure:Not determined.· Vapor pressure:Not applicable.· Vapor ansityNot determined.· Vapor ansityNot applicable.· Solubility in / Miscibility with Water:Not applicable.· Solubility in / Miscibility with Water:Not applicable.· Viscosity: 		Odorless	
Change in condition I.852 °C (35 °F) Boiling point/Boiling range: 3.577 °C (38 °F) Flash point: Not applicable. Flammability (solid, gaseous): Product is not flammable Ignition temperature: 80 °C (176 °F) Decomposition temperature: Not determined. Auto igniting: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Insolute deermined. Upper: Not determined. Vapor pressure: Not applicable. Vapor density Not determined. Viscosity: Insoluble. Partition coeffici	· Odor threshold:	Not determined.	
Meliting point/Melting range:1.852 °C (35 °F) 3.577 °C (38 °F)Boiling point/Boiling range:3.577 °C (38 °F)Flash point:Not applicable.Flammability (solid, gaseous):Product is not flammableIgnition temperature:80 °C (176 °F)Decomposition temperature:Not determined.Auto igniting:Not determined.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Vapor pressure:Not determined.Vapor pressure:Not applicable.Density at 20 °C (68 °F):6.506 g/cm³ (54.29257 lbs/gal)Relative densityNot applicable.Vapor densityNot applicable.Solubility in / Miscibility with Water:Insoluble.Viscosity: Dynamic:Not applicable.Viscosity: Dynamic:Not applicable.Solvent content: Organic solvents:Not applicable.Solvent content: Organic solvents:Not applicable.	· pH-value:	Not applicable.	
Boiling point/Boiling range:3.577 °C (38 °F)Flash point:Not applicable.Flammability (solid, gaseous):Product is not flammableIgnition temperature:80 °C (176 °F)Decomposition temperature:Not determined.Auto igniting:Not determined.Auto igniting:Not determined.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: Upper:Not determined.Vapor pressure:Not determined.Vapor pressure:Not applicable.Density at 20 °C (68 °F):6.506 g/cm³ (54.29257 lbs/gal)Relative densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Insoluble.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Organic solvents:Not applicable.Solvent content: Organic solvents:Not applicable.	· Change in condition		
• Flash point: Not applicable. • Flammability (solid, gaseous): Product is not flammable • Ignition temperature: 80 °C (176 °F) • Decomposition temperature: Not determined. • Auto igniting: Not determined. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Iower: Iower: Not determined. • Vapor pressure: Not applicable. • Density at 20 °C (68 °F): 6.506 g/cm³ (54.29257 lbs/gal) • Relative density Not determined. • Vapor density Not applicable. • Evaporation rate Not applicable. • Solubility in / Miscibility with Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not applicable. • Vasority: Not applicable. • Solubility in / Miscibility with Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not applicable. • Solubility is not applicable. • Solubility is not applicable. • Viscosity: Not applicable. • Viscosity: Not applica			
• Flammability (solid, gaseous): Product is not flammable • Ignition temperature: 80 °C (176 °F) • Decomposition temperature: Not determined. • Auto igniting: Not determined. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Iower: Lower: Not determined. Upper: Not determined. • Vapor pressure: Not applicable. • Density at 20 °C (68 °F): 6.506 g/cm³ (54.29257 lbs/gal) • Relative density Not determined. • Vapor pressure: Not applicable. • Vapor density Not applicable. • Evaporation rate Not applicable. • Solubility in / Miscibility with Insoluble. • Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not applicable. • Viscosity: Dynamic: Dynamic: Not applicable. • Solvent content: Not applicable. • Solvent content: Not applicable.	Boiling point/Boiling range:	3.577 °C (38 °F)	
Ignition temperature: 80 °C (176 °F) Decomposition temperature: Not determined. Auto igniting: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Intermined. Lower: Not determined. Upper: Not determined. Vapor pressure: Not applicable. Density at 20 °C (68 °F): 6.506 g/cm³ (54.29257 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Solubility in / Miscibility with Not applicable. Viscosity: Insoluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not applicable. Solvent content: Not applicable. Solvent content: Not applicable.	· Flash point:	Not applicable.	
• Decomposition temperature: Not determined. • Auto igniting: Not determined. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Iower: Lower: Not determined. Upper: Not determined. • Vapor pressure: Not applicable. • Density at 20 °C (68 °F): 6.506 g/cm³ (54.29257 lbs/gal) • Relative density Not determined. • Vapor density Not applicable. • Evaporation rate Not applicable. • Solubility in / Miscibility with Mot applicable. • Viscosity: Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not applicable. • Solvent content: Not applicable. • Solvent content: 0.0 %	· Flammability (solid, gaseous):	Product is not flammable	
Auto igniting: Not determined. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Iower: Lower: Not determined. Upper: Not determined. • Vapor pressure: Not applicable. • Density at 20 °C (68 °F): 6.506 g/cm³ (54.29257 lbs/gal) • Relative density Not determined. • Vapor density Not applicable. • Vapor density Not applicable. • Solubility in / Miscibility with Insoluble. • Viscosity: Insoluble. • Viscosity: Not applicable. • Viscosity: Not applicable. • Solvent content: Not applicable.	· Ignition temperature:	80 °C (176 °F)	
• Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Iower: Lower: Not determined. Upper: Not determined. • Vapor pressure: Not applicable. • Density at 20 °C (68 °F): 6.506 g/cm³ (54.29257 lbs/gal) • Relative density Not determined. • Vapor density Not applicable. • Evaporation rate Not applicable. • Solubility in / Miscibility with Mot applicable. • Viscosity: Insoluble. • Viscosity: Not applicable. • Viscosity: Not applicable. • Solvent content: Not applicable. • Solvent content: 0.0 %	• Decomposition temperature:	Not determined.	
 Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not applicable. Density at 20 °C (68 °F): 6.506 g/cm³ (54.29257 lbs/gal) Relative density Not determined. Vapor density Not applicable. Evapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Insoluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not applicable. Solvent content: Organic solvents: 0.0 % 	· Auto igniting:	Not determined.	
Lower:Not determined.Upper:Not determined.Vapor pressure:Not applicable.Density at 20 °C (68 °F):6.506 g/cm³ (54.29257 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Insoluble.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Organic solvents:0.0 %	• Danger of explosion:	Product does not present an explosion hazard.	
Upper:Not determined.Vapor pressure:Not applicable.Density at 20 °C (68 °F):6.506 g/cm³ (54.29257 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Insoluble.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Organic solvents:0.0 %	· Explosion limits:		
· Vapor pressure: Not applicable. · Density at 20 °C (68 °F): 6.506 g/cm³ (54.29257 lbs/gal) · Relative density Not determined. · Vapor density Not applicable. · Vapor density Not applicable. · Evaporation rate Not applicable. · Solubility in / Miscibility with Not applicable. · Vater: Insoluble. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Not applicable. Dynamic: Not applicable. · Solvent content: Not applicable. · Solvent content: 0.0 %	Lower:	Not determined.	
• Density at 20 °C (68 °F): 6.506 g/cm³ (54.29257 lbs/gal) • Relative density Not determined. • Vapor density Not applicable. • Evaporation rate Not applicable. • Solubility in / Miscibility with Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Dynamic: Dynamic: Not applicable. • Solvent content: Organic solvents: 0.0 % 0.0 %	Upper:	Not determined.	
• Relative density Not determined. • Vapor density Not applicable. • Evaporation rate Not applicable. • Solubility in / Miscibility with Water: Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Dynamic: Not applicable. • Not applicable. • Solvent content: Organic solvents: 0.0 %	· Vapor pressure:	Not applicable.	
· Vapor density Not applicable. · Evaporation rate Not applicable. · Solubility in / Miscibility with Insoluble. · Vater: Insoluble. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Not applicable. Dynamic: Not applicable. Kinematic: Not applicable. · Solvent content: 0.0 %	• Density at 20 •C (68 •F):	6.506 g/cm ³ (54.29257 lbs/gal)	
• Evaporation rate Not applicable. • Solubility in / Miscibility with Insoluble. • Water: Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not applicable. Dynamic: Not applicable. Kinematic: Not applicable. • Solvent content: 0.0 %	· Relative density	Not determined.	
· Solubility in / Miscibility with Insoluble. · Water: Insoluble. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Not applicable. Dynamic: Not applicable. Kinematic: Not applicable. · Solvent content: 0.0 %	1 1		
Water: Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not determined. • Viscosity: Not applicable. Kinematic: Not applicable. • Solvent content: 0.0 %	· Evaporation rate	Not applicable.	
 Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Organic solvents: 0.0 % 	· Solubility in / Miscibility with		
· Viscosity: Not applicable. Dynamic: Not applicable. Kinematic: Not applicable. · Solvent content: 0.0 %	Water:	Insoluble.	
Dynamic: Kinematic:Not applicable.Solvent content: Organic solvents:0.0 %	· Partition coefficient (n-octanol/wat	er): Not determined.	
Dynamic: Kinematic:Not applicable.Solvent content: Organic solvents:0.0 %	· Viscosity:		
Solvent content: Organic solvents: 0.0 %	Dynamic:	Not applicable.	
Organic solvents: 0.0 %	Kinematic:	Not applicable.	
	· Solvent content:		
<i>VOC content:</i> 0.0 g/1 / 0.00 lb/gl			
0 0	VOC content:	0.0 g/l / 0.00 lb/gl	
(Contd. on pa			(Contd. on page 5

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Zirconium rod (99.8%)

(Contd. of page 4)

Solids content: • Other information 100.0 % No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us. The substance is not subject to classification.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

US

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Zirconium rod (99.8%)

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation: Disposal must be made according to official regulations.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· UN ''Model Regulation'':	not regulated

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

(Contd. on page 7)



Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Zirconium rod (99.8%)

(Contd.	of	page	6)

A4

· Chemicals known to cause r	eproductive toxicity for males:
------------------------------	---------------------------------

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements not applicable

· Hazard pictograms not applicable

· Signal word not applicable

· Hazard statements not applicable

· Precautionary statements

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- *P304+P340* IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

- · Contact: Technical Director
- · Date of preparation / last revision 07/17/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- *vPvB: very Persistent and very Bioaccumulative*
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit

