Printing date 07/17/2021

Reviewed on 07/17/2021

Page 1/9

1 Identification

- · Product name
- · Trade name: Tetrabenzylzirconium, min. 95%
- Item number: 40-1650
- CAS Number: 24356-01-2
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- Information department: Technical Department
 Emergency telephone number: EMERGENCY: CHEMTREC: +1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Sol. 1 H228 Flammable solid.



Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.

· Label elements

- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Tetrabenzylzirconium, min. 95%
Hazard statements H228 Flammable solid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

(Contd. on page 2)

Printing date 07/17/2021

Reviewed on 07/17/2021

	(Contd. of page
· Precautionary	
P231	Handle under inert gas.
P235	Keep cool.
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
· Classification s	ystem:
· NFPA ratings (iscale 0 - 4)
	lealth = 1 lire = 2
	tre = 2 Creactivity = 0
	eactivity = 0
· HMIS-ratings	(scale 0 - 4)
FIRE 0	Health = 1 Fire = 0 Reactivity = 0
• Other hazards	
	and vPvB assessment
• PBT: Not appli	
	icable.
• vPvB: Not appl	
• vPvB: Not appl	
	l'action on inconstitute
	/information on ingredients
B Composition	
Composition	acterization: Substances
Composition Chemical chara CAS No. Descr	acterization: Substances iption
Composition Chemical chara CAS No. Descr	acterization: Substances
Composition Chemical chara CAS No. Descr	acterization: Substances iption
Composition Chemical chara CAS No. Descr	acterization: Substances iption rabenzylzirconium, min. 95%

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

US

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Tetrabenzylzirconium, min. 95%

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.*
- · Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

- · PAC-3:
- Substance is not listed.

7 Handling and storage

- · Handling: Handle under inert gas.
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- *Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Keep cool.
- Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Recommended storage temperature: Store at temperatures not exceeding -18 °C. Keep cool.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace: Not required.

(Contd. on page 4)

(Contd. of page 2)



US

Printing date 07/17/2021

CHEMICALS, INC.

Reviewed on 07/17/2021

Trade name: Tetrabenzylzirconium, min. 95%

A protective equipment: A protective equipment: A protective equipment: A protective equipment: A protective and hygienic measures: A protective equipment: A protective and feed. A protective breaks and at the end of work. A word contact with the eyes and skin. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treating equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treating equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treating equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treatection of hands: If protective gloves A protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the termical mixture. election of the glove material on consideration of the penetration times, rates of diffusion and the degradation for the selection of the suitable gloves does not only depend on the material, but also on further marks of quality a prise from manufacturer to manufacturer. emetration time of glove material the exact break through time has to be found out by the manufacturer of the protective gloves and has to be protection: ye protection:	Additional information. The lists that were wall detrine the amount on were used as basis	(Contd. of page
Fersonal protective equipment: Several protective and hygienic measures: Several protective and hygienic measures: Several protective and hygienic measures: Several protective and solid and contaminated clothing. Vash hands before breaks and at the end of work. Void contact with the eyes and skin. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Treathing equipment: A NIOSH approved respirator of the product/ the preparation/ the arises form manufacturer to manufacturer. Treathing equipment: A nice of glove material the exact break through time has to be found out by the manufacturer of the protect	Additional information: The lists that were valid during the creation were used as basis.	
Transmission of the suitable gloves does not only depend on the material, but also on further marks of quality a transmission for the suitable gloves and the sto be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and the sto be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and the sto be found out by the manufacturer of the protective gloves and the sto be found out by the manufacturer of the protective gloves and the sto be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be be also be found out by the manufacturer of the protective gloves and has to be be and the found out by the manufacturer of the protective gloves and has to be be also be found out by the manufacturer of the protective gloves and has to be be also be found out by the manufacturer of the protective gloves and has to be be protection:		
The provide the suitable gloves does not only depend on the material, but also on further marks of quality a far far far far far far far far far f		
 mediately remove all soiled and contaminated clothing. Vash hands before breaks and at the end of work. void contact with the eyes and skin. reathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. retection of hands: Protective gloves Protective gloves the glove material has to be impermeable and resistant to the product/ the substance/ the preparation. the to missing tests no recommendation to the glove material can be given for the product/ the preparation. the election of the glove material on consideration of the penetration times, rates of diffusion and the degradation faterial of gloves the selection of the suitable gloves does not only depend on the material, but also on further marks of quality a aries from manufacturer to manufacturer. enetration time of glove material the exact break through time has to be found out by the manufacturer of the protective gloves and has to be been to be found out by the manufacturer of the protective gloves and has to be been to be found out by the manufacturer of the protective gloves and has to be be found out by the manufacturer of the protective gloves and has to be be protection: 		
Vash hands before breaks and at the end of work. void contact with the eyes and skin. reathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. rotection of hands:		
 void contact with the eyes and skin. Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Totection of hands: Protective gloves Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The glove material has to be impermeable and resistant to the glove material can be given for the product/ the preparation/ the temical mixture. The glove material on consideration of the penetration times, rates of diffusion and the degradation faterial of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a aries from manufacturer to manufacturer. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be berved. The protection: 		
Treathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Trotection of hands: Protective gloves Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The or missing tests no recommendation to the glove material can be given for the product/ the preparation/ the hemical mixture. election of the glove material on consideration of the penetration times, rates of diffusion and the degradation for the substance to manufacture. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a for arise from manufacturer to manufacturer. The selection time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be beerved. Type protection:		
rotection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the hemical mixture. election of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves the selection of the suitable gloves does not only depend on the material, but also on further marks of quality a aries from manufacturer to manufacturer. enetration time of glove material the exact break through time has to be found out by the manufacturer of the protective gloves and has to bserved. ye protection:		
Protective gloves Protective gloves the glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The bus to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the themical mixture. election of the glove material on consideration of the penetration times, rates of diffusion and the degradation Saterial of gloves the selection of the suitable gloves does not only depend on the material, but also on further marks of quality a caries from manufacturer to manufacturer. Senetration time of glove material the exact break through time has to be found out by the manufacturer of the protective gloves and has to beserved. Sympotection:		
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation/ the to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the hemical mixture. election of the glove material on consideration of the penetration times, rates of diffusion and the degradation faterial of gloves the selection of the suitable gloves does not only depend on the material, but also on further marks of quality a faries from manufacturer to manufacturer. Senetration time of glove material the exact break through time has to be found out by the manufacturer of the protective gloves and has to be served. Sye protection:	Protection of hands:	
The to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the themical mixture. election of the glove material on consideration of the penetration times, rates of diffusion and the degradation faterial of gloves the selection of the suitable gloves does not only depend on the material, but also on further marks of quality a faries from manufacturer to manufacturer. the exact break through time has to be found out by the manufacturer of the protective gloves and has to beserved. type protection:	Protective gloves	
The to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the themical mixture. election of the glove material on consideration of the penetration times, rates of diffusion and the degradation faterial of gloves the selection of the suitable gloves does not only depend on the material, but also on further marks of quality a faries from manufacturer to manufacturer. the exact break through time has to be found out by the manufacturer of the protective gloves and has to beserved. type protection:	The glove material has to be impermeable and resistant to the product/ the substance/ the prep	aration.
hemical mixture. election of the glove material on consideration of the penetration times, rates of diffusion and the degradation faterial of gloves the selection of the suitable gloves does not only depend on the material, but also on further marks of quality a aries from manufacturer to manufacturer. Enetration time of glove material the exact break through time has to be found out by the manufacturer of the protective gloves and has to bserved. Exercision:		
Taterial of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a aries from manufacturer to manufacturer. Senetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to bserved. Tye protection:	chemical mixture.	I I ······
Taterial of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a aries from manufacturer to manufacturer. Senetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to bserved. Tye protection:	Selection of the glove material on consideration of the penetration times, rates of diffusion and	the degradation
aries from manufacturer to manufacturer. enetration time of glove material he exact break through time has to be found out by the manufacturer of the protective gloves and has to bserved. ye protection:	Material of gloves	Ũ
the exact break through time has to be found out by the manufacturer of the protective gloves and has to bserved. Sye protection:	The selection of the suitable gloves does not only depend on the material, but also on further m varies from manufacturer to manufacturer.	arks of quality a
bserved. Sye protection:	Penetration time of glove material	
	The exact break through time has to be found out by the manufacturer of the protective gluobserved.	oves and has to
Tightly sealed goggles	Eye protection:	
	Tightly sealed goggles	

Information on basic physical and General Information	chemical properties	
Appearance:	~	
Form:	Solid	
Color:	Yellow	
Odor:	undistinguishable	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Flammable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	

Printing date 07/17/2021

CHEMICALS, INC

Reviewed on 07/17/2021

Trade name:	Tetrabenzylzirconium,	min.	95%
-------------	-----------------------	------	-----

		(Contd. of page
Auto igniting:	Not determined.	
• Danger of explosion:	Not determined.	
• Explosion limits:		
<i>Lower:</i>	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
Density:	Not determined.	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
• Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octand	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· **Reactivity** No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

(Contd. on page 6)

US

Printing date 07/17/2021

CHEMICALS, INC

Reviewed on 07/17/2021

Trade name: Tetrabenzylzirconium, min. 95%

(Contd. of page 5)

 \cdot NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number	
DOT	NA3178
· IMDG, IATA	UN3178
· UN proper shipping name	
DOT	Flammable solid, inorganic, n.o.s. (Tetrabenzylzirconium, m 95%)
· IMDG, IATA	FLAMMABLE SOLID, INORGANIC, N.O.S. (Tetrabenzylzirconiu min. 95%)
• Transport hazard class(es)	
DOT	
· Class	4.1 Flammable solids, self-reactive substances and sol desensitised explosives

Printing date 07/17/2021

CHEMICALS, INC.

Reviewed on 07/17/2021

Trade name: Tetrabenzylzirconium, min. 95%

	(Contd. of page
· Label	4.1
· IMDG, IATA	
· Class	4.1 Flammable solids, self-reactive substances and solid desensitised explosives
· Label	4.1
· Packing group · DOT, IMDG, IATA	II
• Environmental hazards: • Marine pollutant:	No
· Special precautions for user	Not applicable.
· EMS Number:	F-A,S-G
· Stowage Category	В
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	
· IMDG	
\cdot Limited quantities (LQ)	1 kg
\cdot Excepted quantities (EQ)	Code: E2 Maximum pat augustitu par impan packasing, 20 s
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· UN ''Model Regulation'':	UN 3178 FLAMMABLE SOLID, INORGANIC, N.O.S (TETRABENZYLZIRCONIUM, MIN. 95%), 4.1, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

(Contd. on page 8)

⁻ US

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Tetrabenzylzirconium, min. 95%

(Contd. of page 7)

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling: Tetrabenzylzirconium, min.* 95%

· Hazard statements

H228 Flammable solid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Precautionary statements

P231 Handle under inert gas.

P235 Keep cool.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/17/2021 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 9)



US



Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Tetrabenzylzirconium, min. 95%

	(Contd. of page 8)
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flam. Sol. 1: Flammable solids – Category 1	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	

US