Printing date 07/17/2021

Reviewed on 07/17/2021

1 Identification

- · Product name
- · Trade name: Zirconium(IV) chloride, sublimed grade (99.95+%-Zr)
- · Item number: 40-4046
- · CAS Number:
- 10026-11-6
- *EC number:* 233-058-2
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Strem Chemicals, Inc.
- 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Acute Tox. 4 H302 Harmful if swallowed.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• *Hazard-determining components of labeling: zirconium tetrachloride*

· Hazard statements

H302 Harmful if swallowed.


H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

US

Printing date 07/17/2021

Reviewed on 07/17/2021



4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

US

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Zirconium(IV) chloride, sublimed grade (99.95+%-Zr)

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up: Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.*
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

· PAC-2:

· PAC-3:

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Thorough dedusting.
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

26 mg/m3


220 mg/m3

1,300 mg/m3

(Contd. of page 2)



⁻ US



- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

(Contd. on page 5)



Printing date 07/17/2021

Trade name: Zirconium(IV) chloride, sublimed grade (99.95+%-Zr)

Reviewed on 07/17/2021

(Contd. of page 3)

Printing date 07/17/2021

_0

CHEMICALS, INC.

Reviewed on 07/17/2021

Trade name: Zirconium(IV) chloride, sublimed grade (99.95+%-Zr)

(Contd. of page 4)

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Powder White	
Color: Odor:	White Acidic	
Odor: Odor threshold:	Not determined.	
pH-value:	Not applicable.	
-		
Change in condition	$427 \ 9C \ (910 \ 9E)$	
Melting point/Melting range: Boiling point/Boiling range:	437 °C (819 °F) 331 °C (628 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	2.803 g/cm ³ (23.39104 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

US

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Zirconium(IV) chloride, sublimed grade (99.95+%-Zr)

- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

10026-11-6 zirconium tetrachloride

Oral LD50 1688 mg/kg (rat)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



(Contd. of page 5)

Printing date 07/17/2021

-10

CHEMICALS, INC.

Reviewed on 07/17/2021

(Contd. of page 6)

Trade name: Zirconium(IV) chloride, sublimed grade (99.95+%-Zr)

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

Transport information	
UN-Number	
DOT, IMDG, IATA	UN2503
UN proper shipping name	
DOT	Zirconium tetrachloride
IMDG, IATA	ZIRCONIUM TETRACHLORIDE
Transport hazard class(es)	
DOT	
CORROSIVE 8	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
Class	8 Corrosive substances
Label	8
Packing group DOT, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Segregation groups	Acids
Stowage Category	A
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 25 kg
	On cargo aircraft only: 100 kg
Hazardous substance:	5000 lbs, 2270 kg
IMDG	
Limited quantities (LQ)	5 kg

US

Printing date 07/17/2021

CHEMICALS.

Reviewed on 07/17/2021

Trade name: Zirconium(IV) chloride, sublimed grade (99.95+%-Zr)

	(Contd. of page 7)
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 2503 ZIRCONIUM TETRACHLORIDE, 8, III

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- · Section 355 (extremely hazardous substances):
- Substance is not listed.
- · Section 313 (Specific toxic chemical listings):
- Substance is not listed.
- · TSCA (Toxic Substances Control Act):
- Substance is listed.
- · Proposition 65
- \cdot Chemicals known to cause cancer:
- Substance is not listed.
- Chemicals known to cause reproductive toxicity for females:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males:
- Substance is not listed.
- · Chemicals known to cause developmental toxicity:
- Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- Substance is not listed.
- · TLV (Threshold Limit Value established by ACGIH)

A4

- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- Substance is not listed.
- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



· Signal word Danger

- *Hazard-determining components of labeling: zirconium tetrachloride*
- · Hazard statements
- H302 Harmful if swallowed.

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name:	Zirconium(IV)	chloride, sublin	ned grade (99.95+%-Zr)
-------------	---------------	------------------	-------------	-------------

	(Contd. of page 8)
H314 Causes severe skin b	purns and eye damage.
· Precautionary statements	
P231 Handle	e under inert gas.
P303+P361+P353 If on s shower	kin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ r.
<i>v v</i>	yes: Rinse cautiously with water for several minutes. Remove contact lenses, if present usy to do. Continue rinsing.
P403+P233 Store i	in a well-ventilated place. Keep container tightly closed.
P422 Store of	contents under inert gas.
P501 Dispo regula	se of contents/container in accordance with local/regional/national/international tions.
· Chemical safety assessme	nt: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

· Date of preparation / last revision 07/17/2021 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1

