Printing date 17.07.2021

CHEMICALS, INC.

Revision: 17.07.2021

92361-92-4 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Section 2: H315 Causes skin irritation. Eye Irrit: 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pietograms Signal word Warning Hazard-determining components of labelling: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 59% Hazard statements H319 Causes serious eye irritation. H329 Causes serious reprivation. H339 Causes serious reprivation. H330 Causes respiratory irritation. H340 Causes serious reprivation. H350 Kause respiratory irritation. H350 Kause respiratory irritation. H350 Kause aldened before use.	1.1 Product identifie	21		
GAS Number:         92361-49-4         12 Relevant ildentified uses of the substance or mixture and uses advised against         No further relevant information available.         13 Details of the supplier of the safety data sheet         Manufacturer/Supplier:         Strem Chemicals, Inc.         7 Multiken Way         NEWBURYPORT, MA 01950         USA         info@strem.com         Further information obtainable from: Technical Department         1.4 Emergency telephone number:         EMERGENCY: CHEMTREC: + 1 (800) 424-9300         Daring normal opening times: +1 (978) 499-1600         SECTION 2: Hazards identification         2.1 Classification of the substance or mixture         Classification according to Regulation (EC) No 1272/2008         VV       GHS07         Skin Irrit: 2 H315 Causes skin irritation.         Eye Irrit: 3 H315 Causes serious eye irritation.         S10T SE 3 H335 May cause respiratory irritation.         2.2 Label elements         Labelling according to Regulation (EC) No 1272/2008         The substance is classified and labelled according to the CLP regulation.         Hazard statements         Labelling according to Regulation (EC) No 1272/2008         The substance six classified and labelled according to the CLP regulation.	Trade name: <u>Chlore</u>	o(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99%	<u><u>ó</u></u>	
1.3 Details of the supplier of the safety data sheet         Manufacturer/Supplier:         Strem Chemicals, Inc.         7 Mulliken Way         NEWBURTPORT, MA 01950         USA         info@strem.com         Further information obtainable from: Technical Department         1.4 Emergency telephone number:         EMERGENCY:       CHEMTREC: + 1 (800) 424-9300         During normal opening times: +1 (978) 499-1600         SECTION 2: Hazards identification         2.1 Classification of the substance or mixture         Classification according to Regulation (EC) No 1272/2008         Image: Print:       2 H315 Causes skin irritation.         Eye Irrit:       2 H315 Causes skin irritation.         Stor TS 2 H335 May cause respiratory irritation.         Stor SE 3 H335 May cause respiratory irritation.         Stor SE 3 H335 May cause respiratory irritation.         Labelling according to Regulation (EC) No 1272/2008         The substance is classified and labelled according to the CLP regulation.         Hazard pictograms         Image: Chernology         GHS07         Signal word Warning         Hazard determining components of labelling:         Chloro (pentamethyleyclopentadienyl)bis(triphenylphosphine)ruhenium(II), 99%         Hazard statements <t< td=""><td>CAS Number: 92361-49-4 1.2 Relevant identifi</td><td>ied uses of the substance or mixture and uses advised against</td><td></td></t<>	CAS Number: 92361-49-4 1.2 Relevant identifi	ied uses of the substance or mixture and uses advised against		
Manifacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit: 2 H315 Causes skin irritation. Eye Irrit: 2 H315 Causes skin irritation. Eye Irrit: 2 H315 Causes skin irritation. SIOT SE 3 H335 May cause respiratory irritation. 2.1 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Gispal word Warning Hazard-determining components of labelling: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99% Hazard statements H315 Causes skin irritation. H315 Cause skin irritation. H315 Causes skin irritation. H315 Cause	No further relevant	nformation available.		
1.4 Emergency telephone number:         EMERGENCY: CHEMTREC: + 1 (800) 424-9300         During normal opening times: +1 (978) 499-1600         SECTION 2: Hazards identification         SECTION 2: Hazards identification         2.1 Classification of the substance or mixture         Classification according to Regulation (EC) No 1272/2008         With the substance or mixture         Classification according to Regulation (EC) No 1272/2008         Skin Irrit. 2         All S Causes skin irritation.         Ey Irrit. 2         Ey Irrit. 2         Classification degulation (EC) No 1272/2008         State elements         Labelelements         Labelling according to Regulation (EC) No 1272/2008         The substance is classified and labelled according to the CLP regulation.         Hazard biolograms         O()         GHS07         Signal word Warning         Mazard statements         Hazard-determining components of labelling:         Choro(pentamethyleyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99%         Hazard-determentis <td cols<="" td=""><td>Manufacturer/Supp Strem Chemicals, In 7 Mulliken Way NEWBURYPORT, M</td><td>lier: c.</td><td></td></td>	<td>Manufacturer/Supp Strem Chemicals, In 7 Mulliken Way NEWBURYPORT, M</td> <td>lier: c.</td> <td></td>	Manufacturer/Supp Strem Chemicals, In 7 Mulliken Way NEWBURYPORT, M	lier: c.	
EMERGENCY:       CHEMTREC: + 1 (800) 424-9300         During normal opening times: +1 (978) 499-1600         SECTION 2: Hazards identification         2.1 Classification of the substance or mixture         Classification according to Regulation (EC) No 1272/2008         Image: Classification according to Regulation (EC) No 1272/2008         Image: Classification according to Regulation (EC) No 1272/2008         Image: Classification according to Regulation.         Eye Irrit. 2       H315 Causes skin irritation.         Eye Irrit. 2       H319 Causes respiratory irritation.         Stort SS 3       H335 May cause respiratory irritation.         Stort SS 3       H335 May cause respiratory irritation.         Stort SS 3       H335 May cause respiratory irritation.         Stard belements       Labelling according to Regulation (EC) No 1272/2008         The substance is classified and labelled according to the CLP regulation.         Hazard pictograms       GHS07         Signal word Warning       Maxed Statements         Hazard-determining components of labelling:       Chloro(pentadienyl)bis(triphenylphosphine)ruthenium(II), 99%         Hazard statements       H315 Causes skin irritation.         H319 Causes serious eye irritation.       H319 Causes serious eye irritation.         H319 Causes serious eye irritation.       H319 Causes serious eye irritation.<	Further information	obtainable from: Technical Department		
During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008				
SECTION 2: Hazards identification         2.1 Classification of the substance or mixture         Classification according to Regulation (EC) No 1272/2008         Image: Classification according to Regulation (EC) No 1272/2008         Image: Classification according to Regulation.         Skin Irrit. 2 H315 Causes skin irritation.         Eye Irrit. 2 H315 Causes serious eye irritation.         STOT SE 3 H335 May cause respiratory irritation.         2.1 Label elements         Labeling according to Regulation (EC) No 1272/2008         The substance is classified and labelled according to the CLP regulation.         Hazard pictograms         Image: Classified and labelled according to the CLP regulation.         Hazard pictograms         Image: Classified and labelling:         Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99%         Hazard statements         H315 Causes skin irritation.         H319 Causes serious eye irritation.         H319 Cause respiratory irritation.         H319 Cause serious eye irritation.         H315 May cause respiratory irritation.         H319 Cause serious eye irritation.         H319 Cause respiratory irritation.         H319 Cause respiratory irritation.         H319 Cause respiratory irritation.         H319 Cause serious eye irritation.      <				
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 $\widehat{V}$ GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms $\widehat{V}$ GHS07 Signal word Warning Hazard-determining components of labelling: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99% Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes is eye irritation. H310 Causes is eye irritation. H310 Causes is eye irritation. H310 Causes is eye irritation. H310 Causes is eye				
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. <b>2.1 Label elements</b> Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labelling: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99% Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes for irritation. H310 Causes for irritation. H310 Causes for irritation.	SECTION 2: Ha	zards identification		
Classification according to Regulation (EC) No 1272/2008 $\widetilde{V}$ GHS07         Skin Irrit. 2 H315 Causes skin irritation.         Eye Irrit. 2 H319 Causes serious eye irritation.         STOT SE 3 H335 May cause respiratory irritation.         2.1 Label elements         Labeling according to Regulation (EC) No 1272/2008         The substance is classified and labelled according to the CLP regulation.         Hazard pictograms $\widetilde{V}$ GHS07         Signal word Warning         Hazard-determining components of labelling:         Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99%         Hazard statements         H315 Causes skin irritation.         H315 Causes selsin is eye irritation.         H315 Causes selsin is eye irritation.         H315 Causes selsin is eye irritation.         H316 Causes serious eye irritation.         H317 Causes selsin is eye irritation.         H318 Causes selsin is eye irritation.         H319 Causes selsin is eyee irritation.         H315 Causes applicate is needed, h		, and the second s		
$\widehat{v}$ $\widehat{F}$ Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2H319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation. <b>2.2 Label elements</b> Labelling according to Regulation (EC) No 1272/2008The substance is classified and labelled according to the CLP regulation.Hazard pictograms $\widehat{v}_{GHS07}$ Signal word WarningHazard-determining components of labelling: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99% Hazard statementsH315Causes skin irritation. H315H315Causes serious eye irritation.H315Causes serious eye irritation. H315H315Causes respiratory irritation. H315H315If medical advice is needed, have product container or label at hand. Energy of reach of children. F103F103Keep out of reach of children. F103F103Read label before use.				
Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2H319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.2.2Label elementsLabelling according to Regulation (EC) No 1272/2008The substance is classified and labelled according to the CLP regulation.Hazard pictograms $\widetilde{V}_{0}$ GHS07Signal word WarningHazard-determining components of labelling: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99% Hazard statements H315H319Causes skin irritation. H319H319Gauses serious eye irritation.H335May cause respiratory irritation.H319Causes serious eye irritation.H319Causes serious eye irritation.H315May cause respiratory irritation.H319Causes serious eye irritation.H335May cause respiratory irritation.<	$\mathbf{A}$	<b>0 1 0 1 1 1 1 1 1 1 1 1 1</b>		
Eye Irrit. 2       H319       Causes serious eye irritation.         STOT SE 3       H335       May cause respiratory irritation.         2.2 Label elements       Labelling according to Regulation (EC) No 1272/2008         The substance is classified and labelled according to the CLP regulation.         Hazard pictograms         Image: GHS07         Signal word Warning         Hazard-determining components of labelling:         Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99%         Hazard statements         H315       Causes serious eye irritation.         H319       Causes serious eye irritation.         H319       Causes respiratory irritation.         Procutionary statements       P101         If medical advice is needed, have product container or label at hand.         P102       Keep out of reach of children.         P103       Read label before use.	GHS07			
<ul> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms </li> <li> Figure 3 </li> <li> Figure 3 </li> <li> Signal word Warning </li> <li> Hazard-determining components of labelling: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99% Hazard statements H315 Causes skin irritation. H315 Causes serious eye irritation. H315 Causes serious eye irritation. H335 May cause respiratory irritation. Frecautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.</li></ul>	Skin Irrit. 2 H315	Causes skin irritation.		
<ul> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms </li> <li> Figure 3 </li> <li> Figure 3 </li> <li> Signal word Warning </li> <li> Hazard-determining components of labelling: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99% Hazard statements H315 Causes skin irritation. H315 Causes serious eye irritation. H315 Causes serious eye irritation. H335 May cause respiratory irritation. Frecautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.</li></ul>				
<ul> <li>2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms </li> <li> Figure 3 </li> <li> GHS07 </li> <li> Signal word Warning Hazard-determining components of labelling: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99% Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H201 If medical advice is needed, have product container or label at hand. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.</li></ul>	•	-		
Labelling according to Regulation (EC) No 1272/2008         The substance is classified and labelled according to the CLP regulation.         Hazard pictograms				
Signal word WarningHazard-determining components of labelling: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99% Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.H335 May cause respiratory irritation. Precautionary statementsP101If medical advice is needed, have product container or label at hand. Pi02P103Read label before use.	Labelling according			
Signal word WarningHazard-determining components of labelling: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99% Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.	$\land$			
Signal word WarningHazard-determining components of labelling: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99% Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.H335 May cause respiratory irritation. Precautionary statementsP101If medical advice is needed, have product container or label at hand. Pi02P103Read label before use.				
Signal word WarningHazard-determining components of labelling: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99% Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.	$\mathbf{V}$			
Hazard-determining components of labelling:Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99%Hazard statementsH315 Causes skin irritation.H319 Causes serious eye irritation.H335 May cause respiratory irritation.Precautionary statementsP101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.P103Read label before use.	GHS07			
Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99%Hazard statementsH315 Causes skin irritation.H319 Causes serious eye irritation.H335 May cause respiratory irritation.Precautionary statementsP101If medical advice is needed, have product container or label at hand.P102Feed ut of reach of children.P103Read label before use.	Signal word Warnin	g		
Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99%Hazard statementsH315 Causes skin irritation.H319 Causes serious eye irritation.H335 May cause respiratory irritation.Precautionary statementsP101If medical advice is needed, have product container or label at hand.P102Fl03Read label before use.	Hazard-determining	components of labelling:		
H315 Causes skin irritation.H319 Causes serious eye irritation.H335 May cause respiratory irritation.Precautionary statementsP101If medical advice is needed, have product container or label at hand.P102P103Read label before use.				
H319 Causes serious eye irritation.H335 May cause respiratory irritation.Precautionary statementsP101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.P103Read label before use.	Hazard statements			
H335 May cause respiratory irritation.Precautionary statementsP101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.P103Read label before use.				
Precautionary statementsP101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.P103Read label before use.				
P101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.P103Read label before use.				
P103 Read label before use.	P101	f medical advice is needed, have product container or label at hand.		
`	P103	xeaa iabel before use.	(Contd. on	

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99%

	(Contd. of page 1)
P235	Keep cool.
P262	Do not get in eyes, on skin, or on clothing.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
$\cdot$ 2.3 Other haza	rds
Degulta of DDT	and up D according to the

• Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.1 Chemical characterisation: Substances

· CAS No. Description

92361-49-4 Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine) ruthenium(II), 99%

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6:** Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions: No special measures required.

· 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

· 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99%

(Contd. of page 2)

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage: Keep cool.

• Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Recommended storage temperature: Store at temperatures not exceeding -18 °C. Keep cool.
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

# CHEMICALS, INC.

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(I	I). 99%
	.,, / 0

		(Contd. of page
9.1 Information on basic physical and c	hemical properties	
General Information		
Appearance:		
Form:	Powder	
Colour:	Orange	
Odour:	<i>Odourless</i>	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
VOC (EC)	0.00 %	
Solids content:	100.0 %	
9.2 Other information	No further relevant information available.	

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 5)

<sup>-</sup> GB

Printing date 17.07.2021

Revision: 17.07.2021

(Contd. of page 4)

Trade name: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99%

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:

• Skin corrosion/irritation Causes skin irritation.

- · Serious eye damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure

- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- *Recommendation:* Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

· 14.1 UN-Number

· ADR, ADN, IMDG, IATA

not regulated

(Contd. on page 6)



GB

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II), 99%

		(Contd. of page 5
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Anno Marpol and the IBC Code	e <b>x II of</b> Not applicable.	
· UN ''Model Regulation'':	not regulated	

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

*vPvB: very Persistent and very Bioaccumulative* 

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3