Printing date 17.07.2021

CHEMICALS, INC.

Revision: 17.07.2021

| Dundernt | idantifiar | |
|--|---|--|
| 1.1 Product i | - | |
| | Chloro(pentamethylcyclopentadienyl)ruthenium(II) tetramer, min. 95% | |
| Item number CAS Number | | |
| 113860-07-4 | | |
| | identified uses of the substance or mixture and uses advised against | |
| No further re | levant information available. | |
| | f the supplier of the safety data sheet | |
| Manufacture Strem Chemi | •• | |
| 7 Mulliken W | , | |
| | ORT, MA 01950 | |
| USA info@strom | | |
| info@strem.c | | |
| | rmation obtainable from: Technical Department cy telephone number: | |
| | Y: CHEMTREC: + 1 (800) 424-9300 | |
| During norm | al opening times: +1 (978) 499-1600 | |
| | | |
| 070 077 0 3 7 | | |
| 2.1 Classification | 2: Hazards identification ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS07 | |
| 2.1 Classification Classification of GH Skin Irrit. 2 Eye Irrit. 2 STOT SE 3 2.2 Label ele Labelling action | ation of the substance or mixture n according to Regulation (EC) No 1272/2008 H307 H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation. | |
| 2.1 Classification Classification of the substance Skin Irrit. 2 Eye Irrit. 2 STOT SE 3 2.2 Label ele Labelling act The substance Hazard picto | ation of the substance or mixture n according to Regulation (EC) No 1272/2008 H307 H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation. | |
| 2.1 Classification Classification of Gl Skin Irrit. 2 Eye Irrit. 2 STOT SE 3 2.2 Label ele Labelling act The substance | ation of the substance or mixture n according to Regulation (EC) No 1272/2008 H307 H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation. | |
| 2.1 Classification Classification of the substance Skin Irrit. 2 Eye Irrit. 2 STOT SE 3 2.2 Label ele Labelling act The substance Hazard picto GHS07 | ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Ments cording to Regulation (EC) No 1272/2008 te is classified and labelled according to the CLP regulation. Orgrams | |
| 2.1 Classification Classification Classification GHS07 Classification GHS07 Classification GHS07 Classification GHS07 Classification GHS07 Classification Classification GHS07 Classification Classification GHS07 Classification Classification GHS07 Classification Classification Classification Classification GHS07 Classification Classification Classification Classification Classification Classification GHS07 Classification Classification GHS07 Classification Classificatio | ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Ments cording to Regulation (EC) No 1272/2008 te is classified and labelled according to the CLP regulation. grams Warning | |
| 2.1 Classification Classification Classification GHS07 Signal word Hazard-deten Chloro(penta | Ation of the substance or mixture n according to Regulation (EC) No 1272/2008 H307 H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H335 May cause respiratory irritation. ments cording to Regulation (EC) No 1272/2008 te is classified and labelled according to the CLP regulation. grams Warning Warning mining components of labelling: unethylcyclopentadienyl)ruthenium(II) tetramer, min. 95% | |
| 2.1 Classification Classification Skin Irrit. 2 Eye Irrit. 2 STOT SE 3 2.2 Label ele Labelling act The substance Hazard picto GHS07 Signal word Hazard-deten Chloro(penta Hazard state | Ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. ments cording to Regulation (EC) No 1272/2008 te is classified and labelled according to the CLP regulation. agrams Warning Warning mining components of labelling: unethylcyclopentadienyl)ruthenium(II) tetramer, min. 95% ments | |
| 2.1 Classification Classification Skin Irrit. 2 Eye Irrit. 2 STOT SE 3 2.2 Label ele Labelling act The substance Hazard pictor GHS07 Signal word Hazard-deter Chloro(pentation) Hazard state H315 Causes H319 Causes | Ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Mathematical Structure (EC) No 1272/2008 te is classified and labelled according to the CLP regulation. Agrams Warning Warning mining components of labelling: umethylcyclopentadienyl)ruthenium(II) tetramer, min. 95% ments s skin irritation. s serious eye irritation. | |
| 2.1 Classification Classification Classification Classification GH Skin Irrit. 2 Eye Irrit. 2 STOT SE 3 2.2 Label ele Labelling act The substance Hazard picto GHS07 Signal word Hazard-deter Chloro(penta Hazard state H315 Causes H319 Causes H335 May co | Ation of the substance or mixture n according to Regulation (EC) No 1272/2008 H307 H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Ments cording to Regulation (EC) No 1272/2008 te is classified and labelled according to the CLP regulation. grams Warning rmining components of labelling: umethylcyclopentadienyl)ruthenium(II) tetramer, min. 95% ments s skin irritation. s serious eye irritation. use respiratory irritation. | |
| 2.1 Classification Classification Classification Classification GH Skin Irrit. 2 Eye Irrit. 2 STOT SE 3 2.2 Label ele Labelling act The substance Hazard picto GHS07 Signal word Hazard-deten Chloro(pentat Hazard state H315 Causes H319 Causes H319 Causes H335 May ca Precautionan | ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation. grams Warning mining components of labelling: umethylcyclopentadienyl)ruthenium(II) tetramer, min. 95% ments s skin irritation. s skin irritation. s serious eye irritation. use respiratory irritation. ry statements | |
| 2.1 Classification Classification Classification Classification GH Skin Irrit. 2 Eye Irrit. 2 STOT SE 3 2.2 Label ele Labelling act The substance Hazard picto GHS07 Signal word Hazard-deter Chloro(penta Hazard state H315 Causes H319 Causes H335 May co | Ation of the substance or mixture n according to Regulation (EC) No 1272/2008 H307 H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Ments cording to Regulation (EC) No 1272/2008 te is classified and labelled according to the CLP regulation. grams Warning rmining components of labelling: umethylcyclopentadienyl)ruthenium(II) tetramer, min. 95% ments s skin irritation. s serious eye irritation. use respiratory irritation. | |

HEMICALS, INC.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Chloro(pentamethylcyclopentadienyl)ruthenium(II) tetramer, min. 95%

| | (Contd. of page 1) |
|---------------------|--|
| P231 | Handle under inert gas. |
| P222 | Do not allow contact with air. |
| P305+P351+P33 | 8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if |
| | present and easy to do. Continue rinsing. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P422 | Store contents under inert gas. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international |
| | regulations. |
| · 2.3 Other hazards | |

• 2.5 Other nazarus • Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description

113860-07-4 Chloro(pentamethylcyclopentadienyl)ruthenium(II) tetramer, min. 95%

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Chloro(pentamethylcyclopentadienyl)ruthenium(II) tetramer, min. 95%

(Contd. of page 2)

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Open and handle receptacle with care.

- · Handling: Handle under inert gas.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

GB

Printing date 17.07.2021

ШK

CHEMICALS, INC.

Revision: 17.07.2021

| Eye protection: | | (Contd. of pag |
|--|---|----------------|
| Tightly sealed goggles | | |
| 9.1 Information on basic physical and cl | hemical properties | |
| General Information | | |
| Appearance: Form: | Crystalline | |
| Form: Colour: | Dark red | |
| Odour: | Undistinguishable. | |
| Odour threshold: | Not determined. | |
| pH-value: | Not applicable. | |
| Change in condition | | |
| Melting point/freezing point: | Undetermined. | |
| Initial boiling point and boiling range: | : Undetermined. | |
| Flash point: | Not applicable. | |
| Flammability (solid, gas): | Not determined. | |
| Ignition temperature: | | |
| Decomposition temperature: | Not determined. | |
| Auto-ignition temperature: | Not determined. | |
| Explosive properties: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapour pressure: | Not applicable. | |
| Density: | Not determined. | |
| Relative density | Not determined. | |
| Vapour density | Not applicable. | |
| Evaporation rate | Not applicable. | |
| Solubility in / Miscibility with | ¥ 7.73 | |
| water: | Insoluble. | |
| Partition coefficient: n-octanol/water: | Not determined. | |
| Viscosity: | X7 · .1:1.1 - | |
| Dynamic: Kinematic: | Not applicable. | |
| | Not applicable. | |
| Solvent content: | 0.0 % | |
| Organic solvents: VOC (EC) | 0.00 % | |
| VOC (EC) | 0.00 /8 | |
| Solids content: | 100.0 % | |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

GB

Printing date 17.07.2021

Trade name: Chloro(pentamethylcyclopentadienyl)ruthenium(II) tetramer, min. 95%

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- \cdot Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)



(Contd. of page 4)

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Chloro(pentamethylcyclopentadienyl)ruthenium(II) tetramer, min. 95%

(Contd. of page 5)

| SECTION 14: Transport informat | tion | |
|--|------------------------------|--|
| · 14.1 UN-Number · ADR, ADN, IMDG, IATA | not regulated | |
| · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA | not regulated | |
| · 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA · Class | not regulated | |
| · 14.4 Packing group · ADR, IMDG, IATA | not regulated | |
| · 14.5 Environmental hazards: · Marine pollutant: | No | |
| 14.6 Special precautions for user | Not applicable. | |
| · 14.7 Transport in bulk according to Ann Marpol and the IBC Code | nex II of Not applicable. | |
| · UN ''Model Regulation'': | not regulated | |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3