Printing date 17.07.2021

CHEMICALS, INC.

Revision: 17.07.2021

110 1	. • /•
1.1 Product ide	-
Trade name: <u>R</u>	uthenium(VIII) oxide (0.5% stabilized aqueous solution)
Item number: 4	14-2000
CAS Number:	
20427-56-9	
	entified uses of the substance or mixture and uses advised against
No further relev	vant information available.
1.3 Details of th	he supplier of the safety data sheet
Manufacturer/	
Strem Chemical	
7 Mulliken Way	
NEWBURYPOP	RT, MA 01950
USA	
info@strem.con	
	ation obtainable from: Technical Department
	telephone number:
	CHEMTREC: + 1 (800) 424-9300 opening times: +1 (978) 499-1600
During normai	opening times. +1 (976) 499-1000
<b>SECTION 2</b> :	: Hazards identification
Classification a	on of the substance or mixture according to Regulation (EC) No 1272/2008 03 flame over circle
Classification a	according to Regulation (EC) No 1272/2008
Classification a GHS Ox. Liq. 2 H27	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser.
Classification a GHS Ox. Liq. 2 H27 2.2 Label eleme	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents
Classification a GHS Ox. Liq. 2 H27 2.2 Label eleme Labelling accord	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008
Classification a GHS Ox. Liq. 2 H27 2.2 Label eleme Labelling accon The substance i	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
Classification a GHS Ox. Liq. 2 H27 2.2 Label eleme Labelling accord	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
Classification a GHS Ox. Liq. 2 H27 2.2 Label eleme Labelling accon The substance i	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
Classification a GHS Ox. Liq. 2 H27 2.2 Label eleme Labelling accon The substance i	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
Classification a GHS Ox. Liq. 2 H27 2.2 Label eleme Labelling accord The substance in Hazard pictogra	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
Classification a GHS Ox. Liq. 2 H27 2.2 Label eleme Labelling accon The substance i	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
Classification a Classification a GHSU Ox. Liq. 2 H27 2.2 Label element Labelling accord The substance in Hazard pictogra GHS03 Signal word Da	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. ams
Classification a GHS Ox. Liq. 2 H27 2.2 Label eleme Labelling accord The substance in Hazard pictogra GHS03 Signal word Da Hazard stateme	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008 5 classified and labelled according to the CLP regulation. ams unger ents
Classification a GHS0 Ox. Liq. 2 H27 2.2 Label element Labelling accord The substance i Hazard pictogra GHS03 Signal word Data Hazard statement H272 May inter	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008 (s classified and labelled according to the CLP regulation. ams unger ents usify fire; oxidiser.
Classification a Classification a GHS0 Ox. Liq. 2 H27 2.2 Label element Labelling accord The substance i Hazard pictogra GHS03 Signal word Da Hazard statement H272 May inter Precautionary s	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. ams unger ents usify fire; oxidiser. statements
Classification a Classification a GHS0 Ox. Liq. 2 H27 2.2 Label eleme Labelling accord The substance i Hazard pictogra GHS03 Signal word Da Hazard statement H272 May inter Precautionary s P101	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rading to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. ams unger ents usify fire; oxidiser. statements If medical advice is needed, have product container or label at hand.
Classification a Classification a GHSU Ox. Liq. 2 H27 2.2 Label eleme Labelling accord The substance i Hazard pictogra GHS03 Signal word Da Hazard stateme H272 May inter Precautionary S P101 P102	<pre>uccording to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. ams unger ents sign fire; oxidiser. statements If medical advice is needed, have product container or label at hand. Keep out of reach of children.</pre>
Classification a Classification a GHS0 Ox. Liq. 2 H27 2.2 Label eleme Labelling according The substance i Hazard pictogra GHS03 Signal word Da Hazard statement H272 May inter Precautionary s P101 P102 P103	<pre>uccording to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008 s classified and labelled according to the CLP regulation. ams unger ents sify fire; oxidiser. statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.</pre>
Classification a Classification a GHSU Ox. Liq. 2 H27 2.2 Label eleme Labelling accord The substance i Hazard pictogra GHS03 Signal word Da Hazard stateme H272 May inter Precautionary S P101 P102	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. ams unger ents usify fire; oxidiser. statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Handle under inert gas.
Classification a Classification a GHSU Ox. Liq. 2 H27 2.2 Label eleme Labelling accord The substance in Hazard pictogra GHS03 Signal word Da Hazard statement H272 May inter Precautionary S P101 P102 P103 P231 P235	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. ams unger ents nsify fire; oxidiser. statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Handle under inert gas. Keep cool.
Classification a Classification a GHSU Ox. Liq. 2 H27 2.2 Label eleme Labelling accord The substance in Hazard pictogra GHS03 Signal word Da Hazard statement H272 May inter Precautionary S P101 P102 P103 P231 P235	according to Regulation (EC) No 1272/2008 03 flame over circle 2 May intensify fire; oxidiser. ents rding to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. ams unger ents usify fire; oxidiser. statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Handle under inert gas.
Classification a Classification a GHSU Ox. Liq. 2 H27 2.2 Label eleme Labelling accord The substance in Hazard pictogra GHS03 Signal word Da Hazard statement H272 May inter Precautionary S P101 P102 P103 P231 P235	<ul> <li>according to Regulation (EC) No 1272/2008</li> <li>03 flame over circle</li> <li>2 May intensify fire; oxidiser.</li> <li>ents</li> <li>rding to Regulation (EC) No 1272/2008</li> <li>s classified and labelled according to the CLP regulation.</li> <li>ams</li> </ul>

Printing date 17.07.2021

Revision: 17.07.2021

#### Trade name: Ruthenium(VIII) oxide (0.5% stabilized aqueous solution)

P501

(Contd. of page 1) Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 20427-56-9 Ruthenium(VIII) oxide (0.5% stabilized aqueous solution)

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 3)

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Ruthenium(VIII) oxide (0.5% stabilized aqueous solution)

(Contd. of page 2)

*Open and handle receptacle with care. Prevent formation of aerosols.* 

· Handling: Handle under inert gas.

• Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Keep cool.

Store contents under inert gas.

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: None.

• Recommended storage temperature: Store at temperatures not exceeding 4 °C. Keep cool.

· 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling

· 9.1 Information on basic <u>p</u> · General Information	physical and chemical properties	
· Appearance:		
Form:	Liquid	
Colour:	Yellow	
· Odour:	Acrid	

Printing date 17.07.2021

CHEMICALS, INC.

Revision: 17.07.2021

		(Contd. of pag
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. : 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapour pressure:	Not determined.	
Density: Relative density Vapour density Evaporation rate	Not determined. Not determined. Not determined. Not determined.	
Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
Solvent content: Organic solvents: VOC (EC) 9.2 Other information	0.0 % 0.00 % No further relevant information available.	

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

GB

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Ruthenium(VIII) oxide (0.5% stabilized aqueous solution)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Carcinogenicity} Based on available data, the classification criteria are not met.$
- $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$
- STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot \textit{STOT-repeated exposure Based on available data, the classification criteria are not met.}$
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

# SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information		
14.1 UN-Number		
· ADR, IATA	UN3139	
14.2 UN proper shipping name		
ADR	3139 OXIDIZING LIQUID, N.O.S.	
IATA	OXIDIZING LIQUID, N.O.S.	

(Contd. of page 4)

Printing date 17.07.2021

Revision: 17.07.2021

<i>m</i> 1	<b>D</b> /1 · /	* * * * * *	• 1 (0 =	o/ / 1 ·1· 1	<b>T</b> (• )
Trade name:	<i>Ruthenium</i> (	VIII) 0.	xide (0.5	% stabilized (	aqueous solution)

	(Contd. of page
· 14.3 Transport hazard class(es)	
·ADR	
<b>0</b>	
· Class · Label	5 5.1
·IATA	
· Class · Label	5.1 Oxidising substances. 5.1
· 14.4 Packing group	5.1
· ADR, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Anno Marpol and the IBC Code	e <b>x II of</b> Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 3139 OXIDIZING LIQUID, N.O.S., 5.1, II

## **SECTION 15: Regulatory information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P8 OXIDISING LIQUIDS AND SOLIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

GF



Printing date 17.07.2021

Revision: 17.07.2021

#### Trade name: Ruthenium(VIII) oxide (0.5% stabilized aqueous solution)

(Contd. of page 6)

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 2: Oxidizing liquids – Category 2

