

Printing date 07/17/2021 Reviewed on 07/17/2021

1 Identification

· Product name

· Trade name: Ruthenium powder (99.9%)

· Item number: 44-4275

• *CAS Number:* 7440-18-8 • *EC number:*

231-127-1

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Information department: Technical Department

· Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Sol. 2 H228 Flammable solid.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS02

GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

ruthenium

· Hazard statements

H228 Flammable solid.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

(Contd. of page 1)



Safety Data Sheet according to OSHA HCS

Printing date 07/17/2021 Reviewed on 07/17/2021

Trade name: Ruthenium powder (99.9%)

P240 Ground/bond container and receiving equipment.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 7440-18-8 ruthenium
- · Identification number(s)
- · EC number: 231-127-1

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)



Printing date 07/17/2021 Reviewed on 07/17/2021

Trade name: Ruthenium powder (99.9%)

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

(Contd. of page 2)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

30 mg/m3

· PAC-2:

330 mg/m3

· PAC-3:

2,000 mg/m3

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)



Printing date 07/17/2021 Reviewed on 07/17/2021

Trade name: Ruthenium powder (99.9%)

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

- · Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance: Form:

Color: Grey Odorless · Odor: · Odor threshold: Not determined. · pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: 82 °C (180 °F) 1 °C (34 °F) · Flash point: Flammable. · Flammability (solid, gaseous): 465 °C (869 °F) · Ignition temperature:

Powder

· Decomposition temperature: Not determined.

Not determined. · Auto igniting: (Contd. on page 5)



Printing date 07/17/2021 Reviewed on 07/17/2021

Trade name: Ruthenium powder (99.9%)

		(Contd. of page 4
· Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	2 Vol %	
Upper:	13 Vol %	
· Vapor pressure:	Not applicable.	
· Density at 20 °C (68 °F):	12.3 g/cm³ (102.6435 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/wo	tter): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0~g/l / $0.00~lb/gl$	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

(Contd. on page 6)



Printing date 07/17/2021 Reviewed on 07/17/2021

Trade name: Ruthenium powder (99.9%)

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

			_
•	UN-	Num	her

· **DOT, IMDG, IATA** UN3089

· UN proper shipping name

· **DOT** Metal powders, flammable, n.o.s.

· IMDG, IATA METAL POWDER, FLAMMABLE, N.O.S.

- · Transport hazard class(es)
- $\cdot DOT$



• Class

4.1 Flammable solids, self-reactive substances and solid desensitised explosives

• **Label** 4.1

(Contd. on page 7)



Printing date 07/17/2021 Reviewed on 07/17/2021

Trade name: Ruthenium powder (99.9%)

	(Contd. of page
IMDG	
Class Label	4 4.1
IATA	
Class	4.1 Flammable solids, self-reactive substances and sol desensitised explosives
Label	4.1
Packing group	TI .
DOT, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
EMS Number:	F- G , S - G
Segregation groups	Heavy metals and their salts (including their organometal compounds), powdered metals
Stowage Category	A
Handling Code	H1 Keep as dry as reasonably practicable
Segregation Code	SG17 Stow "separated from" class 5.1
	SG25 Stow "separated from" goods of classes 2.1 and 3.
	SG26 In addition: from goods of classes 2.1 and 3 when stowed
	deck of a containership a minimum distance of two container space
	athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained.
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
IMDG	5 kg
Limited quantities (LQ) Executed quantities (EQ)	5 kg Code: E1
Excepted quantities (EQ)	Coae: E1 Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per timer packaging: 30 g Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 3089 METAL POWDERS, FLAMMABLE, N.O.S., 4.1, III



Printing date 07/17/2021 Reviewed on 07/17/2021

Trade name: Ruthenium powder (99.9%)

(Contd. of page 7)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS02

GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

ruthenium

· Hazard statements

H228 Flammable solid.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P240 Ground/bond container and receiving equipment.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

(Contd. on page 9)



Reviewed on 07/17/2021 Printing date 07/17/2021

Trade name: Ruthenium powder (99.9%)

(Contd. of page 8)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/17/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Sol. 2: Flammable solids - Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2