

Printing date 07/17/2021 Reviewed on 07/17/2021

### 1 Identification

· Product name

· Trade name: Ruthenium powder (99.99%)

· *Item number:* 44-4350

• *CAS Number:* 7440-18-8 • *EC number:* 

231-127-1

· Details of the supplier of the safety data sheet

 $\cdot \textit{Manufacturer/Supplier:}$ 

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Information department: Technical Department

· Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Sol. 2 H228 Flammable solid.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS02

GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

ruthenium

· Hazard statements

H228 Flammable solid.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

*P280* Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

(Contd. of page 1)



### Safety Data Sheet according to OSHA HCS

Printing date 07/17/2021 Reviewed on 07/17/2021

Trade name: Ruthenium powder (99.99%)

P240 Ground/bond container and receiving equipment.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

7440-18-8 ruthenium

- · Identification number(s)
- · EC number: 231-127-1

#### 4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

(Contd. of page 2)



### Safety Data Sheet according to OSHA HCS

Printing date 07/17/2021 Reviewed on 07/17/2021

Trade name: Ruthenium powder (99.99%)

· Advice for firefighters

- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

30 mg/m3

· PAC-2:

330 mg/m3

· PAC-3:

2,000 mg/m3

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)



Printing date 07/17/2021 Reviewed on 07/17/2021

Trade name: Ruthenium powder (99.99%)

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

- · Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Powder
Color: Grey
Odor: Odorless
Odor threshold: Not determined.

pH-value: Not applicable.

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
82 °C (180 °F)

· Flash point:
1 °C (34 °F)

· Flammability (solid, gaseous):
Flammable.

· Ignition temperature:
465 °C (869 °F)

· Decomposition temperature:
Not determined.

(Contd. on page 5)



Printing date 07/17/2021 Reviewed on 07/17/2021

Trade name: Ruthenium powder (99.99%)

|                                       |  | (Contd. of page |  |
|---------------------------------------|--|-----------------|--|
| · Danger of explosion:                | Not determined.                            |                 |  |
| · Explosion limits:                   |  |                 |  |
| Lower:                                | 2 Vol %                                    |                 |  |
| Upper:                                | 13 Vol %                                   |                 |  |
| · Vapor pressure:                     | Not applicable.                            |                 |  |
| · Density at 20 °C (68 °F):           | 12.3 g/cm³ (102.6435 lbs/gal)              |                 |  |
| · Relative density                    | Not determined.                            |                 |  |
| · Vapor density                       | Not applicable.                            |                 |  |
| · Evaporation rate                    | Not applicable.                            |                 |  |
| · Solubility in / Miscibility with    |  |                 |  |
| Water:                                | Insoluble.                                 |                 |  |
| · Partition coefficient (n-octanol/wo | tter): Not determined.                     |                 |  |
| · Viscosity:                          |  |                 |  |
| Dynamic:                              | Not applicable.                            |                 |  |
| Kinematic:                            | Not applicable.                            |                 |  |
| · Solvent content:                    |  |                 |  |
| Organic solvents:                     | 0.0 %                                      |                 |  |
| VOC content:                          | 0.0 g/l / 0.00 lb/gl                       |                 |  |
| Solids content:                       | 100.0 %                                    |                 |  |
| · Other information                   | No further relevant information available. |                 |  |

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

(Contd. on page 6)



Printing date 07/17/2021 Reviewed on 07/17/2021

Trade name: Ruthenium powder (99.99%)

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

|     |      | _    |
|-----|------|------|
| IIN | -Nur | nher |

· **DOT, IMDG, IATA** UN3089

· UN proper shipping name

· **DOT** Metal powders, flammable, n.o.s.

· IMDG, IATA METAL POWDER, FLAMMABLE, N.O.S.

- · Transport hazard class(es)
- $\cdot DOT$



• Class

4.1 Flammable solids, self-reactive substances and solid desensitised explosives

• **Label** 4.1

(Contd. on page 7)



Printing date 07/17/2021 Reviewed on 07/17/2021

Trade name: Ruthenium powder (99.99%)

|   | (Contd. of page   |
|---|---|
| · IMDG  |   |
|   |   |
| · Class<br>· Label  | 4<br>4.1  |
| · IATA  |   |
| · Class   | 4.1 Flammable solids, self-reactive substances and soli desensitised explosives 4.1   |
| · Packing group<br>· DOT, IMDG, IATA  | III   |
| · Environmental hazards:<br>· Marine pollutant:   | No  |
| <ul> <li>Special precautions for user</li> <li>EMS Number:</li> <li>Segregation groups</li> </ul> | Not applicable.<br>F-G,S-G<br>Heavy metals and their salts (including their organometall  |
| · Stowage Category<br>· Handling Code   | compounds), powdered metals<br>A<br>H1 Keep as dry as reasonably practicable  |
| · Segregation Code  | SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed of deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. |
| · Transport in bulk according to Annex I<br>MARPOL73/78 and the IBC Code                          | <b>II of</b><br>Not applicable.   |
| · Transport/Additional information:   |   |
| · IMDG · Limited quantities (LQ) · Excepted quantities (EQ)                                       | 5 kg<br>Code: E1<br>Maximum net quantity per inner packaging: 30 g<br>Maximum net quantity per outer packaging: 1000 g  |
| · UN ''Model Regulation'':  | UN 3089 METAL POWDERS, FLAMMABLE, N.O.S., 4.1, III  |



Printing date 07/17/2021 Reviewed on 07/17/2021

Trade name: Ruthenium powder (99.99%)

(Contd. of page 7)

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS02

GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

ruthenium

· Hazard statements

H228 Flammable solid.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

*P280* Wear protective gloves/protective clothing/eye protection/face protection.

*P240 Ground/bond container and receiving equipment.* 

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

(Contd. on page 9)



Printing date 07/17/2021 Reviewed on 07/17/2021

Trade name: Ruthenium powder (99.99%)

(Contd. of page 8)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/17/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Sol. 2: Flammable solids – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

US