

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/17/2021

Reviewed on 07/17/2021

**1 Identification**

- **Product name**
- **Trade name:** Ruthenium(III) chloride hydrate (40-43% Ru) (99.9%-Ru)
- **Item number:** 44-5880
- **CAS Number:**  
14898-67-0
- **EC number:**  
233-167-5
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Strem Chemicals, Inc.  
7 Mulliken Way  
NEWBURYPORT, MA 01950  
USA  
info@strem.com
- **Information department:** Technical Department
- **Emergency telephone number:**  
EMERGENCY: CHEMTREC: + 1 (800) 424-9300  
During normal opening times: +1 (978) 499-1600

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- 
- **Label elements**
  - **GHS label elements**  
The substance is classified and labeled according to the Globally Harmonized System (GHS).
  - **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
Ruthenium(III) chloride hydrate (40-43% Ru) (99.9%-Ru)
- **Hazard statements**  
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**  
P260 Do not breathe dusts or mists.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

(Contd. on page 2)

US

Printing date 07/17/2021

Reviewed on 07/17/2021

**Trade name: Ruthenium(III) chloride hydrate (40-43% Ru) (99.9%-Ru)**

(Contd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 4  
Fire = 0  
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 4  
Fire = 0  
Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Substances**

· **CAS No. Description**

14898-67-0 Ruthenium(III) chloride hydrate (40-43% Ru) (99.9%-Ru)

· **Identification number(s)**

· **EC number:** 233-167-5

### 4 First-aid measures

· **Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

· **Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

· **Advice for firefighters**

· **Protective equipment:** Mouth respiratory protective device.

US

(Contd. on page 3)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/17/2021

Reviewed on 07/17/2021

**Trade name: Ruthenium(III) chloride hydrate (40-43% Ru) (99.9%-Ru)**

(Contd. of page 2)

**6 Accidental release measures**

· **Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions: No special measures required.**

· **Methods and material for containment and cleaning up:**

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

Substance is not listed.

· **PAC-2:**

Substance is not listed.

· **PAC-3:**

Substance is not listed.

**7 Handling and storage**

· **Handling:**

· **Precautions for safe handling**

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

· **Information about protection against explosions and fires: Keep respiratory protective device available.**

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles: No special requirements.**

· **Information about storage in one common storage facility: Not required.**

· **Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· **Specific end use(s) No further relevant information available.**

**8 Exposure controls/personal protection**

· **Additional information about design of technical systems: No further data; see item 7.**

· **Control parameters**

· **Components with limit values that require monitoring at the workplace: Not required.**

· **Additional information: The lists that were valid during the creation were used as basis.**

· **Exposure controls**

· **Personal protective equipment: Wear protective clothing**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 4)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/17/2021

Reviewed on 07/17/2021

**Trade name: Ruthenium(III) chloride hydrate (40-43% Ru) (99.9%-Ru)**

(Contd. of page 3)

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:** A NIOSH approved respirator in accordance with 29 CFR 1910.134.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Powder

Color: Black

· **Odor:** Acrid

· **Odor threshold:** Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

Melting point/Melting range: 100 °C (212 °F)

Boiling point/Boiling range: Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not determined.

· **Ignition temperature:**

Decomposition temperature: Not determined.

· **Auto igniting:** Not determined.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: Not determined.

(Contd. on page 5)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/17/2021

Reviewed on 07/17/2021

**Trade name: Ruthenium(III) chloride hydrate (40-43% Ru) (99.9%-Ru)**

(Contd. of page 4)

<b>Upper:</b>	Not determined.
· <b>Vapor pressure:</b>	Not applicable.
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not applicable.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with Water:</b>	Insoluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not applicable.
<b>Kinematic:</b>	Not applicable.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>VOC content:</b>	0.0 g/l / 0.00 lb/gl
· <b>Solids content:</b>	100.0 %
· <b>Other information</b>	No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:**
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

Substance is not listed.

· **NTP (National Toxicology Program)**

Substance is not listed.

(Contd. on page 6)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/17/2021

Reviewed on 07/17/2021

**Trade name: Ruthenium(III) chloride hydrate (40-43% Ru) (99.9%-Ru)**

(Contd. of page 5)

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

- **UN-Number**
- **DOT, IMDG, IATA** UN1759
- **UN proper shipping name**
- **DOT** Corrosive solids, n.o.s.
- **IMDG, IATA** CORROSIVE SOLID, N.O.S.

· **Transport hazard class(es)**

· **DOT**



· **Class** 8 Corrosive substances

· **Label** 8

(Contd. on page 7)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/17/2021

Reviewed on 07/17/2021

**Trade name: Ruthenium(III) chloride hydrate (40-43% Ru) (99.9%-Ru)**

(Contd. of page 6)

**· IMDG, IATA**



**· Class** 8 Corrosive substances  
**· Label** 8

**· Packing group**  
**· DOT, IMDG, IATA** II

**· Environmental hazards:**  
**· Marine pollutant:** No

**· Special precautions for user** Warning: Corrosive substances  
**· EMS Number:** F-A,S-B  
**· Stowage Category** A

**· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

**· Transport/Additional information:**

**· DOT**  
**· Quantity limitations** On passenger aircraft/rail: 15 kg  
On cargo aircraft only: 50 kg

**· IMDG**  
**· Limited quantities (LQ)** 1 kg  
**· Excepted quantities (EQ)** Code: E2  
Maximum net quantity per inner packaging: 30 g  
Maximum net quantity per outer packaging: 500 g

**· UN "Model Regulation":** UN 1759 CORROSIVE SOLIDS, N.O.S., 8, II

**15 Regulatory information**

**· Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**· Sara**

**· Section 355 (extremely hazardous substances):**

Substance is not listed.

**· Section 313 (Specific toxic chemical listings):**

Substance is not listed.

**· TSCA (Toxic Substances Control Act):**

Substance is not listed.

**· Proposition 65**

**· Chemicals known to cause cancer:**

Substance is not listed.

**· Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

**· Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

(Contd. on page 8)



**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/17/2021

Reviewed on 07/17/2021

**Trade name: Ruthenium(III) chloride hydrate (40-43% Ru) (99.9%-Ru)**

(Contd. of page 7)

· **Chemicals known to cause developmental toxicity:**

Substance is not listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

Substance is not listed.

· **TLV (Threshold Limit Value established by ACGIH)**

Substance is not listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

· **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05

· **Signal word Danger**

· **Hazard-determining components of labeling:**

Ruthenium(III) chloride hydrate (40-43% Ru) (99.9%-Ru)

· **Hazard statements**

H314 Causes severe skin burns and eye damage.

· **Precautionary statements**

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Technical Department.

· **Contact:** Technical Director

· **Date of preparation / last revision** 07/17/2021 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

(Contd. on page 9)



**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/17/2021

Reviewed on 07/17/2021

**Trade name: Ruthenium(III) chloride hydrate (40-43% Ru) (99.9%-Ru)**

HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. of page 8)

US