

Printing date 07/18/2021 Reviewed on 07/18/2021

### 1 Identification

· Product name

· Trade name: Palladium nanoparticles, pure, (50-70nm) in acetone at 100mg/L (surfactant and reactant-free)

· Item number: 46-4022

· CAS Number:

67-64-1

· EC number:

200-662-2

· Index number:

606-001-00-8

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Information department: Technical Department

· Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Acetone, reagent

· Hazard statements

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

(Contd. on page 2)



Printing date 07/18/2021 Reviewed on 07/18/2021

Trade name: Palladium nanoparticles, pure, (50-70nm) in acetone at 100mg/L (surfactant and reactant-free)

(Contd. of page 1)

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 1Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1Fire = 3

· Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · vPvB: Not applicable.

#### 3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

67-64-1 Acetone, reagent

· Identification number(s)

· EC number: 200-662-2

· Index number: 606-001-00-8

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.



Printing date 07/18/2021 Reviewed on 07/18/2021

Trade name: Palladium nanoparticles, pure, (50-70nm) in acetone at 100mg/L (surfactant and reactant-free)

(Contd. of page 2)

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

200 ppm

· PAC-2:

3200\* ppm

· PAC-3:

5700\* ppm

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)



Printing date 07/18/2021 Reviewed on 07/18/2021

Trade name: Palladium nanoparticles, pure, (50-70nm) in acetone at 100mg/L (surfactant and reactant-free)

(Contd. of page 3)

 $\cdot$  *Specific end use*(s) *No further relevant information available.* 

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 67-64-1 Acetone, reagent

PEL Long-term value: 2400 mg/m³, 1000 ppm REL Long-term value: 590 mg/m³, 250 ppm TLV Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI

· Ingredients with biological limit values:

#### 67-64-1 Acetone, reagent

BEI 50 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

(Contd. of page 4)



# Safety Data Sheet according to OSHA HCS

Printing date 07/18/2021 Reviewed on 07/18/2021

Trade name: Palladium nanoparticles, pure, (50-70nm) in acetone at 100mg/L (surfactant and reactant-free)

· Eye protection:



Tightly sealed goggles

y P	nys	sical	ana	CI	ıen	uca	u į	oro	per	tie	S
_	_					-				-	

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:
Color:

Odor: Acetone-like
Odor threshold: Not determined.
pH-value: Not determined.

· pH-value:
· Change in condition

Melting point/Melting range: Undetermined.

**Boiling point/Boiling range:** 55.8-56.6 °C (132-134 °F)

Liquid

Grey

• Flash point: <-18 °C (<-0 °F)

· Flammability (solid, gaseous): Not determined.

· Ignition temperature: 465 °C (869 °F)

· Decomposition temperature: Not determined.

· Auto igniting: Not determined.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor

mixtures are possible.

· Explosion limits:

 Lower:
  $60 \text{ g/m}^3$  

 Upper:
  $310 \text{ g/m}^3$ 

• Vapor pressure at 20 °C (68 °F): 233 hPa (175 mm Hg)

• **Density at 20 °C (68 °F):**  $0.79 \text{ g/cm}^3 (6.59255 \text{ lbs/gal})$ 

Relative density
Vapor density
Evaporation rate
Not determined.
Not determined.
Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic at 20 °C (68 °F): 32 mPas Kinematic: Not determined.

· Solvent content:

Organic solvents: 100.0 %

**VOC content:** 0.0 g/l / 0.00 lb/gl

(Contd. on page 6)



Printing date 07/18/2021 Reviewed on 07/18/2021

Trade name: Palladium nanoparticles, pure, (50-70nm) in acetone at 100mg/L (surfactant and reactant-free)

(Contd. of page 5)

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

### 67-64-1 Acetone, reagent

 Oral
 LD50
 5800 mg/kg (rat)

 Dermal
 LD50
 20000 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)



Printing date 07/18/2021 Reviewed on 07/18/2021

Trade name: Palladium nanoparticles, pure, (50-70nm) in acetone at 100mg/L (surfactant and reactant-free)

· Other adverse effects No further relevant information available.

(Contd. of page 6)

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

DOT, IMDG, IATA  UN proper shipping name DOT	Transport information	
IMDG, IATA  FLAMMABLĒ LIQUID, N.O.S.  Transport hazard class(es)  DOT  Class 3 Flammable liquids 3  IMDG, IATA  Class 3 Flammable liquids 3  Packing group DOT, IMDG, IATA  II  Environmental hazards: Marine pollutant: No  Special precautions for user EMS Number:  Warning: Flammable liquids F-E,S-E	UN-Number DOT, IMDG, IATA	UN1993
Class 3 Flammable liquids Label 3  IMDG, IATA  Class 3 Flammable liquids 3  A Flammable liquids 3  Packing group DOT, IMDG, IATA  II  Environmental hazards: Marine pollutant:  No  Special precautions for user EMS Number:  Warning: Flammable liquids F-E,S-E	DOT	
Class Label  3 Flammable liquids 3  IMDG, IATA  Class Label  3 Flammable liquids Label  3 Flammable liquids Label  1 II  Environmental hazards: Marine pollutant:  No  Special precautions for user EMS Number:  F-E,S-E	Transport hazard class(es)	
IMDG, IATA  Class Label  Class Ja Flammable liquids Label  Packing group DOT, IMDG, IATA  II  Environmental hazards: Marine pollutant:  No  Special precautions for user EMS Number:  Warning: Flammable liquids F-E,S-E	DOT	
Label 3   IMDG, IATA   Class 3 Flammable liquids   Label 3   Packing group 3   DOT, IMDG, IATA II   Environmental hazards: II   Marine pollutant: No   Special precautions for user Warning: Flammable liquids   EMS Number: F-E,S-E	FLAMMARE LICUTO	
IMDG, IATA  Class Class Label  Packing group DOT, IMDG, IATA  II  Environmental hazards: Marine pollutant:  No  Special precautions for user EMS Number:  Warning: Flammable liquids F-E,S-E		3 Flammable liquids
Class Label  Packing group DOT, IMDG, IATA  Environmental hazards: Marine pollutant:  No  Special precautions for user EMS Number:  Standards: Warning: Flammable liquids F-E,S-E	Label	
Label     3       Packing group     II       DOT, IMDG, IATA     II       Environmental hazards:     No       Marine pollutant:     No       Special precautions for user     Warning: Flammable liquids       EMS Number:     F-E,S-E		
Label 3   Packing group II   DOT, IMDG, IATA II   Environmental hazards: No   Marine pollutant: No   Special precautions for user Warning: Flammable liquids   EMS Number: F-E,S-E	Class	3 Flammable liquids
DOT, IMDG, IATA  II  Environmental hazards: Marine pollutant:  No  Special precautions for user EMS Number:  Warning: Flammable liquids F-E,S-E	Label	
Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsEMS Number:F-E,S-E		II
Special precautions for user Warning: Flammable liquids EMS Number: F-E,S-E	Environmental hazards:	
EMS Number: $F-E, S-E$	Marine pollutant:	No
/ <u> </u>		
Stowage Category B		
	Stowage Category	В
	MARPOL73/78 and the IBC Code	Not applicable.



Printing date 07/18/2021 Reviewed on 07/18/2021

Trade name: Palladium nanoparticles, pure, (50-70nm) in acetone at 100mg/L (surfactant and reactant-free)

Contd. of page 7)

Transport/Additional information:

DOT

Quantity limitations
On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L

IMDG
Limited quantities (LQ)
Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

UN ''Model Regulation'':
UN 1993 FLAMMABLE LIQUIDS, N.O.S., 3, II

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Ι

· TLV (Threshold Limit Value established by ACGIH)

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

(Contd. of page 8)



## Safety Data Sheet according to OSHA HCS

Printing date 07/18/2021 Reviewed on 07/18/2021

Trade name: Palladium nanoparticles, pure, (50-70nm) in acetone at 100mg/L (surfactant and reactant-free)

· Hazard pictograms





GHS02

2 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Acetone, reagent

· Hazard statements

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/18/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

US