

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.07.2021

Revision: 14.07.2021

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

· **Trade name:** Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 590nm peak emission

· **Item number:** 48-1056

· **CAS Number:**  
1306-24-7

· **EC number:**  
215-148-3

· **Index number:**  
034-002-00-8

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**  
Strem Chemicals, Inc.  
7 Mulliken Way  
NEWBURYPORT, MA 01950  
USA  
info@strem.com

· **Further information obtainable from:** Technical Department

· **1.4 Emergency telephone number:**  
EMERGENCY: CHEMTREC: + 1 (800) 424-9300  
During normal opening times: +1 (978) 499-1600

**SECTION 2: Hazards identification**

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 1      H224 Extremely flammable liquid and vapour.



GHS06 skull and crossbones

Acute Tox. 3      H301 Toxic if swallowed.

Acute Tox. 3      H331 Toxic if inhaled.



GHS08 health hazard

STOT RE 2      H373 May cause damage to organs through prolonged or repeated exposure.



GHS09 environment

Aquatic Acute 1      H400 Very toxic to aquatic life.

Aquatic Chronic 1      H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.07.2021

Revision: 14.07.2021

**Trade name: Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 590nm peak emission**

(Contd. of page 1)

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The substance is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS02    GHS06    GHS08    GHS09

· **Signal word** *Danger*

· **Hazard-determining components of labelling:**

*cadmium selenide*

· **Hazard statements**

H224            *Extremely flammable liquid and vapour.*

H301+H331 *Toxic if swallowed or if inhaled.*

H373            *May cause damage to organs through prolonged or repeated exposure.*

H410            *Very toxic to aquatic life with long lasting effects.*

· **Precautionary statements**

P101            *If medical advice is needed, have product container or label at hand.*

P102            *Keep out of reach of children.*

P103            *Read label before use.*

P231            *Handle under inert gas.*

P301+P310    *IF SWALLOWED: Immediately call a POISON CENTER/ doctor.*

P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

P411+P235    *Store at temperatures not exceeding 4°C. Keep cool.*

P422            *Store contents under inert gas.*

P403+P235    *Store in a well-ventilated place. Keep cool.*

P501            *Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** *Not applicable.*

· **vPvB:** *Not applicable.*

**SECTION 3: Composition/information on ingredients**

· **3.1 Chemical characterisation: Substances**

· **CAS No. Description**

*1306-24-7 cadmium selenide*

· **Identification number(s)**

· **EC number:** *215-148-3*

· **Index number:** *034-002-00-8*

GB

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.07.2021

Revision: 14.07.2021

**Trade name: Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 590nm peak emission**

(Contd. of page 2)

**SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Do not induce vomiting; call for medical help immediately.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures**

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:** Mouth respiratory protective device.

**SECTION 6: Accidental release measures**

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Prevent seepage into sewage system, workpits and cellars.

Inform respective authorities in case of seepage into water course or sewage system.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage**

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.07.2021

Revision: 14.07.2021

**Trade name: Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 590nm peak emission**

(Contd. of page 3)

- *Open and handle receptacle with care.*
- *Prevent formation of aerosols.*
- **Information about fire - and explosion protection:**
  - *Keep ignition sources away - Do not smoke.*
  - *Protect against electrostatic charges.*
  - *Keep respiratory protective device available.*
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:** *Keep cool.*
- **Requirements to be met by storerooms and receptacles:** *Store in a cool location.*
- **Information about storage in one common storage facility:** *Not required.*
- **Further information about storage conditions:**
  - *Keep container tightly sealed.*
  - *Do not seal receptacle gas tight.*
  - *Store in cool, dry conditions in well sealed receptacles.*
  - *Protect from heat and direct sunlight.*
  - **DO NOT FREEZE**
- **Recommended storage temperature:** *Store at temperatures not exceeding 4 °C. Keep cool.*
- **7.3 Specific end use(s)** *No further relevant information available.*

**SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical facilities:** *No further data; see item 7.*
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:** *Not required.*
- **Additional information:** *The lists valid during the making were used as basis.*
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - *Keep away from foodstuffs, beverages and feed.*
  - *Immediately remove all soiled and contaminated clothing*
  - *Wash hands before breaks and at the end of work.*
  - *Store protective clothing separately.*
- **Respiratory protection:**
  - *In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.*
- **Protection of hands:**



Protective gloves

- *The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*
- *Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.*
- *Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*
- **Material of gloves**
  - *The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.*
- **Penetration time of glove material**
  - *The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.07.2021

Revision: 14.07.2021

**Trade name: Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 590nm peak emission**

(Contd. of page 4)

· **Eye protection:**



Tightly sealed goggles

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Dispersion
· <b>Colour:</b>	Orange
· <b>Odour:</b>	Pungent
· <b>Odour threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Initial boiling point and boiling range:</b>	60 °C

· **Flash point:** -7 °C

· **Flammability (solid, gas):** Not determined.

· **Ignition temperature:** 234 °C

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Not determined.

· **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

· <b>Lower:</b>	1.7 Vol %
· <b>Upper:</b>	7.7 Vol %

· **Vapour pressure at 37 °C:** 341.3 hPa

· **Density:** Not determined.

· **Relative density:** Not determined.

· **Vapour density:** Not determined.

· **Evaporation rate:** Not determined.

· **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

· **Partition coefficient: n-octanol/water:** Not determined.

· **Viscosity:**

· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.

· **Solvent content:**

· <b>Organic solvents:</b>	0.0 %
· <b>VOC (EC)</b>	0.00 %

· **9.2 Other information** No further relevant information available.

GB

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.07.2021

Revision: 14.07.2021

**Trade name: Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 590nm peak emission**

(Contd. of page 5)

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity**  
Toxic if swallowed or if inhaled.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**  
May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**  
Also poisonous for fish and plankton in water bodies.  
Very toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

GB

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.07.2021

Revision: 14.07.2021


**Trade name: Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 590nm peak emission**

(Contd. of page 6)

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information**

- |   |   |
|---|---|
| · <b>14.1 UN-Number</b><br>· <b>ADR, IMDG, IATA</b>   | UN1993  |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR</b><br>· <b>IMDG, IATA</b>                    | 1993 FLAMMABLE LIQUID, N.O.S.<br>FLAMMABLE LIQUID, N.O.S.   |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR, IMDG, IATA</b>                            | <br>· <b>Class</b> 3 Flammable liquids.<br>· <b>Label</b> 3 |
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>   | I   |
| · <b>14.5 Environmental hazards:</b><br>· <b>Marine pollutant:</b>                              | No  |
| · <b>14.6 Special precautions for user</b><br>· <b>EMS Number:</b><br>· <b>Stowage Category</b> | Warning: Flammable liquids.<br>F-E, <u>S</u> -E<br>E  |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>                | Not applicable.   |
| · <b>Transport/Additional information:</b>  |   |
| · <b>ADR</b><br>· <b>Limited quantities (LQ)</b><br>· <b>Excepted quantities (EQ)</b>           | 0.5L<br>Code: E3<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 300 ml                       |
| · <b>IMDG</b><br>· <b>Limited quantities (LQ)</b><br>· <b>Excepted quantities (EQ)</b>          | 0.5L<br>Code: E3<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 300 ml                       |

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.07.2021

Revision: 14.07.2021

**Trade name: Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 590nm peak emission**

(Contd. of page 7)

· **UN "Model Regulation":** UN 1993 FLAMMABLE LIQUID, N.O.S., 3, I

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** Substance is not listed.
- **Seveso category**  
P5a FLAMMABLE LIQUIDS  
H2 ACUTE TOXIC  
E1 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 10 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 23
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** Technical Department.
- **Contact:** Technical Director
- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 1: Flammable liquids – Category 1  
Acute Tox. 3: Acute toxicity – Category 3  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

GB