

Printing date 18.07.2021 Revision: 14.07.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Cadmium selenide/Zinc sulfide quantum dots in solid form, Emission peak: 600nm, FWHM <25nm, OY >50%

· Item number: 48-1622

• **EC number:** 215-148-3

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Further information obtainable from: Technical Department

· 1.4 Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 1A H350 May cause cancer.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

Cadmium selenide/Zinc sulfide quantum dots in solid form, Emission peak: 600nm, FWHM <25nm, QY >50%

(Contd. on page 2)



Printing date 18.07.2021 Revision: 14.07.2021

Trade name: Cadmium selenide/Zinc sulfide quantum dots in solid form, Emission peak: 600nm, FWHM <25nm, OY >50%

(Contd. of page 1)

· Hazard statements

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

*Avoid breathing dust/fume/gas/mist/vapours/spray.* 

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

*P403+P233* Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description

Cadmium selenide/Zinc sulfide quantum dots in solid form,

Emission peak: 600nm, FWHM <25nm, QY >50%

- · Identification number(s)
- · EC number: 215-148-3

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB



Printing date 18.07.2021 Revision: 14.07.2021

Trade name: Cadmium selenide/Zinc sulfide quantum dots in solid form, Emission peak: 600nm, FWHM <25nm, QY >50%

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

(Contd. on page 4)



Printing date 18.07.2021 Revision: 14.07.2021

Trade name: Cadmium selenide/Zinc sulfide quantum dots in solid form, Emission peak: 600nm, FWHM <25nm, QY >50%

(Contd. of page 3)

Avoid contact with the eyes and skin.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

| · 9.1 Information on basic physical and ch<br>· General Information | nemical properties                            |
|---|---|
| · Appearance:   |   |
| Form:   | Powder  |
| Colour:   | Red   |
| · Odour:  | Odourless                                     |
| Odour threshold:  | Not determined.                               |
| · pH-value:   | Not applicable.                               |
| Change in condition   |   |
| Melting point/freezing point:                                       | Undetermined.                                 |
| Initial boiling point and boiling range:                            | Undetermined.                                 |
| Flash point:  | Not applicable.                               |
| Flammability (solid, gas):  | Not determined.                               |
| Ignition temperature:   |   |
| Decomposition temperature:  | Not determined.                               |
| Auto-ignition temperature:  | Not determined.                               |
| Explosive properties:   | Product does not present an explosion hazard. |
| Explosion limits:   |   |
| Lower:  | Not determined.                               |
| Upper:  | Not determined.                               |
| Vapour pressure:  | Not applicable.                               |
| Density:  | Not determined.                               |
| Relative density  | Not determined.                               |

(Contd. on page 5)



Printing date 18.07.2021 Revision: 14.07.2021

Trade name: Cadmium selenide/Zinc sulfide quantum dots in solid form, Emission peak: 600nm, FWHM <25nm, QY >50%

|   |  | (Contd. of page |
|---|--|-----------------|
| · Vapour density                          | Not applicable.                            |                 |
| · Evaporation rate                        | Not applicable.                            |                 |
| · Solubility in / Miscibility with        |  |                 |
| water:                                    | Insoluble.                                 |                 |
| · Partition coefficient: n-octanol/water: | Not determined.                            |                 |
| · Viscosity:                              |  |                 |
| Dynamic:                                  | Not applicable.                            |                 |
| Kinematic:                                | Not applicable.                            |                 |
| · Solvent content:                        |  |                 |
| Organic solvents:                         | 0.0 %                                      |                 |
| VOC (EC)                                  | 0.00 %                                     |                 |
| Solids content:                           | 100.0 %                                    |                 |
| · 9.2 Other information                   | No further relevant information available. |                 |

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity

Suspected of causing genetic defects.

· Carcinogenicity

May cause cancer.

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.

(Contd. on page 6)



Printing date 18.07.2021 Revision: 14.07.2021

Trade name: Cadmium selenide/Zinc sulfide quantum dots in solid form, Emission peak: 600nm, FWHM <25nm, QY >50%

(Contd. of page 5)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| 14.1 UN-Number<br>ADR, IMDG, IATA                 | UN2570                                    |  |
|---|---|--|
| 14.2 UN proper shipping name<br>ADR<br>IMDG, IATA | 2570 CADMIUM COMPOUND<br>CADMIUM COMPOUND |  |
| 14.3 Transport hazard class(es)                   |   |  |
| ADR   |   |  |
| <b>2</b>  |   |  |
| · Class<br>· Label                                | 6<br>6.1                                  |  |
| · IMDG, IATA                                      |   |  |
|   |   |  |
| · Class   | 6.1 Toxic substances.                     |  |
| · Label   | 6.1                                       |  |
| · 14.4 Packing group<br>· ADR, IMDG, IATA         | III                                       |  |

- GB



Printing date 18.07.2021 Revision: 14.07.2021

Trade name: Cadmium selenide/Zinc sulfide quantum dots in solid form, Emission peak: 600nm, FWHM <25nm, QY >50%

|  | (Contd. of page                                  |
|--|--|
| · 14.5 Environmental hazards:              |  |
| · Marine pollutant:                        | No   |
| · 14.6 Special precautions for user        | Not applicable.                                  |
| · EMS Number:                              | F- $A$ , $S$ - $A$                               |
| · Stowage Category                         | A  |
| · 14.7 Transport in bulk according to Anne | ex II of   |
| Marpol and the IBC Code                    | Not applicable.                                  |
| · Transport/Additional information:        |  |
| · <i>ADR</i>                               |  |
| · Limited quantities (LQ)                  | 5 kg   |
| · Excepted quantities (EQ)                 | Code: E1   |
|  | Maximum net quantity per inner packaging: 30 g   |
|  | Maximum net quantity per outer packaging: 1000 g |
| · IMDG                                     |  |
| · Limited quantities (LQ)                  | 5 kg   |
| Excepted quantities (EQ)                   | Code: E1   |
|  | Maximum net quantity per inner packaging: 30 g   |
|  | Maximum net quantity per outer packaging: 1000 g |
| · UN ''Model Regulation'':                 | UN 2570 CADMIUM COMPOUND, 6.1, III               |

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · National regulations:
- · Additional classification according to Decree on Hazardous Materials, Annex II:

 $\label{lem:carcinogenic hazardous material group I (extremely dangerous).}$ 

Carcinogenic hazardous material group II (very dangerous).

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- · Waterhazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)



Printing date 18.07.2021 Revision: 14.07.2021

Trade name: Cadmium selenide/Zinc sulfide quantum dots in solid form, Emission peak: 600nm, FWHM <25nm, QY > 50%

(Contd. of page 7)

 ${\it IATA: International Air Transport Association}$ 

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Muta. 2: Germ cell mutagenicity – Category 2 Carc. 1A: Carcinogenicity – Category 1A

GB