Printing date 07/18/2021

Reviewed on 07/14/2021

1 Identification

- · Product name
- Trade name: Cadmium sulfide selenide/Zinc sulfide core/shell quantum dots with Amine in water Emission peak: 525 nm FWHM <35nm QY>50%
- · Item number: 48-1664
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- *Emergency telephone number: EMERGENCY: CHEMTREC:* + 1 (800) 424-9300 *During normal opening times:* +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



Muta. 2 H341 Suspected of causing genetic defects.

Carc. 1A H350 May cause cancer.

GHS07

Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: Cadmium sulfide selenide/Zinc sulfide core/shell quantum dots with Amine in water Emission peak: 525 nm FWHM <35nm QY>50%

(Contd. on page 2)

US

Printing date 07/18/2021

CHEMICALS, INC.

Reviewed on 07/14/2021

II I	(Contd. of pag
Hazard stater	nenis Harmful if swallowed or in contact with skin.
	Tormful if swallowed of in contact with skin. Toxic if inhaled.
	Suspected of causing genetic defects.
	May cause cancer.
Precautionar	
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
	P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres
	and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internation
	regulations.
Classification	
· NFPÅ rating	
	Health = 4
	Fire = 0
\checkmark	Reactivity = 0
HMIS-rating	s (scale 0 - 4)
9	
HEALTH *4	Health = *4
FIRE 0	
REACTIVITY 0	$P_{adactivity} = 0$
	Reactivity = 0
• Other hazard	S
Other hazard Results of PB	s T and vPvB assessment
• Other hazard • Results of PB • PBT: Not app	s T and vPvB assessment licable.
Other hazard Results of PB	s T and vPvB assessment licable.
Other hazard Results of PB PBT: Not app vPvB: Not ap	s T and vPvB assessment licable. plicable.
Other hazard Results of PB PBT: Not app vPvB: Not ap	s T and vPvB assessment licable.
Other hazard Results of PB PBT: Not app vPvB: Not ap	s T and vPvB assessment licable. plicable. n/information on ingredients
Other hazard Results of PB PBT: Not app vPvB: Not ap Compositio	s T and vPvB assessment licable. plicable. n/information on ingredients racterization: Substances
Other hazard Results of PB PBT: Not app vPvB: Not ap Compositio Chemical cha CAS No. Des	s T and vPvB assessment licable. plicable. n/information on ingredients racterization: Substances cription
Other hazard Results of PB PBT: Not app vPvB: Not ap Composition Chemical cha CAS No. Des Cadmium sulj	s T and vPvB assessment licable. plicable. n/information on ingredients racterization: Substances cription ide selenide/Zinc sulfide core/shell quantum
Composition Chemical cha Chemical cha Cadmium suly dots with Am	s T and vPvB assessment licable. plicable. n/information on ingredients racterization: Substances cription
Other hazard Results of PB PBT: Not app vPvB: Not ap Composition Chemical cha CAS No. Des Cadmium sulj	s T and vPvB assessment licable. plicable. n/information on ingredients racterization: Substances cription ide selenide/Zinc sulfide core/shell quantum
Composition Chemical cha Chemical cha Cadmium suly dots with Am	s T and vPvB assessment licable. plicable. n/information on ingredients racterization: Substances cription ide selenide/Zinc sulfide core/shell quantum
Composition Chemical cha Chemical cha Cadmium suly dots with Am	s T and vPvB assessment licable. plicable. n/information on ingredients racterization: Substances cription ide selenide/Zinc sulfide core/shell quantum ine in water Emission peak: 525 nm FWHM <35nm
Other hazard Results of PB PBT: Not app vPvB: Not app Composition Chemical cha CAS No. Des Cadmium suly dots with Am QY>50%	T and vPvB assessment licable. plicable. n/information on ingredients racterization: Substances cription Tide selenide/Zinc sulfide core/shell quantum ine in water Emission peak: 525 nm FWHM <35nm
Other hazard Results of PB PBT: Not app vPvB: Not app Composition Chemical cha CAS No. Des Cadmium sulj dots with Am QY>50%	s T and vPvB assessment licable. plicable. n/information on ingredients racterization: Substances cription ide selenide/Zinc sulfide core/shell quantum ine in water Emission peak: 525 nm FWHM <35nm easures f first aid measures
Other hazard Results of PB PBT: Not app vPvB: Not ap Composition Chemical cha CAS No. Des Cadmium suly dots with Am QY>50%	T and vPvB assessment licable. plicable. n/information on ingredients racterization: Substances cription ide selenide/Zinc sulfide core/shell quantum ine in water Emission peak: 525 nm FWHM <35nm easures f first aid measures mation:
Other hazard Results of PB PBT: Not app vPvB: Not app vPvB: Not app Composition Chemical cha CAS No. Des Cadmium suly dots with Am QY>50% First-aid m Description of General infor Immediately v	T and vPvB assessment licable. blicable. n/information on ingredients racterization: Substances cription ide selenide/Zinc sulfide core/shell quantum ine in water Emission peak: 525 nm FWHM <35nm easures first aid measures mation: emove any clothing soiled by the product.
Other hazard Results of PB PBT: Not app vPvB: Not app vPvB: Not app Composition Chemical cha CAS No. Des Cadmium suly dots with Am QY>50% First-aid m Description of General infor Immediately r Symptoms of	T and vPvB assessment licable. plicable. n/information on ingredients racterization: Substances cription ide selenide/Zinc sulfide core/shell quantum ine in water Emission peak: 525 nm FWHM <35nm envice any clothing soiled by the product. poisoning may even occur after several hours; therefore medical observation for at least 48 hours
Other hazard Results of PB PBT: Not app vPvB: Not app vPvB: Not app Composition Chemical cha CAS No. Des Cadmium suly dots with Am QY>50% First-aid m Description of General infor Immediately r Symptoms of after the accid	s T and vPvB assessment licable. plicable. n/information on ingredients racterization: Substances cription ide selenide/Zinc sulfide core/shell quantum ine in water Emission peak: 525 nm FWHM <35nm easures f first aid measures mation: emove any clothing soiled by the product. poisoning may even occur after several hours; therefore medical observation for at least 48 houlent.
Other hazard Results of PB PBT: Not app vPvB: Not ap vPvB: Not ap composition Chemical cha CAS No. Des Cadmium suly dots with Am QY>50% First-aid m Description of General infor Immediately r Symptoms of after the accia Remove breat	s T and vPvB assessment licable. plicable. n/information on ingredients racterization: Substances cription ide selenide/Zinc sulfide core/shell quantum ine in water Emission peak: 525 nm FWHM <35nm edSUres f first aid measures mation: emove any clothing soiled by the product. poisoning may even occur after several hours; therefore medical observation for at least 48 hou- lent. hing apparatus only after contaminated clothing have been completely removed.
Composition PBT: Not app vPvB: VPvB: VPv	T and vPvB assessment licable. olicable. n/information on ingredients racterization: Substances cription ide selenide/Zinc sulfide core/shell quantum ine in water Emission peak: 525 nm FWHM <35nm easures f first aid measures mation: emove any clothing soiled by the product. poisoning may even occur after several hours; therefore medical observation for at least 48 hou- lent. hing apparatus only after contaminated clothing have been completely removed. gular breathing or respiratory arrest provide artificial respiration.
Composition PBT: Not app vPvB: Vot app vPvB: Sold General infor immediately i Symptoms of after the accid Remove breat In case of irree vPvB: vPvB: vP	S T and vPvB assessment licable. olicable. n/information on ingredients racterization: Substances rription ide selenide/Zinc sulfide core/shell quantum ine in water Emission peak: 525 nm FWHM <35nm
Composition PBT: Not app vPvB: vPvB: Not app vPvB: vPvB: Not app vPvB: vPvB: vPv	T and vPvB assessment licable. olicable. n/information on ingredients racterization: Substances cription ide selenide/Zinc sulfide core/shell quantum ine in water Emission peak: 525 nm FWHM <35nm easures f first aid measures mation: emove any clothing soiled by the product. poisoning may even occur after several hours; therefore medical observation for at least 48 hou- lent. hing apparatus only after contaminated clothing have been completely removed. gular breathing or respiratory arrest provide artificial respiration.

Printing date 07/18/2021

Reviewed on 07/14/2021

Trade name: Cadmium sulfide selenide/Zinc sulfide core/shell quantum dots with Amine in water Emission peak: 525 nm FWHM <35nm QY>50%

(Contd. of page 2)

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

• PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

(Contd. on page 4)

- US

Printing date 07/18/2021

Reviewed on 07/14/2021

Trade name: Cadmium sulfide selenide/Zinc sulfide core/shell quantum dots with Amine in water Emission peak: 525 nm FWHM <35nm QY>50%

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)



Printing date 07/18/2021

10

CHEMICALS, INC.

Reviewed on 07/14/2021

Trade name: Cadmium sulfide selenide/Zinc sulfide core/shell quantum dots with Amine in water Emission peak: 525 nm FWHM <35nm QY>50%

(Contd. of page 4)

Physical and chemical proper		
Information on basic physical and	chemical properties	
General Information		
Appearance: Form:	Liquid	
Form: Color:	Liquid Light group	
· Odor:	Light green Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
• Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

⁽Contd. on page 6) US

Printing date 07/18/2021

Reviewed on 07/14/2021

Trade name: Cadmium sulfide selenide/Zinc sulfide core/shell quantum dots with Amine in water Emission peak: 525 nm FWHM <35nm QY>50%

(Contd. of page 5)

- · Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid* No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Printing date 07/18/2021

Reviewed on 07/14/2021

Trade name: Cadmium sulfide selenide/Zinc sulfide core/shell quantum dots with Amine in water Emission peak: 525 nm FWHM <35nm QY>50%

(Contd. of page 6)

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

UN-Number	
DOT, IMDG, IATA	UN2570
UN proper shipping name	
DOT	Cadmium compounds
IMDG, IATA	CADMIUM COMPOUND
Transport hazard class(es)	
DOT	
TOXIC	
Class	6
Label	6.1
IMDG, IATA	
Class	6.1 Toxic substances
Label	6.1
Packing group DOT, IMDG, IATA	111
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
EMS Number:	F-A,S-A
Stowage Category	Α
Transport in bulk according to Annex I	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 100kg
	On cargo aircraft only: 200kg
IMDG	
Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml



Reviewed on 07/14/2021



· UN "Model Regulation":

Printing date 07/18/2021

UN 2570 CADMIUM COMPOUNDS, 6.1, III

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- · Section 355 (extremely hazardous substances):
- Substance is not listed.
- Section 313 (Specific toxic chemical listings):
- Substance is not listed.
- · TSCA (Toxic Substances Control Act):
- Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males:
- Substance is not listed.
- · Chemicals known to cause developmental toxicity:
- Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- Substance is not listed.
- · TLV (Threshold Limit Value established by ACGIH)
- Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- Substance is not listed.
- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling:
- Cadmium sulfide selenide/Zinc sulfide core/shell quantum dots with Amine in water Emission peak: 525 nm FWHM <35nm QY>50%
- · Hazard statements
- H302+H312 Harmful if swallowed or in contact with skin.
- H331 Toxic if inhaled.

(Contd. on page 9)



(Contd. of page 7)

US

HEMICALS, INC.

Safety Data Sheet according to OSHA HCS

Printing date 07/18/2021

Reviewed on 07/14/2021

Trade name: Cadmium sulfide selenide/Zinc sulfide core/shell quantum dots with Amine in water Emission peak: 525 nm FWHM <35nm QY>50%

	(Contd. of page 8)
H341	Suspected of causing genetic defects.
H350	May cause cancer.
· Precaution	ary statements
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P305+P35	1+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P403+P23	3 Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
	· ·

· National regulations:

• Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group I (extremely dangerous). Carcinogenic hazardous material group II (very dangerous). Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

• Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

· Date of preparation / last revision 07/18/2021 / -

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity - Category 3 Muta. 2: Germ cell mutagenicity – Category 2 Carc. 1A: Carcinogenicity - Category 1A