

Printing date 07/31/2016

Reviewed on 07/31/2016

## 1 Identification

- **Product name**
- **Trade name:** Platinum nanoparticles, pure, (<20nm) in acetone at 100mg/L (surfactant and reactant-free)
- **Item number:** 78-1404
- **CAS Number:**  
67-64-1
- **EC number:**  
200-662-2
- **Index number:**  
606-001-00-8
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Strem Chemicals, Inc.  
7 Mulliken Way  
NEWBURYPORT, MA 01950  
USA  
info@strem.com
- **Information department:** Technical Department
- **Emergency telephone number:**  
EMERGENCY: CHEMTREC: + 1 (800) 424-9300  
During normal opening times: +1 (978) 499-1600

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- **Label elements**

- **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS07

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Acetone, reagent

- **Hazard statements**

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

(Contd. on page 2)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Platinum nanoparticles, pure, (<20nm) in acetone at 100mg/L (surfactant and reactant-free)**

(Contd. of page 1)

H336 May cause drowsiness or dizziness.

**Precautionary statements**

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Classification system:**

**NFPA ratings (scale 0 - 4)**



**HMIS-ratings (scale 0 - 4)**

|            |   |                |
|------------|---|----------------|
| HEALTH     | 1 | Health = 1     |
| FIRE       | 3 | Fire = 3       |
| REACTIVITY | 0 | Reactivity = 0 |

**Other hazards**

**Results of PBT and vPvB assessment**

- PBT:** Not applicable.
- vPvB:** Not applicable.

**3 Composition/information on ingredients**

- Chemical characterization: Substances**
- CAS No. Description**  
67-64-1 Acetone, reagent
- Identification number(s)**
- EC number:** 200-662-2
- Index number:** 606-001-00-8

**4 First-aid measures**

- Description of first aid measures**
- General information:** Immediately remove any clothing soiled by the product.
- After inhalation:** Supply fresh air; consult doctor in case of complaints.
- After skin contact:** Immediately rinse with water.
- After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:** If symptoms persist consult doctor.
- Information for doctor:**  
**Most important symptoms and effects, both acute and delayed** No further relevant information available.  
**Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

US  
(Contd. on page 3)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Platinum nanoparticles, pure, (<20nm) in acetone at 100mg/L (surfactant and reactant-free)**

(Contd. of page 2)

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Prevent seepage into sewage system, workpits and cellars.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**67-64-1 Acetone, reagent**

PEL Long-term value: 2400 mg/m<sup>3</sup>, 1000 ppm

(Contd. on page 4)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Platinum nanoparticles, pure, (<20nm) in acetone at 100mg/L (surfactant and reactant-free)**

(Contd. of page 3)

|     |  |
|-----|--|
| REL | Long-term value: 590 mg/m <sup>3</sup> , 250 ppm   |
| TLV | Short-term value: 1187 mg/m <sup>3</sup> , 500 ppm |
|     | Long-term value: 594 mg/m <sup>3</sup> , 250 ppm   |
|     | BEI  |

**· Ingredients with biological limit values:**

**67-64-1 Acetone, reagent**

|     |                                  |
|-----|----------------------------------|
| BEI | 50 mg/L                          |
|     | Medium: urine                    |
|     | Time: end of shift               |
|     | Parameter: Acetone (nonspecific) |

**· Additional information:** The lists that were valid during the creation were used as basis.

**· Exposure controls**

**· Personal protective equipment:**

**· General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

**· Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**· Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**· Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**· Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Eye protection:**



Tightly sealed goggles

**9 Physical and chemical properties**

**· Information on basic physical and chemical properties**

**· General Information**

**· Appearance:**

**Form:** Liquid

(Contd. on page 5)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Platinum nanoparticles, pure, (<20nm) in acetone at 100mg/L (surfactant and reactant-free)**

(Contd. of page 4)

|   |  |
|---|--|
| <b>Color:</b>                                     | Dark grey  |
| <b>· Odor:</b>                                    | Acetone-like   |
| <b>· Odor threshold:</b>                          | Not determined.  |
| <b>· pH-value:</b>                                | Not determined.  |
| <b>· Change in condition</b>                      |  |
| <b>Melting point/Melting range:</b>               | -94.7 °C (-138 °F)   |
| <b>Boiling point/Boiling range:</b>               | 55.8-56.6 °C (132-134 °F)  |
| <b>· Flash point:</b>                             | < -18 °C (< -0 °F)   |
| <b>· Flammability (solid, gaseous):</b>           | Not determined.  |
| <b>· Ignition temperature:</b>                    | 465 °C (869 °F)  |
| <b>· Decomposition temperature:</b>               | Not determined.  |
| <b>· Auto igniting:</b>                           | Not determined.  |
| <b>· Danger of explosion:</b>                     | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| <b>· Explosion limits:</b>                        |  |
| <b>Lower:</b>                                     | 2.6 Vol %  |
| <b>Upper:</b>                                     | 13 Vol %   |
| <b>· Vapor pressure at 20 °C (68 °F):</b>         | 233 hPa (175 mm Hg)  |
| <b>· Density at 20 °C (68 °F):</b>                | 0.79 g/cm <sup>3</sup> (6.593 lbs/gal)   |
| <b>· Relative density</b>                         | Not determined.  |
| <b>· Vapor density</b>                            | Not determined.  |
| <b>· Evaporation rate</b>                         | Not determined.  |
| <b>· Solubility in / Miscibility with</b>         |  |
| <b>Water:</b>                                     | Not miscible or difficult to mix.  |
| <b>· Partition coefficient (n-octanol/water):</b> | Not determined.  |
| <b>· Viscosity:</b>                               |  |
| <b>Dynamic at 25 °C (77 °F):</b>                  | 32 mPas  |
| <b>Kinematic:</b>                                 | Not determined.  |
| <b>· Solvent content:</b>                         |  |
| <b>Organic solvents:</b>                          | 100.0 %  |
| <b>VOC content:</b>                               | 0.0 g/l / 0.00 lb/gl   |
| <b>· Other information</b>                        | No further relevant information available.   |

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

US

(Contd. on page 6)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Platinum nanoparticles, pure, (<20nm) in acetone at 100mg/L (surfactant and reactant-free)**

(Contd. of page 5)

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**67-64-1 Acetone, reagent**

|        |      |                      |
|--------|------|----------------------|
| Oral   | LD50 | 5800 mg/kg (rat)     |
| Dermal | LD50 | 20000 mg/kg (rabbit) |

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

Substance is not listed.

· **NTP (National Toxicology Program)**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

US

(Contd. on page 7)

**Safety Data Sheet**  
according to OSHA HCS



Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Platinum nanoparticles, pure, (<20nm) in acetone at 100mg/L (surfactant and reactant-free)**

(Contd. of page 6)

**14 Transport information**

|   |   |
|---|---|
| · <b>UN-Number</b><br>· <b>DOT, IMDG, IATA</b>  | UN1993  |
| · <b>UN proper shipping name</b><br>· <b>DOT</b><br>· <b>IMDG</b><br>· <b>IATA</b>          | Flammable liquids, n.o.s.<br>FLAMMABLE LIQUID, N.O.S.<br>Flammable liquid, n.o.s.                                     |
| · <b>Transport hazard class(es)</b><br>· <b>DOT</b>   |   |
|            |   |
| · <b>Class</b><br>· <b>Label</b>  | 3 Flammable liquids<br>3  |
| · <b>IMDG, IATA</b>   |   |
|           |   |
| · <b>Class</b><br>· <b>Label</b>  | 3 Flammable liquids<br>3  |
| · <b>Packing group</b><br>· <b>DOT, IMDG, IATA</b>  | II  |
| · <b>Environmental hazards:</b><br>· <b>Marine pollutant:</b>                               | No  |
| · <b>Special precautions for user</b><br>· <b>EMS Number:</b><br>· <b>Stowage Category</b>  | Warning: Flammable liquids<br>F-E, <u>S-E</u><br>B  |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>            | Not applicable.   |
| · <b>Transport/Additional information:</b><br>· <b>DOT</b><br>· <b>Quantity limitations</b> | On passenger aircraft/rail: 5 L<br>On cargo aircraft only: 60 L   |
| · <b>IMDG</b><br>· <b>Limited quantities (LQ)</b><br>· <b>Excepted quantities (EQ)</b>      | 1L<br>Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · <b>UN "Model Regulation":</b>   | UN 1993 FLAMMABLE LIQUIDS, N.O.S., 3, II  |

US

(Contd. on page 8)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Platinum nanoparticles, pure, (<20nm) in acetone at 100mg/L (surfactant and reactant-free)**

(Contd. of page 7)

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

Substance is not listed.

· **Section 313 (Specific toxic chemical listings):**

Substance is not listed.

· **TSCA (Toxic Substances Control Act):**

Substance is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity:**

Substance is not listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

67-64-1 Acetone, reagent

I

· **TLV (Threshold Limit Value established by ACGIH)**

67-64-1 Acetone, reagent

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

· **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02 GHS07

· **Signal word Danger**

· **Hazard-determining components of labeling:**

Acetone, reagent

· **Hazard statements**

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 9)



**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Platinum nanoparticles, pure, (<20nm) in acetone at 100mg/L (surfactant and reactant-free)**

(Contd. of page 8)

*P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*P403+P233 Store in a well-ventilated place. Keep container tightly closed.*

*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing SDS:** Technical Department.

· **Contact:** Technical Director

· **Date of preparation / last revision** 07/31/2016 / -

· **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*VOC: Volatile Organic Compounds (USA, EU)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

*PEL: Permissible Exposure Limit*

*REL: Recommended Exposure Limit*

*BEI: Biological Exposure Limit*

*Flam. Liq. 2: Flammable liquids, Hazard Category 2*

*Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2*

*STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3*