

Printing date 07/19/2021

Reviewed on 07/14/2021

1 Identification

- · Product name
- · Trade name: <u>Platinum, 0.5% on alumina</u>
- Item number: 78-1640
- · CAS Number:
- 1344-28-1
- *EC number:* 215-691-6
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way
- NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

Hazard-determining components of labeling: aluminium oxide
Hazard statements
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Precautionary statements
P262 Do not get in eyes, on skin, or on clothing.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.


(Contd. on page 2)

US

Printing date 07/19/2021

Reviewed on 07/14/2021

Trade name: Platinum, 0.5% on alumina



3 Composition/information on ingredients

- Chemical characterization: Substances • CAS No. Description
- 1344-28-1 aluminium oxide
- Identification number(s)
- EC number: 215-691-6

4 First-aid measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 07/19/2021

Reviewed on 07/14/2021

Trade name: Platinum, 0.5% on alumina

(Contd. of page 2)

| Personal precautions, protective equipment and emergency proce | dures Not required. |
|--|---------------------|
| Environmental precautions: No special measures required. | |
| Methods and material for containment and cleaning up: | |
| Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. | |
| Reference to other sections | |
| See Section 7 for information on safe handling. | |
| See Section 8 for information on personal protection equipment. | |
| See Section 13 for disposal information. | |
| Protective Action Criteria for Chemicals | |
| PAC-1: | |
| 1344-28-1 aluminium oxide | 15 mg/m3 |
| 7440-06-4 platinum | 3 mg/m3 |
| PAC-2: | |
| 1344-28-1 aluminium oxide | 170 mg/m3 |
| 7440-06-4 platinum | 33 mg/m3 |
| PAC-3: | |
| 1344-28-1 aluminium oxide | 990 mg/m3 |
| | |

7 Handling and storage

· Handling:

- *Precautions for safe handling No special precautions are necessary if used correctly.*
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

| Components with limit values that require monitoring at the workplace: 1344-28-1 aluminium oxide | | |
|--|--|--|
| | | |
| REL | Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f. | |
| TLV | Long-term value: 1* mg/m³ as Al; *as respirable fraction | |
| | (Contd. on page 4) | |
| | - U | |



Printing date 07/19/2021

CHEMICALS, INC.

Reviewed on 07/14/2021

Trade name: Platinum, 0.5% on alumina

| Additional information: The lists that were valid during the creation were used as basis. | (Contd. of page |
|---|--------------------|
| Exposure controls | |
| Personal protective equipment: | |
| General protective and hygienic measures: | |
| Keep away from foodstuffs, beverages and feed. | |
| Immediately remove all soiled and contaminated clothing. | |
| Wash hands before breaks and at the end of work. | |
| Avoid contact with the eyes and skin. | |
| Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. | |
| Protection of hands: | |
| | |
| Protective gloves | |
| | |
| The close material has to be imported and usigt and the product/the substance/the product/ | anation |
| The glove material has to be impermeable and resistant to the product/ the substance/ the prep Due to missing tests no recommendation to the glove material can be given for the product/ to | |
| chemical mixture. | πε preparation/ ι |
| Selection of the glove material on consideration of the penetration times, rates of diffusion and | the degradation |
| Material of gloves | ine degradation |
| The selection of the suitable gloves does not only depend on the material, but also on further n | narks of quality a |
| varies from manufacturer to manufacturer. | V I V |
| Penetration time of glove material | |
| The exact break through time has to be found out by the manufacturer of the protective g | loves and has to |
| observed. | |
| Eye protection: | |
| | |
| Tightly sealed goggles | |
| | |
| | |
| | |
| Physical and chemical properties | |
| | |

· General Information

| eener ar inger manon | |
|----------------------------------|------------------|
| · Appearance: | |
| Form: | Pellets |
| Color: | Grey |
| · Odor: | Odorless |
| · Odor threshold: | Not determined. |
| · pH-value: | Not applicable. |
| · Change in condition | |
| Melting point/Melting range: | 2.045 °C (36 °F) |
| Boiling point/Boiling range: | 2.980 °C (37 °F) |
| · Flash point: | Not applicable. |
| · Flammability (solid, gaseous): | Not determined. |
| · Ignition temperature: | |
| Decomposition temperature: | Not determined. |
| | (Contd. on pa |
| | |

Printing date 07/19/2021

Reviewed on 07/14/2021

Trade name: Platinum, 0.5% on alumina

| | (Contd. | of page |
|-------------------------------------|---|---------|
| Auto igniting: | Not determined. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure: | Not applicable. | |
| Density at 20 °C (68 °F): | 3.97 g/cm ³ (33.12965 lbs/gal) | |
| Bulk density at 20 °C (68 °F): | 920 kg/m ³ | |
| Relative density | Not determined. | |
| · Vapor density | Not applicable. | |
| · Evaporation rate | Not applicable. | |
| Solubility in / Miscibility with | | |
| Water: | Insoluble. | |
| Partition coefficient (n-octanol/wa | ter): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not applicable. | |
| Kinematic: | Not applicable. | |
| Solvent content: | | |
| Organic solvents: | 0.0 % | |
| VOC content: | 0.0 g/l / 0.00 lb/gl | |
| • Other information | No further relevant information available. | |

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

(Contd. on page 6)



US

Printing date 07/19/2021

CHEMICALS, INC

Reviewed on 07/14/2021

Trade name: Platinum, 0.5% on alumina

(Contd. of page 5)

 \cdot NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information

| UN-Number DOT, ADN, IMDG, IATA | not regulated | |
|--|---------------------------------|----------------|
| UN proper shipping name DOT, ADN, IMDG, IATA | not regulated | |
| Transport hazard class(es) | | |
| DOT, ADN, IMDG, IATA Class | not regulated | |
| Packing group DOT, IMDG, IATA | not regulated | |
| Environmental hazards: Marine pollutant: | No | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | II of Not applicable. | |
| | | (Contd. on pag |

Printing date 07/19/2021

CHEMICALS.

Reviewed on 07/14/2021

(Contd. of page 6)

Trade name: Platinum, 0.5% on alumina

· UN "Model Regulation":

not regulated

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- · Section 355 (extremely hazardous substances):
- Substance is not listed.
- · Section 313 (Specific toxic chemical listings):
- 1344-28-1 aluminium oxide
- · TSCA (Toxic Substances Control Act):
- Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males:
- Substance is not listed.
- · Chemicals known to cause developmental toxicity:
- Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- Substance is not listed.
- · TLV (Threshold Limit Value established by ACGIH)
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- Substance is not listed.
- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS).* • *Hazard pictograms*



- · Signal word Warning
- Hazard-determining components of labeling: aluminium oxide
- Hazard statements
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

US

A4

Printing date 07/19/2021

Reviewed on 07/14/2021

Trade name: Platinum, 0.5% on alumina

| | (Contd. of page 7) |
|-----------------|--|
| · Precautionary | statements |
| P262 | Do not get in eyes, on skin, or on clothing. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P305+P351+P | 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/19/2021 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

