Printing date 07/19/2021

Reviewed on 07/19/2021

1 Identification

- · Product name
- Trade name: <u>Platinum sulfite acid solution (15.3% Pt)</u>
- Item number: 78-1925
- · CAS Number:
- 61420-92-6
- ELINCS Number: 423-310-1
- · Index number:
- 078-011-00-5
- \cdot Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. *STOT RE* 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



Acute Tox. 4H302 Harmful if swallowed.Skin Sens. 1H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



(Contd. on page 2)

US

Printing date 07/19/2021

__0

CHEMICALS, INC.

Reviewed on 07/19/2021

Trade name: Platinun	a sulfite acid solution (15.3% Pt)
· Signal word Dang	(Contd. of page 1)
	ng components of labeling:
hydroxydisulfito p	
Hazard statements H202 Harmful if	
H302 Harmful if s	vallowea. re skin burns and eye damage.
	llergy or asthma symptoms or breathing difficulties if inhaled.
	n allergic skin reaction.
	lamage to organs through prolonged or repeated exposure.
· Precautionary stat	
P284	[In case of inadequate ventilation] wear respiratory protection.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P303+P361+P353	B If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	shower.
P305+P351+P336	8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
• Classification syst • NFPA ratings (sca	
• HMIS-ratings (sco HEALTH ^{*4} He	ctivity = 0 $alt 0 - 4)$ $alt h = *4$ $re = 0$ $activity = 0$ $d vPvB assessment$ $ble.$
• Chemical charact • CAS No. Descript	xydisulfito platinum(II) acid a ber(s) • 423-310-1
4 First-aid measu	ures

- Description of first aid measures
 General information:

Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet according to OSHA HCS

Printing date 07/19/2021

Reviewed on 07/19/2021

Trade name: Platinum sulfite acid solution (15.3% Pt)

• After inhalation:

- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Immediately call a doctor.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: Substance is not listed. · PAC-2: Substance is not listed. · PAC-3: Substance is not listed.

(Contd. on page 4)

Printing date 07/19/2021

Reviewed on 07/19/2021

Trade name: Platinum sulfite acid solution (15.3% Pt)

(Contd. of page 3)

7 Handling and storage

- · Handling:
- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment: Wear protective clothing
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eves and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Printing date 07/19/2021

CHEMICALS, INC

Reviewed on 07/19/2021

(Contd. of page 4)



Tightly sealed goggles

9 Physical and chemical properties · Information on basic physical and chemical properties General Information · Appearance: Form: Liquid Color: Light yellow · Odor: Sulphurous · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** Undetermined. · Flash point: Not applicable. · Flammability (solid, gaseous): Not determined. · Ignition temperature: Decomposition temperature: Not determined. · Auto igniting: Not determined. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. · Vapor pressure: · Density: Not determined. · Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Not miscible or difficult to mix. Water: · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not determined. Kinematic: Not determined. · Solvent content: Organic solvents: 0.0 % **VOC content:** 0.0 g/l / 0.00 lb/gl (Contd. on page 6)



(Contd. of page 5)

Safety Data Sheet according to OSHA HCS

Printing date 07/19/2021

Reviewed on 07/19/2021

Trade name: Platinum sulfite acid solution (15.3% Pt)

• Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- · Sensitization:
- Sensitization possible through inhalation.
- Sensitization possible through skin contact.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · **Persistence and degradability** No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet according to OSHA HCS

Printing date 07/19/2021

CHEMICALS, INC.

Reviewed on 07/19/2021

Trade name: Platinum sulfite acid solution (15.3% Pt)

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN1760	
Corrosive liquids, n.o.s.	
CORROSIVE LIQUID, N.O.S.	
8	
8 Corrosive substances	
8	
II	
No	
Warning: Corrosive substances	
F-A, S-B	
В	
SW2 Clear of living quarters.	
I of	
	Corrosive liquids, n.o.s. CORROSIVE LIQUID, N.O.S. 8 Corrosive substances 8 8 II II No Warning: Corrosive substances F-A,S-B B SW2 Clear of living quarters.

Printing date 07/19/2021

CHEMICALS, INC

Reviewed on 07/19/2021

Trade name: Platinum sulfite acid solution (15.3% Pt)

	(Contd. of page 7)
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
· IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities ($\widetilde{E}Q$)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1760 CORROSIVE LIQUIDS, N.O.S., 8, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

US

Printing date 07/19/2021

Reviewed on 07/19/2021

	(Contd. of pa
Hazard pictogr	ams
GHS05 GH	S07 GHS08
011505 011	507 611500
Signal word D	anger
Hazard-determ	ining components of labeling:
	o platinum(II) acid
Hazard statem	
H302 Harmful	if swallowed.
	evere skin burns and eye damage.
	se allergy or asthma symptoms or breathing difficulties if inhaled.
	se an allergic skin reaction.
	se damage to organs through prolonged or repeated exposure.
Precautionary	
P284	[In case of inadequate ventilation] wear respiratory protection.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P303+P361+P	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with was shower.
P305+P351+F	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pre- and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

· National regulations:

· Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

- · Date of preparation / last revision 07/19/2021 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit

(Contd. on page 10)

[·] Contact: Technical Director

US

Printing date 07/19/2021

Reviewed on 07/19/2021

Trade name: Platinum sulfite acid solution (15.3% Pt)

(Contd. of page 9)

REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

