CHEMICALS, INC.

	021		Revision: 14.07.202
SECTION 1: 1	dentifica	ation of the substance/mixture and of the o	company/undertaking
· 1.1 Product ident	ifier		
		StremDots <sup>TM</sup> quantum dot (PbS core - ~4.5nm), 10	mg/mL in toluene, 1200nm peal
• Item number: 82- • CAS Number: 1314-87-0 • EC number: 215-246-6 • Index number: 082-001-00-6	tified uses	of the substance or mixture and uses advised aga	inst
÷	supplier o pplier: Inc.	f the safety data sheet	
Furth on informa	ion ohtain	able from: Technical Department	
• <b>1.4 Emergency te</b> EMERGENCY: (	<b>lephone n</b> CHEMTRE	<b>umber:</b> CC: + 1 (800) 424-9300 es: +1 (978) 499-1600	
• <b>1.4 Emergency te</b> EMERGENCY: ( During normal op	<b>lephone ni</b> CHEMTRE pening time	CC: + 1 (800) 424-9300 es: +1 (978) 499-1600	
• <b>1.4 Emergency te</b> EMERGENCY: (	<b>lephone ni</b> CHEMTRE pening time	CC: + 1 (800) 424-9300 es: +1 (978) 499-1600	
1.4 Emergency te EMERGENCY: ( During normal op SECTION 2: 1 2.1 Classification Classification acc	lephone m CHEMTRE bening time Hazards i of the sub	CC: + 1 (800) 424-9300 es: +1 (978) 499-1600 identification ostance or mixture Regulation (EC) No 1272/2008	
<ul> <li>1.4 Emergency te EMERGENCY: C During normal op</li> <li>SECTION 2: 1</li> <li>2.1 Classification Classification acc GHS08</li> </ul>	lephone m CHEMTRE Dening time Hazards i a of the sub cording to B health haz	2C: + 1 (800) 424-9300 es: +1 (978) 499-1600 identification ostance or mixture Regulation (EC) No 1272/2008 zard	aina fertility
1.4 Emergency te EMERGENCY: ( During normal op SECTION 2: 1 2.1 Classification Classification acc	lephone m CHEMTRE Dening time Hazards i a of the sub cording to B health haz	CC: + 1 (800) 424-9300 es: +1 (978) 499-1600 identification ostance or mixture Regulation (EC) No 1272/2008	
<ul> <li>1.4 Emergency te EMERGENCY: C During normal op</li> <li>SECTION 2: 1</li> <li>2.1 Classification Classification acc GHS08</li> <li>Repr. 1A</li> <li>STOT RE 2</li> </ul>	lephone m CHEMTRE pening time Hazards i Hazards i cording to 2 health haz H360Df	2C: + 1 (800) 424-9300 es: +1 (978) 499-1600 identification ostance or mixture Regulation (EC) No 1272/2008 zard <sup>7</sup> May damage the unborn child. Suspected of dama May cause damage to organs through prolonged of	
<ul> <li>1.4 Emergency te EMERGENCY: C During normal op</li> <li>SECTION 2: 1</li> <li>2.1 Classification Classification acc GHS08</li> <li>Repr. 1A</li> <li>STOT RE 2</li> </ul>	lephone m CHEMTRE bening time Hazards i dof the sub cording to 2 health haz H360Df H373	2C: + 1 (800) 424-9300 es: +1 (978) 499-1600 identification ostance or mixture Regulation (EC) No 1272/2008 zard <sup>7</sup> May damage the unborn child. Suspected of dama May cause damage to organs through prolonged of	
<ul> <li>1.4 Emergency te EMERGENCY: C During normal op</li> <li>SECTION 2: 1</li> <li>2.1 Classification Classification acc GHS08</li> <li>Repr. 1A</li> <li>STOT RE 2</li> <li>GHS09</li> </ul>	lephone m CHEMTRE Dening time Hazards i de of the sub cording to de the alth has H360Df H373 environme H400	2C: + 1 (800) 424-9300 es: +1 (978) 499-1600 identification ostance or mixture Regulation (EC) No 1272/2008 zard May damage the unborn child. Suspected of dama May cause damage to organs through prolonged of ent	
<ul> <li>1.4 Emergency te EMERGENCY: C During normal op</li> <li>SECTION 2: 1</li> <li>2.1 Classification Classification acc GHS08</li> <li>Repr. 1A</li> <li>STOT RE 2</li> <li>GHS09</li> <li>Aquatic Acute 1</li> </ul>	lephone m CHEMTRE Dening time Hazards i of the sub cording to d health haz H360Df H373 environme H400 1 H410	CC: + 1 (800) 424-9300 es: +1 (978) 499-1600 identification ostance or mixture Regulation (EC) No 1272/2008 zard May damage the unborn child. Suspected of dama May cause damage to organs through prolonged of ent Very toxic to aquatic life.	
<ul> <li>1.4 Emergency te EMERGENCY: C During normal op</li> <li>SECTION 2: 1</li> <li>2.1 Classification Classification acc GHS08</li> <li>Repr. 1A</li> <li>STOT RE 2</li> <li>GHS09</li> <li>Aquatic Acute 1</li> <li>Aquatic Chronic</li> </ul>	lephone m CHEMTRE bening time Hazards i of the sub cording to 1 health haz H360Df H373 environme H400 1 H410	CC: + 1 (800) 424-9300 es: +1 (978) 499-1600 identification ostance or mixture Regulation (EC) No 1272/2008 zard May damage the unborn child. Suspected of dama May cause damage to organs through prolonged of ent Very toxic to aquatic life.	
<ul> <li>1.4 Emergency te EMERGENCY: C During normal op</li> <li>SECTION 2: 1</li> <li>2.1 Classification Classification acc GHS08</li> <li>Repr. 1A</li> <li>STOT RE 2</li> <li>GHS09</li> <li>Aquatic Acute 1</li> <li>Aquatic Chronic 1</li> <li>GHS07</li> </ul>	lephone m CHEMTRE bening time Hazards i of the sub cording to 1 health haz H360Df H373 environme H400 1 H410	2C: + 1 (800) 424-9300 es: +1 (978) 499-1600 identification bstance or mixture Regulation (EC) No 1272/2008 zard <sup>7</sup> May damage the unborn child. Suspected of dama May cause damage to organs through prolonged of ent Very toxic to aquatic life. Very toxic to aquatic life.	
<ul> <li>1.4 Emergency te EMERGENCY: C During normal op</li> <li>SECTION 2: 1</li> <li>2.1 Classification Classification acc Classification acc GHS08</li> <li>Repr. 1A STOT RE 2</li> <li>GHS09</li> <li>Aquatic Acute 1</li> <li>Aquatic Chronic</li> <li>GHS07</li> <li>Acute Tox. 4</li> <li>Acute Tox. 4</li> <li>C.2 Label element</li> <li>Labelling accord</li> </ul>	lephone m CHEMTRE bening time Hazards i of the sub cording to 1 health haz H360Df H373 environme H400 H400 H400 H400 H402 H302 H332 ts ing to Regu	CC: + 1 (800) 424-9300 es: +1 (978) 499-1600 identification bstance or mixture Regulation (EC) No 1272/2008 zard ' May damage the unborn child. Suspected of dama May cause damage to organs through prolonged of ent Very toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Harmful if swallowed.	

Revision: 14.07.2021

	(Contd. of pag
Hazard pictogra	
GHS07 GHS	508 GHS09
· Signal word Da	inger
	ining components of labelling:
lead sulphide	
· Hazard stateme	
	armful if swallowed or if inhaled.
	ay damage the unborn child. Suspected of damaging fertility.
	ay cause damage to organs through prolonged or repeated exposure.
	ery toxic to aquatic life with long lasting effects.
• Precautionary s	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P262	Do not get in eyes, on skin, or on clothing.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P235+P410	Keep cool. Protect from sunlight.
P303+P331+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses
P403+P233	present and easy to do. Continue rinsing.
P411	Store in a well-ventilated place. Keep container tightly closed. Store at temperatures not exceeding 4°C.
P501	Dispose of contents/container in accordance with local/regional/national/internatio
1 501	regulations.
Additional info	
	Should not be used on surfaces liable to be chewed or sucked by children.
2.3 Other hazar	
-	and vPvB assessment

#### **SECTION 3: Composition/information on ingredients**

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 1314-87-0 lead sulphide
- Identification number(s)
- · EC number: 215-246-6
- · Index number: 082-001-00-6

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3) GB



Printing date 19.07.2021

Printing date 19.07.2021

Revision: 14.07.2021

Trade name: Lead sulfide StremDots<sup>™</sup> quantum dot (PbS core - ~4.5nm), 10 mg/mL in toluene, 1200nm peak emission

(Contd. of page 2)

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately rinse with water.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage: Keep cool.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed. DO NOT FREEZE

• Recommended storage temperature: Store at temperatures not exceeding 4 °C. Keep cool.

(Contd. on page 4)

GB

Printing date 19.07.2021

Revision: 14.07.2021

(Contd. of page 3)

Trade name: Lead sulfide StremDots<sup>™</sup> quantum dot (PbS core - ~4.5nm), 10 mg/mL in toluene, 1200nm peak emission

• 7.3 Specific end use(s) No further relevant information available.

**SECTION 8: Exposure controls/personal protection** 

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

General Information		
Appearance:		
Form:	Suspension	
Colour:	Black	
Odour:	Unpleasant	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	nge: 110 °C	

Printing date 19.07.2021

CHEMICALS, INC

Revision: 14.07.2021

	(Con	d. of pag
Flash point:	4 °C	
Flammability (solid, gas):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	1.2 Vol %	
Upper:	7 Vol %	
Vapour pressure at 20 •C:	21.8 hPa	
Density at 20 °C:	0.868 g/cm <sup>3</sup>	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
VOC (EC)	0.00 %	
Solids content:	100.0 %	
9.2 Other information	No further relevant information available.	

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful if swallowed or if inhaled.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 6) GB

Printing date 19.07.2021

· 14.2 UN proper shipping name

 $\cdot ADR$ 

· IMDG, IATA

Revision: 14.07.2021

(Contd. on page 7)

GB

Trade name: Lead sulfide StremDots<sup>TM</sup> quantum dot (PbS core - ~4.5nm), 10 mg/mL in toluene, 1200nm peak emission (Contd. of page 5) · Serious eye damage/irritation Based on available data, the classification criteria are not met. • Respiratory or skin sensitisation Based on available data, the classification criteria are not met. · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) • Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity May damage the unborn child. Suspected of damaging fertility. • STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. • Aspiration hazard Based on available data, the classification criteria are not met. **SECTION 12: Ecological information** · 12.1 Toxicity • Aquatic toxicity: No further relevant information available. · 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available. · Ecotoxical effects: · Remark: Very toxic for fish · Additional ecological information: · General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. *Very toxic for aquatic organisms* · 12.5 Results of PBT and vPvB assessment · **PBT:** Not applicable. · **vPvB**: Not applicable. · 12.6 Other adverse effects No further relevant information available. **SECTION 13: Disposal considerations** · 13.1 Waste treatment methods · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. · Uncleaned packaging: · Recommendation: Disposal must be made according to official regulations. **SECTION 14: Transport information** · 14.1 UN-Number · ADR, IMDG, IATA UN1993

1993 FLAMMABLE LIQUID, N.O.S.

FLAMMABLE LIQUID, N.O.S.

Printing date 19.07.2021

CHEMICALS.

Revision: 14.07.2021

	(Contd. of pa
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG, IATA	Ι
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	E
14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E3
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 300 ml

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 63

- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

(Contd. on page 8)

<sup>·</sup> National regulations:

GB

Printing date 19.07.2021

Revision: 14.07.2021

# Trade name: Lead sulfide StremDots<sup>™</sup> quantum dot (PbS core - ~4.5nm), 10 mg/mL in toluene, 1200nm peak emission

bbreviations and acronyms: DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning th arriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods ITA: International Air Transport Association HS: Globally Harmonised System of Classification and Labelling of Chemicals INECS: European Inventory of Existing Commercial Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative cute Tox. 4: Acute toxicity – Category 4	ontd. of page
arriage of Dangerous Goods by Road) ADG: International Maritime Code for Dangerous Goods NTA: International Air Transport Association HS: Globally Harmonised System of Classification and Labelling of Chemicals INECS: European Inventory of Existing Commercial Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative cute Tox. 4: Acute toxicity – Category 4	
ADG: International Maritime Code for Dangerous Goods ATA: International Air Transport Association HS: Globally Harmonised System of Classification and Labelling of Chemicals INECS: European Inventory of Existing Commercial Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative cute Tox. 4: Acute toxicity – Category 4	e Internatior
ATA: International Air Transport Association HS: Globally Harmonised System of Classification and Labelling of Chemicals INECS: European Inventory of Existing Commercial Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative cute Tox. 4: Acute toxicity – Category 4	
HS: Globally Harmonised System of Classification and Labelling of Chemicals INECS: European Inventory of Existing Commercial Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative cute Tox. 4: Acute toxicity – Category 4	
INECS: European Inventory of Existing Commercial Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative cute Tox. 4: Acute toxicity – Category 4	
AS: Chemical Abstracts Service (division of the American Chemical Society) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative cute Tox. 4: Acute toxicity – Category 4	
OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative cute Tox. 4: Acute toxicity – Category 4	
BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative cute Tox. 4: Acute toxicity – Category 4	
PvB: very Persistent and very Bioaccumulative cute Tox. 4: Acute toxicity – Category 4	
cute Tox. 4: Acute toxicity – Category 4	
5 0 5	
epr. 1A: Reproductive toxicity – Category 1A	
TOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
quatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
quatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	

