Printing date 02.08.2021

CHEMICALS, INC.

Revision: 06.02.2016

	<i>Revision: 06.02.2010</i>
SECTION 1: Identification of the substance/mixture	and of the company/undertaking
1.1 Product identifier	
Trade name: <u>CALLERY<sup>TM</sup> Triethylborane, min 99.8%</u>	
Item number: 93-0540	
CAS Number: 97-94-9	
EC number:	
202-620-9 Index number:	
005-004-00-6	
• 1.2 Relevant identified uses of the substance or mixture and use No further relevant information available.	es advised against
1.3 Details of the supplier of the safety data sheet	
• <b>Manufacturer/Supplier:</b> Strem Chemicals, Inc.	
7 Mulliken Way	
NEWBURYPORT, MA 01950 USA	
info@strem.com	
Further information obtainable from: Technical Department	
• 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300	
During normal opening times: +1 (978) 499-1600	
SECTION 2: Hazards identification	
Classification according to Regulation (EC) No 1272/2008 GHS02 flame	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to ai	r.
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to ail	r.
Classification according to Regulation (EC) No 1272/2008 GHS02 flame	ř.
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to ail	r.
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to ail GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage.	۲.
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to ail GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008	
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to ail GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP reg	
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to ail GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP reg	
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to ail GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP reg	
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to ail GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP reg Hazard pictograms Coording to Contemportation (EC) No 1272/2008 The substance is classified and labelled according to the CLP reg	
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to ail GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP reg	
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to ail GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP reg Hazard pictograms GHS02 GHS05	
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to ail GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP reg Hazard pictograms GHS02 GHS05 Signal word Danger Hazard-determining components of labelling:	
Classification according to Regulation (EC) No 1272/2008 We GHS02 flame Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to ail GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP reg Hazard pictograms GHS02 GHS05 Signal word Danger Hazard-determining components of labelling: triethylborane	
Classification according to Regulation (EC) No 1272/2008 GHS02 flame Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to ail GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP reg Hazard pictograms GHS02 GHS05 Signal word Danger Hazard-determining components of labelling:	

Printing date 02.08.2021

Revision: 06.02.2016

#### Trade name: CALLERY<sup>TM</sup> Triethylborane, min 99.8%

	(Contd. of page 1)
H314 Causes se	evere skin burns and eye damage.
· Precautionary s	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P231	Handle under inert gas.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P.	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
D (0.0 D 0.00	present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
	-

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.1 Chemical characterisation: Substances
- CAS No. Description
- 97-94-9 triethylborane
- · Identification number(s)
- EC number: 202-620-9
- · Index number: 005-004-00-6

## **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- *General information: Immediately remove any clothing soiled by the product.*
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

(Contd. on page 3)



Printing date 02.08.2021

Revision: 06.02.2016

#### Trade name: CALLERY<sup>TM</sup> Triethylborane, min 99.8%

(Contd. of page 2)

#### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away. • 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

**SECTION 8: Exposure controls/personal protection** 

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.


(Contd. on page 4)

GB -

Printing date 02.08.2021

CHEMICALS, INC.

Revision: 06.02.2016



Protection of hands:	(Contd. of page
Trotection of numus.	
Protective gloves	
	neable and resistant to the product/ the substance/ the preparation. lation to the glove material can be given for the product/ the preparation/ th
chemical mixture.	ponsideration of the penetration times, rates of diffusion and the degradation
Material of gloves	does not only depend on the material, but also on further marks of quality a
varies from manufacturer to manufa Penetration time of glove material	
	to be found out by the manufacturer of the protective gloves and has to
Tightly sealed goggles	
9.1 Information on basic physical a	und chemical properties
General Information Appearance:	
Form:	Liquid
Colour:	According to product specification
Odour:	Pungent
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling r	ange: 95 °C
Flash point:	1 °C
Flammability (solid, gas):	Not determined.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Spontaneously flammable in air.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
11	70.661 hPa
	/0.001 /11 /
Vapour pressure at 25 °C:	$0.6961 \text{ g/cm}^3$
Vapour pressure at 25 °C: Density at 20 °C: Relative density	0.6961 g/cm³ Not determined.
Vapour pressure at 25 °C: Density at 20 °C: Relative density Vapour density	0.6961 g/cm³ Not determined. Not determined.
Vapour pressure at 25 °C: Density at 20 °C: Relative density	0.6961 g/cm³ Not determined.
Vapour pressure at 25 °C: Density at 20 °C: Relative density Vapour density	0.6961 g/cm³ Not determined. Not determined.

(Contd. on page 5) GB

Printing date 02.08.2021

Revision: 06.02.2016

#### Trade name: CALLERY™ Triethylborane, min 99.8%

		(Contd. of page 4
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
VŎC (EC)	0.00 %	
· 9.2 Other information	No further relevant information available.	

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

- $\cdot$  10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

97-94-9 triethylborane

Oral LD50 235 mg/kg (rat)

· Primary irritant effect:

Skin corrosion/irritation

Causes severe skin burns and eye damage.

- Serious eye damage/irritation
- Causes severe skin burns and eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

GB

Printing date 02.08.2021

CHEMICALS, INC

Revision: 06.02.2016

(Contd. of page 5)

### Trade name: CALLERY<sup>TM</sup> Triethylborane, min 99.8%

- Additional ecological information:
- General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN2845
14.2 UN proper shipping name ADR IMDG, IATA	2845 PYROPHORIC LIQUID, ORGANIC, N.O.S. PYROPHORIC LIQUID, ORGANIC, N.O.S.
14.3 Transport hazard class(es)	
ADR	
Class	4
Label	4.2
Class Label	<i>4.2 Substances liable to spontaneous combustion.</i> <i>4.2</i>
14.4 Packing group ADR, IMDG, IATA	Ι
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
EMS Number:	$F$ - $G$ , $\tilde{S}$ - $M$
Stowage Category	D
Handling Code	H1 Keep as dry as reasonably practicable
Segregation Code	SG26 In addition: from goods of classes 2.1 and 3 whe stowed on deck of a containership a minimum distance of two

Printing date 02.08.2021

Revision: 06.02.2016

	(Contd. of page
	container spaces athwartship shall be maintained, whe stowed on ro-ro ships a distance of 6 m athwartship shall b maintained. SG63 Stow "separated longitudinally by an intervenin complete compartment or hold from" Class 1.
14.7 Transport in bulk according to Ann	nex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	0
Excepted quantities $(EQ)$	Code: E0
	Not permitted as Excepted Quantity
Transport category	0
Tunnel restriction code	(B/E)
IMDG	
Limited quantities (LQ)	0
Excepted quantities $(EQ)$	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 2845 PYROPHORIC LIQUID, ORGANIC, N.O.S., 4.2, I

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

- · Seveso category P7 PYROPHORIC LIQUIDS AND SOLIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Pyr. Liq. 1: Pyrophoric liquids – Category 1 Skin Corr. 1B: Skin corrosion/irritation – Category 1B