

Printing date 20.07.2021 Revision: 20.07.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Ethylmagnesium bromide, 3M in ether

· Item number: 93-1212

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Further information obtainable from: Technical Department

· 1.4 Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Water-react. 1 H260 In contact with water releases flammable gases which may ignite spontaneously.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

Diethyl ether, anhydrous

· Hazard statements

H260 In contact with water releases flammable gases which may ignite spontaneously.

H302 Harmful if swallowed.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P101

If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

(Contd. of page 1)



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Ethylmagnesium bromide, 3M in ether

P102 Keep out of reach of children.

P103 Read label before use.

P231+P232 Handle under inert gas. Protect from moisture.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

*P403+P233* Store in a well-ventilated place. Keep container tightly closed.

*P422* Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

EUH019 May form explosive peroxides.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous | components: |
|-------------|-------------|
|-------------|-------------|

CAS: 60-29-7 Diethyl ether, anhydrous 80.0% EINECS: 200-467-2 Flam. Liq. 1, H224; Acute Tox. 4, H302; STOT SE 3, H336

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Sand. Do not use water.

CO2, sand, extinguishing powder. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Ethylmagnesium bromide, 3M in ether

(Contd. of page 2)

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Open and handle receptacle with care.
- · Handling: Handle under inert gas.
- $\cdot \textbf{Information about fire and explosion protection:} \ \textit{Keep ignition sources away Do not smoke}.$
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage: Store contents under inert gas.
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

 $\cdot$  7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 60-29-7 Diethyl ether, anhydrous

WEL Short-term value: 620 mg/m³, 200 ppm Long-term value: 310 mg/m³, 100 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection: Not required.

(Contd. on page 4)

(Contd. of page 3)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Ethylmagnesium bromide, 3M in ether

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

| · Eye protection: Goggles recommended of  | during refilling                  |
|---|-----------------------------------|
| 9.1 Information on basic physical and o   | chemical properties               |
| · General Information                     |                                   |
| · Appearance:                             | 7                                 |
| Form:<br>Colour:                          | Liquid<br>Vallan                  |
| · Odour:                                  | Yellow<br>Ether-like              |
| · Odour threshold:                        | Not determined.                   |
|   | Not determined.                   |
| · pH-value:                               | Not determined.                   |
| · Change in condition                     |                                   |
| Melting point/freezing point:             | Undetermined.                     |
| Initial boiling point and boiling range   | e: Undetermined.                  |
| · Flash point:                            | Not applicable.                   |
| · Flammability (solid, gas):              | Not determined.                   |
| · Ignition temperature:                   | 170 °C                            |
| · Decomposition temperature:              | Not determined.                   |
| · Auto-ignition temperature:              | Product is not selfigniting.      |
| · Explosive properties:                   | May form explosive peroxides.     |
| · Explosion limits:                       |                                   |
| Lower:                                    | 1.7 Vol %                         |
| Upper:                                    | 36.0 Vol %                        |
| · Vapour pressure at 20 °C:               | 587 hPa                           |
| · Density:                                | Not determined.                   |
| · Relative density                        | Not determined.                   |
| · Vapour density                          | Not determined.                   |
| · Evaporation rate                        | Not determined.                   |
| · Solubility in / Miscibility with        |                                   |
| water:                                    | Not miscible or difficult to mix. |
| · Partition coefficient: n-octanol/water: | Not determined.                   |
| · Viscosity:                              |                                   |
| Dynamic:                                  | Not determined.                   |
|   | (Contd. on mage                   |

(Contd. on page 5)



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Ethylmagnesium bromide, 3M in ether

(Contd. of page 4)

|  | (Conta. or page   |
|--|---|
| Kinematic:   | Not determined.   |
| <ul> <li>Solvent content:         Organic solvents:         VOC (EC)</li> <li>9.2 Other information</li> </ul> | 80.0 %<br>80.00 %<br>No further relevant information available. |

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

| · LD/LC50 values rele | vant for c | classification: |
|-----------------------|------------|-----------------|
|-----------------------|------------|-----------------|

#### 60-29-7 Diethyl ether, anhydrous

|            |          | 1215 mg/kg (rat) |
|------------|----------|------------------|
| Inhalative | LC50/4 h | 73000 mg/l (rat) |

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 6)



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Ethylmagnesium bromide, 3M in ether

(Contd. of page 5)

- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| 14.1 UN-Number<br>ADR, IMDG, IATA   | UN3399   |
|-------------------------------------|--|
| 14.2 UN proper shipping name<br>ADR | 3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER<br>REACTIVE, FLAMMABLE    |
| IMDG, IATA                          | ORGANOMETALLIC SUBSTANCE, LIQUID, WATER<br>REACTIVE, FLAMMABLE         |
| 14.3 Transport hazard class(es)     |  |
| ADR                                 |  |
|                                     |  |
| Class<br>Label                      | 4.3 Substances which, in contact with water, emit flammab gases. 4.3+3 |
| Lavei<br><br>IMDG                   | 4.3+3  |
|                                     |  |
| Class                               | 4.3 Substances which, in contact with water, emit flammab gases.       |
| Label                               | 4.3/3  |
| IATA                                |  |
|                                     |  |
| Class                               | 4.3 Substances which, in contact with water, emit flammab gases.       |
| Label                               | 4.3 (3)  |



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Ethylmagnesium bromide, 3M in ether

|  | (Contd. of page  |
|--|--|
| · 14.4 Packing group<br>· ADR, IMDG, IATA  | I  |
| · 14.5 Environmental hazards:              |  |
| · Marine pollutant:                        | No   |
| · 14.6 Special precautions for user        | Warning: Substances which, in contact with water, em   |
| EMG N. A                                   | flammable gases.   |
| · EMS Number:                              | F- $G$ , $S$ - $M$   |
| · Stowage Category                         | D CHI  |
| · Stowage Code                             | SW2 Clear of living quarters.  |
| · Handling Code                            | H1 Keep as dry as reasonably practicable   |
| Segregation Code                           | SG26 In addition: from goods of classes 2.1 and 3 wh<br>stowed on deck of a containership a minimum distance of tv |
|  | container spaces athwartship shall be maintained, who  |
|  | stowed on ro-ro ships a distance of 6 m athwartship shall  |
|  | maintained.  |
|  | SG35 Stow "separated from" acids.  |
| · 14.7 Transport in bulk according to Anne | ex II of   |
| Marpol and the IBC Code                    | Not applicable.  |
| · Transport/Additional information:        |  |
| · <i>ADR</i>                               |  |
| · Limited quantities (LQ)                  | 0  |
| · Excepted quantities (EQ)                 | Code: E0   |
| • • • • • •                                | Not permitted as Excepted Quantity   |
| · UN ''Model Regulation'':                 | UN 3399 ORGANOMETALLIC SUBSTANCE, LIQUII   |
| <u> </u>                                   | WATER-REACTIVE, FLAMMABLE, 4.3 (3), I  |

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category O2 Substances and mixtures which in contact with water emit flammable gases
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H224 Extremely flammable liquid and vapour.

H302 Harmful if swallowed.

H336 May cause drowsiness or dizziness.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director

(Contd. on page 8)



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Ethylmagnesium bromide, 3M in ether

(Contd. of page 7)

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 1: Flammable liquids – Category 1

Water-react. 1: Substances and mixtures which in contact with water emit flammable gases - Category 1

Acute Tox. 4: Acute toxicity - Category 4

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

GB ·