Printing date 07/20/2021

Reviewed on 07/20/2021

# **1** Identification

- · Product name
- · Trade name: Ethylmagnesium bromide, 3M in ether
- Item number: 93-1212
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- Information department: Technical Department
   Emergency telephone number: EMERGENCY: CHEMTREC: +1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

## 2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.

Water-react. 1 H260 In contact with water releases flammable gases, which may ignite spontaneously.



Acute Tox. 4H302Harmful if swallowed.STOT SE 3H336May cause drowsiness or dizziness.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

Hazard-determining components of labeling: Diethyl ether, anhydrous
Hazard statements H226 Flammable liquid and vapor. H260 In contact with water releases flammable gases, which may ignite spontaneously. H302 Harmful if swallowed. H336 May cause drowsiness or dizziness.
Precautionary statements P231+P232 Handle under inert gas. Protect from moisture.

(Contd. on page 2)

US

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Ethylmagnesium bromide, 3M in ether (Contd. of page 1) P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents under inert gas. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 2Reactivity = 0

The substance demonstrates unusual reactivity with water. • HMIS-ratings (scale 0 - 4)

= 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

60-29-7 Diethyl ether, anhydrous

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

(Contd. on page 3)



80.0%

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Ethylmagnesium bromide, 3M in ether

(Contd. of page 2)

#### **5** Fire-fighting measures

- · Extinguishing media
- $\cdot$  Suitable extinguishing agents:
- Sand. Do not use water.
- CO2, sand, extinguishing powder. Do not use water.
- Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.* 

- · Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- $\cdot$  Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:		
60-29-7	Diethyl ether, anhydrous	500 ppm
925-90-6	Ethylmagnesium bromide, 3.4M (40wt% $\pm 1$ wt%) in 2-methyltetrahydrofuran	1.2 mg/m3
· PAC-2:		
60-29-7	Diethyl ether, anhydrous	3200* ppm
925-90-6	Ethylmagnesium bromide, 3.4M (40wt% $\pm 1$ wt%) in 2-methyltetrahydrofuran	13 mg/m3
· PAC-3:		
60-29-7	Diethyl ether, anhydrous	19000*** ppm
925-90-6	Ethylmagnesium bromide, 3.4M (40wt% $\pm 1$ wt%) in 2-methyltetrahydrofuran	79 mg/m3

### 7 Handling and storage

- · Handling: Handle under inert gas.
- · Precautions for safe handling Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

#### Printing date 07/20/2021

#### Reviewed on 07/20/2021

Trade name: Ethylmagnesium bromide, 3M in ether

(Contd. of page 3)

- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- $\cdot$  Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

60-29-7 Diethyl ether, anhydrous

PEL Long-term value: 1200 mg/m<sup>3</sup>, 400 ppm

TLV Short-term value: 1520 mg/m<sup>3</sup>, 500 ppm

Long-term value: 1210 mg/m<sup>3</sup>, 400 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 07/20/2021

-10

CHEMICALS, INC.

Reviewed on 07/20/2021

Trade name: Ethylmagnesium bromide, 3M in ether

(Contd. of page 4)

	ties	
Information on basic physical and c	hemical properties	
General Information		
Appearance: Form:	Liquid	
Color:	Yellow	
Odor:	Ether-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	170 °C (338 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	1.7 Vol %	
Upper:	36.0 Vol %	
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$ ):	587 hPa (440 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	80.0 %	
VOC content:	80.0 %	
	800.0 g/l / 6.68 lb/gl	
• Other information	No further relevant information available.	

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

US

Printing date 07/20/2021

CHEMICALS.

Reviewed on 07/20/2021

(Contd. of page 5)

Trade name: Ethylmagnesium bromide, 3M in ether

- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

#### 60-29-7 Diethyl ether, anhydrous

 Oral
 LD50
 1215 mg/kg (rat)

Inhalative LC50/4 h 73000 mg/l (rat)

# • Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known. • Additional toxicological information: Harmful
- · Carcinogenic categories

# · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.


(Contd. on page 7)



(Contd. of page 6)

# Safety Data Sheet according to OSHA HCS

Reviewed on 07/20/2021



· Uncleaned packagings:

Printing date 07/20/2021

• Recommendation: Disposal must be made according to official regulations.

Transport information	
UN-Number DOT, IMDG, IATA	UN3399
UN proper shipping name DOT IMDG, IATA	Organometallic substance, liquid, water-reactive, flammable ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVI FLAMMABLE
Transport hazard class(es) DOT	
Class Label IMDG	4.3 Substances which, in contact with water, emit flammable gases 4.3, 3
Class	4.3 Substances which, in contact with water, emit flammable gases
Label IATA	4.3/3
Class Label	<i>4.3 Substances which, in contact with water, emit flammable gases 4.3 (3)</i>
Packing group DOT, IMDG, IATA	Ι
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Substances which, in contact with water, emit flammable gases
EMS Number: Stowage Category Stowage Code Handling Code Segregation Code	F-G,S-M D SW2 Clear of living quarters. H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 when stowed o deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained.



Printing date 07/20/2021

CHEMICALS.

Reviewed on 07/20/2021

Trade name: Ethylmagnesium bromide, 3M in ether

	(Contd. of page 7
	SG35 Stow "separated from" acids.
• Transport in bulk according to Annex . MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.
• Transport/Additional information:	
• DOT • Quantity limitations	On passenger aircraft/rail: Forbidden
	On cargo aircraft only: 1 L
· UN "Model Regulation":	UN 3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER- REACTIVE, FLAMMABLE, 4.3 (3), I

#### **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Ethylmagnesium bromide, 3M in ether

Signal word Da	nger (Contd. of page
Hazard-determ	ining components of labeling:
Diethyl ether, a	
Hazard stateme	nts
H226 Flammab	le liquid and vapor.
H260 In contact	t with water releases flammable gases, which may ignite spontaneously.
H302 Harmful	
H336 May caus	e drowsiness or dizziness.
Precautionary s	tatements
P231+P232	Handle under inert gas. Protect from moisture.
<i>P303+P361+P</i> .	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wate shower.
<i>P305+P351+P</i> .	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
Chemical safety	assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/20/2021 / -

· Abbreviations and acronvms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Water-react. 1: Substances and mixtures which in contact with water emit flammable gases - Category 1 Acute Tox. 4: Acute toxicity – Category 4 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3