

Printing date 07/20/2021 Reviewed on 07/20/2021

### 1 Identification

· Product name

· Trade name: Methylmagnesium bromide, 3M in ether

· Item number: 93-1265

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Information department: Technical Department

· Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.

Water-react. 1 H260 In contact with water releases flammable gases, which may ignite spontaneously.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Diethyl ether, anhydrous

· Hazard statements

H226 Flammable liquid and vapor.

H260 In contact with water releases flammable gases, which may ignite spontaneously.

H302 Harmful if swallowed.

H336 May cause drowsiness or dizziness.

· Precautionary statements

*P231+P232* Handle under inert gas. Protect from moisture.

(Contd. on page 2)



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Methylmagnesium bromide, 3M in ether

(Contd. of page 1)

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 1 Fire = 2Reactivity = 0

The substance demonstrates unusual reactivity with water.

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

60-29-7 Diethyl ether, anhydrous

65.0%

### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- $\cdot$  **After swallowing:** Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

US



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Methylmagnesium bromide, 3M in ether

(Contd. of page 2)

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Sand. Do not use water.

CO2, sand, extinguishing powder. Do not use water.

*Use fire fighting measures that suit the environment.* 

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:					
60-29-7	Diethyl ether, anhydrous		500 ppm		
75-16-1	-16-1 Methylmagnesium bromide, 3M in ether		0.25 ppm		
· PAC-2:	· PAC-2:				
60-29-7	Diethyl ether, anhydrous		3200* ppm		
75-16-1	Methylmagnesium bromide, 3M in ether		2.7 ppm		
· PAC-3:	· PAC-3:				
60-29-7	Diethyl ether, anhydrous	190	000*** ppm		
75-16-1	Methylmagnesium bromide, 3M in ether	16 j	ррт		

## 7 Handling and storage

- · Handling: Handle under inert gas.
- · Precautions for safe handling Open and handle receptacle with care.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Methylmagnesium bromide, 3M in ether

(Contd. of page 3)

· Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 60-29-7 Diethyl ether, anhydrous

PEL Long-term value: 1200 mg/m³, 400 ppm TLV Short-term value: 1520 mg/m³, 500 ppm Long-term value: 1210 mg/m³, 400 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

HS



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Methylmagnesium bromide, 3M in ether

(Contd. of page 4)

Physical and chemical proper	ties	
Information on basic physical and c	chemical properties	
General Information	1 1	
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Ether-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	170 °C (338 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	1.7 Vol %	
Upper:	36.0 Vol %	
Vapor pressure at 20 °C (68 °F):	587 hPa (440 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	65.0 %	
VOC content:	65.0 %	
	650.0 g/l / 5.42 lb/gl	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Methylmagnesium bromide, 3M in ether

(Contd. of page 5)

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that	are relevant	for classi	fication:
-----------------------	--------------	------------	-----------

#### 60-29-7 Diethyl ether, anhydrous

 Oral
 LD50
 1215 mg/kg (rat)

 Inhalative
 LC50/4 h
 73000 mg/l (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information: Harmful
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Methylmagnesium bromide, 3M in ether

(Contd. of page 6)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Transport information	
UN-Number DOT, IMDG, IATA	UN1928
UN proper shipping name DOT IMDG, IATA	Methyl magnesium bromide, in ethyl ether METHYL MAGNESIUM BROMIDE IN ETHYL ETHER
Transport hazard class(es)	
DOT  A  RAMMARE LIGHT  1	
Class Label	4.3 Substances which, in contact with water, emit flammable gases 4.3, 3
IMDG	
Class Label	4.3 Substances which, in contact with water, emit flammable gases 4.3/3
IATA  Class	4.3 Substances which, in contact with water, emit flammable gases
Label Packing group	4.3 (3)
DOT, IMDG, IATA	I
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Substances which, in contact with water, emit flammab gases
EMS Number:	F-G,S-L
Stowage Category	D
Handling Code Segregation Code	H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 when stowed a deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained.

(Contd. on page 8)



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Methylmagnesium bromide, 3M in ether

	(Contd. of page 7
· Transport in bulk according to Annex	<b>II of</b>
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	On passenger aircraft/rail: Forbidden
· Quantity limitations	On cargo aircraft only: 1 L
· IMDG	0
· Limited quantities (LQ)	Code: E0
· Excepted quantities (EQ)	Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN 1928 METHYL MAGNESIUM BROMIDE, IN ETHYL ETHER, 4.3 (3), I

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

 $(Contd.\ on\ page\ 9)$ 

(Contd. of page 8)



## Safety Data Sheet according to OSHA HCS

Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Methylmagnesium bromide, 3M in ether

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Diethyl ether, anhydrous

· Hazard statements

H226 Flammable liquid and vapor.

H260 In contact with water releases flammable gases, which may ignite spontaneously.

H302 Harmful if swallowed.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P231+P232 Handle under inert gas. Protect from moisture.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep container tightly closed. P403+P233

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/20/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids - Category 3

(Contd. on page 10)





Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Methylmagnesium bromide, 3M in ether

(Contd. of page 9)

Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1 Acute Tox. 4: Acute toxicity – Category 4

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

HS.