

Printing date 20.07.2021 Revision: 20.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Magnesium powder (99.8%)

· Item number: 93-1289

• CAS Number: 7439-95-4
• EC number: 231-104-6

• Index number: 012-001-00-3

 \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Further information obtainable from: Technical Department

· 1.4 Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

SECTION 2: Hazards identification

- \cdot 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Pyr. Sol. 1 H250 Catches fire spontaneously if exposed to air. Water-react. 2 H261 In contact with water releases flammable gases.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard statements

H250 Catches fire spontaneously if exposed to air.

H261 In contact with water releases flammable gases.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

(Contd. on page 2)



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Magnesium powder (99.8%)

(Contd. of page 1)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

· CAS No. Description

7439-95-4 magnesium powder (pyrophoric)

· Identification number(s)

· EC number: 231-104-6

· Index number: 012-001-00-3

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Sand. Do not use water.

CO2, sand, extinguishing powder. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

GB



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Magnesium powder (99.8%)

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 4)



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Magnesium powder (99.8%)

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

9.1 Information on basic physical and chemical properties General Information Appearance: Forn: Colour: Odour: Odourlers Odour threshold: Not determined. PH-value: Not applicable. Change in condition Melting point/freezing point: Initial boiling point and boiling range: 1.107 °C Flash point: Flammability (solid, gas): Flammable. Highly flammable. Contact with water liberates extremely flammable gases. Ignition temperature: Not determined. Auto-ignition temperature: Spontaneously flammable in air. Explosive properties: Not determined. Lower: Upper: Not determined. Vapour pressure at 20 °C: 1 hPa Density at 20 °C: 1 type: Not determined. Vapour density Not determined. Vapour density Not determined. Vapour density Not applicable. Solubility in / Miscibility with water: Not determined. Viscosity: Dynamic: Not applicable.	· Eye protection: Safety glasses	
Colour: Odour threshold: Not determined. - pH-value: Not applicable. - Change in condition Melting point/freezing point: 657 °C Initial boiling point and boiling range: 1.107 °C - Flash point: 500 °C - Flammability (solid, gas): Flammable. Highly flammable. Contact with water liberates extremely flammable gases. - Ignition temperature: Not determined. - Auto-ignition temperature: Spontaneously flammable in air. - Explosive properties: Not determined. - Explosion limits: Lower: Not determined. - Upper: Not determined. - Vapour pressure at 20 °C: 1 hPa - Density at 20 °C: 1.74 g/cm³ - Relative density Not determined. - Vapour density Not applicable. - Vapour density Not applicable. - Solubility in / Miscibility with water: Insoluble. - Partition coefficient: n-octanol/water: Not applicable. - Not applicable.	· General Information	hemical properties
Odour in Colour threshold: Odour threshold: Not determined. PH-value: Not applicable. Change in condition Melting point/freezing point: Initial boiling point and boiling range: 1.107 °C Flash point: So0 °C Flammability (solid, gas): Flammable. Highly flammable. Contact with water liberates extremely flammable gases. Ignition temperature: Decomposition temperature: Spontaneously flammable in air. - Auto-ignition temperature: Not determined Explosive properties: Not determined. - Explosive properties: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 1 PPa Density at 20 °C: 1.74 g/cm³ Relative density Not applicable. Vaporation rate Not applicable. Solubility in / Miscibility with water: Insoluble. Partition coefficient: n-octanol/water: Not applicable.		Powder
Odour threshold: PH-value: Not applicable. Change in condition Melting point/freezing point: Initial boiling point and boiling range: 1.107 °C Flash point: Flammability (solid, gas): Highly flammable. Highly flammable. Contact with water liberates extremely flammable gases. Ignition temperature: Not determined. Auto-ignition temperature: Not determined. Explosive properties: Not determined. Explosion limits: Lower: Upper: Not determined. Vapour pressure at 20 °C: 1 hPa Density at 20 °C: 1.74 g/cm³ Relative density Not determined. Vapour density Not determined. Vapour density Not applicable. Solubility in / Miscibility with water: Insoluble. Partition coefficient: n-octanol/water: Not applicable. Not applicable. Not applicable. Kinematic: Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.		·
PH-value: Not applicable. Change in condition Melting point/freezing point: Initial boiling point and boiling range: 1.107 °C Flash point: 500 °C Flammability (solid, gas): Flammable. Highly flammable. Contact with water liberates extremely flammable gases. Ignition temperature: Not determined. Auto-ignition temperature: Spontaneously flammable in air. Explosive properties: Not determined. Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 1.74 g/cm³ Relative density Not determined. Vapour density Not determined. Vapour density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with water: Insoluble. Partition coefficient: n-octanol/water: Not applicable. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable.		
Change in condition Melting point/freezing point: Initial boiling point and boiling range: 1.107 °C Flash point: Flammability (solid, gas): Flammable. Highly flammable. Highly flammable. Highly flammable gases. Ignition temperature: Decomposition temperature: Not determined. Auto-ignition temperature: Spontaneously flammable in air. Explosive properties: Not determined. Explosion limits: Lower: Upper: Not determined. Vapour pressure at 20 °C: I hPa Density at 20 °C: Relative density Not applicable. Evaporation rate Not applicable. Foot applicable. Not applicable. Partition coefficient: n-octanol/water: Not applicable.	· Odour threshold:	Not determined.
Melting point/freezing point: Initial boiling point and boiling range: 1.107 °C Flash point: 500 °C Flammability (solid, gas): Flammable. Highly flammable. Contact with water liberates extremely flammable gases. Ignition temperature: Not determined. Auto-ignition temperature: Spontaneously flammable in air. Explosive properties: Not determined. Explosion limits: Lower: Upper: Not determined. Vapour pressure at 20 °C: 1 hPa Density at 20 °C: 1.74 g/cm³ Relative density Not applicable. Yapour density Not applicable. Solubility in / Miscibility with water: Insoluble. Partition coefficient: n-octanol/water: Not applicable.	· pH-value:	Not applicable.
Flammability (solid, gas): Flammable. Highly flammable. Contact with water liberates extremely flammable gases. Ignition temperature: Not determined. Auto-ignition temperature: Spontaneously flammable in air. Explosive properties: Not determined. Explosion limits: Lower: Not determined. Vapour pressure at 20 °C: I hPa Density at 20 °C: 1.74 g/cm³ Relative density Not applicable. Vapour density Not applicable. Solubility in / Miscibility with water: Partition coefficient: n-octanol/water: Not applicable. Viscosity: Dynamic: Kinematic: Not applicable. Not applicable. Not applicable. Kinematic: Not applicable.	Melting point/freezing point:	
Highly flammable. Contact with water liberates extremely flammable gases. Ignition temperature: Decomposition temperature: Not determined. - Auto-ignition temperature: Spontaneously flammable in air. - Explosive properties: Not determined Lower: Upper: Not determined. Vapour pressure at 20 °C: I hPa - Density at 20 °C: I 1.74 g/cm³ Relative density Not applicable Evaporation rate Not applicable Solubility in / Miscibility with water: Insoluble. - Partition coefficient: n-octanol/water: Not applicable. Kinematic: Not applicable. Not applicable. Kinematic: Not applicable. Not applicable.	· Flash point:	500 °C
Decomposition temperature: Not determined. - Auto-ignition temperature: Spontaneously flammable in air. - Explosive properties: Not determined. - Explosion limits: Lower: Not determined. - Upper: Not determined. - Vapour pressure at 20 °C: 1 hPa - Density at 20 °C: 1.74 g/cm³ - Relative density Not applicable. - Vapour density Not applicable. - Solubility in / Miscibility with water: Insoluble. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Kinematic: Not applicable.	· Flammability (solid, gas):	Highly flammable.
· Auto-ignition temperature: Spontaneously flammable in air. · Explosive properties: Not determined. · Explosion limits: Lower: Not determined. Upper: Not determined. · Vapour pressure at 20 °C: I hPa · Density at 20 °C: I.74 g/cm³ · Relative density Not determined. · Vapour density Not applicable. · Evaporation rate Not applicable. · Solubility in / Miscibility with water: Insoluble. · Partition coefficient: n-octanol/water: Not determined. · Viscosity: Dynamic: Not applicable. Kinematic: Not applicable.	· Ignition temperature:	
Explosive properties: Not determined. Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: I hPa Density at 20 °C: 1.74 g/cm³ Relative density Not determined. Vapour density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with water: Insoluble. Partition coefficient: n-octanol/water: Not determined. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable.	Decomposition temperature:	Not determined.
Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 1 hPa Density at 20 °C: 1.74 g/cm³ Not determined. Vapour density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with water: Insoluble. Partition coefficient: n-octanol/water: Not determined. Viscosity: Dynamic: Kinematic: Not applicable.	· Auto-ignition temperature:	Spontaneously flammable in air.
Lower: Upper: Not determined. Vapour pressure at 20 °C: 1 hPa Density at 20 °C: 1.74 g/cm³ Not determined. Vapour density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with water: Insoluble. Partition coefficient: n-octanol/water: Not determined. Viscosity: Dynamic: Kinematic: Not applicable. Not applicable.	· Explosive properties:	Not determined.
Upper: Not determined. Vapour pressure at 20 °C: 1 hPa Density at 20 °C: 1.74 g/cm³ Relative density Not determined. Vapour density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with water: Insoluble. Partition coefficient: n-octanol/water: Not determined. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable.		
 Vapour pressure at 20 °C: 1 hPa Density at 20 °C: 1.74 g/cm³ Relative density Not determined. Vapour density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with water: Insoluble. Partition coefficient: n-octanol/water: Not determined. Viscosity: Not applicable. Not applicable. Kinematic: Not applicable. 		
 Density at 20 °C: Relative density Not determined. Vapour density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with water: Insoluble. Partition coefficient: n-octanol/water: Not determined. Viscosity: Dynamic: Kinematic: Not applicable. Not applicable. Not applicable. 	Upper:	Not determined.
Relative density Not determined. Vapour density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with water: Insoluble. Partition coefficient: n-octanol/water: Not determined. Viscosity: Dynamic: Kinematic: Not applicable. Not applicable.	· Vapour pressure at 20 °C:	1 hPa
 Vapour density	Density at 20 °C:	1.74 g/cm^3
 Evaporation rate Not applicable. Solubility in / Miscibility with water: Insoluble. Partition coefficient: n-octanol/water: Not determined. Viscosity: Dynamic: Kinematic: Not applicable. Not applicable. 		
· Solubility in / Miscibility with water: Insoluble. · Partition coefficient: n-octanol/water: Not determined. · Viscosity: Dynamic: Kinematic: Not applicable. Not applicable.		
water: Partition coefficient: n-octanol/water: Not determined. Viscosity: Dynamic: Kinematic: Not applicable. Not applicable.	· Evaporation rate	Not applicable.
· Viscosity: Dynamic: Not applicable. Kinematic: Not applicable.	-	Insoluble.
Dynamic: Not applicable. Kinematic: Not applicable.	· Partition coefficient: n-octanol/water:	Not determined.
Kinematic: Not applicable.		
· Solvent content:	Kinematic:	Not applicable.
	· Solvent content:	
Organic solvents: 0.0 %	Organic solvents:	0.0 %
VOC (EC) 0.00 %	VOC (EC)	0.00 %
Solids content: 100.0 %	Solids content:	100.0 %

(Contd. on page 5)



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Magnesium powder (99.8%)

(Contd. of page 4)

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Contact with water releases flammable gases.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Magnesium powder (99.8%)

(Contd. of page 5)

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN1418
14.2 UN proper shipping name ADR	1418 MAGNESIUM POWDER
IMDG, IATA	MAGNESIUM POWDER MAGNESIUM POWDER
14.3 Transport hazard class(es)	
ADR	
Class	4.3 Substances which, in contact with water, emit flammagases.
Label	4.3+4.2
IMDG	
Class	4.3 Substances which, in contact with water, emit flamma gases.
Label	4.3/4.2
IATA	
Class	4.3 Substances which, in contact with water, emit flammagases.
Label	4.3 (4.2)
14.4 Packing group	
ADR, IMDĞ, İATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Substances which, in contact with water, en flammable gases.
Danger code (Kemler):	40
EMS Number:	<u>F-G</u> ,S-O
Connegation evolung	Powdered metals
Segregation groups	Powdered metals

(Contd. on page 7)



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Magnesium powder (99.8%)

	(Contd. of page
Handling Code	H1 Keep as dry as reasonably practicable
Segregation Code	SG26 In addition: from goods of classes 2.1 and 3 whe stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, whe stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.
	SG32 Stow "away from" liquid halogenated hydrocarbons SG35 Stow "separated from" acids.
14.7 Transport in bulk according to Anna	ex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
Transport category	3
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 1418 MAGNESIUM POWDER, 4.3 (4.2), II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P7 PYROPHORIC LIQUIDS AND SOLIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 40
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Magnesium powder (99.8%)

(Contd. of page 7)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Pyr. Sol. 1: Pyrophoric solids – Category 1

Water-react. 2: Substances and mixtures which in contact with water emit flammable gases – Category 2

GR