Printing date 07/20/2021

Reviewed on 07/20/2021

1 Identification

- · Product name
- · Trade name: <u>Magnesium rod (99.8%)</u>
- Item number: 93-1295
- CAS Number: 7439-95-4
- *EC number:* 231-104-6
- Index number: 012-001-00-3
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- *Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600*

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Sol. 2 H228 Flammable solid.

- · Label elements
- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



· Signal word Warning

- Hazard statements
- H228 Flammable solid.
- Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

- P280 Wear protective gloves / eye protection / face protection.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P402+P404 Store in a dry place. Store in a closed container.
- *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

(Contd. on page 2)

Printing date 07/20/2021

CHEMICALS

Reviewed on 07/20/2021

Trade name: Magnesium rod (99.8%)

1

(Contd. of page 1)

· Classification system: · NFPA ratings (scale 0 - 4)

$$\begin{array}{c} \textbf{Health} = 0\\ Fire = 1\\ Reactivity = 0 \end{array}$$

· HMIS-ratings (scale 0 - 4)

• Health = 0HEALTH FIRE 1 Fire = 1**REACTIVITY O** *Reactivity* = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 7439-95-4 magnesium powder (pyrophoric)
- · Identification number(s)
- · EC number: 231-104-6
- · Index number: 012-001-00-3

4 First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

Printing date 07/20/2021

CHEMICALS.

Reviewed on 07/20/2021

Trade name: Magnesium rod (99.8%)

• Environmental precautions: No special measures required.	(Contd. of page 2)
· Methods and material for containment and cleaning up:	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
	18 mg/m3
· PAC-2:	
	200 mg/m3
• PAC-3:	
	1,200 mg/m3

7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

US

Printing date 07/20/2021

CHEMICALS, INC

Reviewed on 07/20/2021

Trade name: Magnesium rod (99.8%)

(Contd. of page 3)

- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection: Safety glasses

Information on basic physical and o	hemical properties	
General Information		
Appearance:		
Form:	Solid	
Color:	Silver grey	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	657 °C (1215 °F)	
Boiling point/Boiling range:	1.107 °C (34 °F)	
Flash point:	500 °C (932 °F)	
Flammability (solid, gaseous):	Flammable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	1 hPa (1 mm Hg)	
Density at 20 °C (68 °F):	1.74 g/cm ³ (14.5203 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	

Printing date 07/20/2021

CHEMICALS.

Reviewed on 07/20/2021

Trade name: Magnesium rod (99.8%)

	(Contd	of page 4)
 Solvent content: Organic solvents: VOC content: 	0.0 % 0.0 g/l / 0.00 lb/gl	
Solids content: • Other information	100.0 % No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

- · OSHA-Ca (Occupational Safety & Health Administration)
- Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

⁻ US

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Magnesium rod (99.8%)

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN1869
	0///809
UN proper shipping name	Magnesium
IMDG, IATA	MAGNESIUM
Transport hazard class(es)	
DOT	
Class	4.1 Flammable solids, self-reactive substances and soli desensitised explosives
Label	4.1
Class	4.1 Flammable solids, self-reactive substances and soli desensitised explosives
Label	4.1
Packing group DOT, IMDG, IATA	111
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Danger code (Kemler):	40
EMS Number:	F-G,S-G
Stowage Category	A III Koon ag dru ag naggan ghlu nuggti gabla
Handling Code Segregation Code	H1 Keep as dry as reasonably practicable SG17 Stow "separated from" class 5.1
Segregation Coue	SG17 Slow separated from class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3.
	SG26 In addition: from goods of classes 2.1 and 3 when stowed o
	deck of a containership a minimum distance of two container space



(Contd. of page 5)

US

Printing date 07/20/2021

CHEMICALS, INC

Reviewed on 07/20/2021

Trade name: Magnesium rod (99.8%)

	(Contd. of page
	athwartship shall be maintained, when stowed on ro-ro ships
	distance of 6 m athwartship shall be maintained.
	SG32 Stow "away from" liquid halogenated hydrocarbons
	SG35 Stow "separated from" acids.
	SG36 Stow "separated from" alkalis.
	SG52 Stow "separated from" iron oxide
• Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 25 kg
2 .	On cargo aircraft only: 100 kg
· IMDG	
· Limited quantities (LQ)	5 kg
· Excepted quantities (\widetilde{EQ})	Code: El
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 1869 MAGNESIUM, 4.1, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

(Contd. on page 8)

[•] US

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Magnesium rod (99.8%)

Substanc	e is not listed.
GHS lab	el elements
0	tance is classified and labeled according to the Globally Harmonized System (GHS).
	ictograms
ii a an a a a a a a a a a a a a a a a a	
Jul,	
く そう 🌽	
GHS02	
011502	
C' 1	
-	ord Warning
Hazard s	<i>tatements</i>
H228 Fla	ummable solid.
Precautie	onary statements
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280	Wear protective gloves / eye protection / face protection.
P240	
	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
$P402 + P_{2}$	104 Store in a dry place. Store in a closed container.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
	l safety assessment: A Chemical Safety Assessment has not been carried out.
Chemica	

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/20/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Sol. 2: Flammable solids – Category 2