Printing date 20.07.2021

CHEMICALS, INC.

Revision: 20.07.2021

	V 1: Identification of the substance/mixture and of the company/	<u>undertaking</u>
		unuertuking
1.1 Product	-	
Trade name	e: <u>Magnesium powder (99%)</u>	
Item numbe	er: 93-1298	
CAS Numbe	er:	
7439-95-4		
EC number.	:	
231-104-6		
Index numb		
012-001-00-		
	t identified uses of the substance or mixture and uses advised against	
<i>No further r</i>	elevant information available.	
	of the supplier of the safety data sheet	
•	rer/Supplier:	
Strem Chem		
7 Mulliken V	•	
	PORT, MA 01950	
USA		
info@strem.	com	
	ormation obtainable from: Technical Department	
	ncy telephone number:	
	CY: CHEMTREC: + 1 (800) 424-9300	
i juring norn	nal opening times: +1 (978) 499-1600	
<mark>SECTIO</mark> N 2.1 Classific	2: Hazards identification cation of the substance or mixture	
<mark>SECTIO</mark> N 2.1 Classific	· · · · ·	
SECTION 2.1 Classific Classificatio	cation of the substance or mixture on according to Regulation (EC) No 1272/2008	
SECTION 2.1 Classific Classificatio	cation of the substance or mixture	
SECTION 2.1 Classific Classificatio	cation of the substance or mixture on according to Regulation (EC) No 1272/2008 HS02 flame	
SECTION 2.1 Classific Classificatio	cation of the substance or mixture on according to Regulation (EC) No 1272/2008	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1	cation of the substance or mixture on according to Regulation (EC) No 1272/2008 HS02 flame	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1	cation of the substance or mixture on according to Regulation (EC) No 1272/2008 HS02 flame H250 Catches fire spontaneously if exposed to air. . 2 H261 In contact with water releases flammable gases.	
SECTION 2.1 Classific Classificatio (Classificatio Classificatio G G Pyr. Sol. 1 Water-react 2.2 Label el	cation of the substance or mixture on according to Regulation (EC) No 1272/2008 HS02 flame H250 Catches fire spontaneously if exposed to air. . 2 H261 In contact with water releases flammable gases.	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1 Water-react 2.2 Label ela Labelling ad The substand	 cation of the substance or mixture con according to Regulation (EC) No 1272/2008 cHS02 flame H250 Catches fire spontaneously if exposed to air. 2 H261 In contact with water releases flammable gases. ements ccording to Regulation (EC) No 1272/2008 cce is classified and labelled according to the CLP regulation. 	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1 Water-react 2.2 Label ela Labelling ad The substand	 cation of the substance or mixture con according to Regulation (EC) No 1272/2008 cHS02 flame H250 Catches fire spontaneously if exposed to air. 2 H261 In contact with water releases flammable gases. ements ccording to Regulation (EC) No 1272/2008 cce is classified and labelled according to the CLP regulation. 	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1 Water-react 2.2 Label ela Labelling ad	 cation of the substance or mixture con according to Regulation (EC) No 1272/2008 cHS02 flame H250 Catches fire spontaneously if exposed to air. 2 H261 In contact with water releases flammable gases. ements ccording to Regulation (EC) No 1272/2008 cce is classified and labelled according to the CLP regulation. 	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1 Water-react 2.2 Label ela Labelling ad The substand	 cation of the substance or mixture con according to Regulation (EC) No 1272/2008 cHS02 flame H250 Catches fire spontaneously if exposed to air. 2 H261 In contact with water releases flammable gases. ements ccording to Regulation (EC) No 1272/2008 cce is classified and labelled according to the CLP regulation. 	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1 Water-react 2.2 Label ela Labelling ad The substand	 cation of the substance or mixture con according to Regulation (EC) No 1272/2008 cHS02 flame H250 Catches fire spontaneously if exposed to air. 2 H261 In contact with water releases flammable gases. ements ccording to Regulation (EC) No 1272/2008 cce is classified and labelled according to the CLP regulation. 	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1 Water-react 2.2 Label ele Labelling ad The substand Hazard pict	 cation of the substance or mixture con according to Regulation (EC) No 1272/2008 cHS02 flame H250 Catches fire spontaneously if exposed to air. 2 H261 In contact with water releases flammable gases. ements ccording to Regulation (EC) No 1272/2008 cce is classified and labelled according to the CLP regulation. 	
SECTION 2.1 Classific Classificatio Classificatio G Classificatio G Classificatio G Classificatio G Classificatio	 cation of the substance or mixture con according to Regulation (EC) No 1272/2008 cHS02 flame H250 Catches fire spontaneously if exposed to air. 2 H261 In contact with water releases flammable gases. ements ccording to Regulation (EC) No 1272/2008 cce is classified and labelled according to the CLP regulation. 	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1 Water-react 2.2 Label ele Labelling ad The substand Hazard picto GHS02	 cation of the substance or mixture on according to Regulation (EC) No 1272/2008 cHS02 flame H250 Catches fire spontaneously if exposed to air. 2 H261 In contact with water releases flammable gases. ements ccording to Regulation (EC) No 1272/2008 ce is classified and labelled according to the CLP regulation. ograms 	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1 Water-react 2.2 Label ele Labelling ad The substand Hazard picto GHS02 Signal word	 cation of the substance or mixture on according to Regulation (EC) No 1272/2008 cHS02 flame H250 Catches fire spontaneously if exposed to air. 2 H261 In contact with water releases flammable gases. ements ccording to Regulation (EC) No 1272/2008 ce is classified and labelled according to the CLP regulation. ograms 	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1 Water-react. 2.2 Label ela Labelling ad The substand Hazard picto GHS02 Signal word Hazard state	Exation of the substance or mixture on according to Regulation (EC) No 1272/2008 EHS02 flame H250 Catches fire spontaneously if exposed to air. 2 H261 In contact with water releases flammable gases. ements ccording to Regulation (EC) No 1272/2008 ce is classified and labelled according to the CLP regulation. ograms I Danger ements	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1 Water-react 2.2 Label ela Labelling ad The substand Hazard picto GHS02 Signal word Hazard state Hazard state Hazard state	 <i>cation of the substance or mixture</i> <i>con according to Regulation (EC) No 1272/2008</i> <i>c</i>HS02 flame <i>H250 Catches fire spontaneously if exposed to air.</i> <i>c H261 In contact with water releases flammable gases.</i> <i>ements</i> <i>ccording to Regulation (EC) No 1272/2008</i> <i>ce is classified and labelled according to the CLP regulation.</i> <i>ograms</i> 	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1 Water-react 2.2 Label ele Labelling ad The substand Hazard picto GHS02 Signal word Hazard state H250 Catch H261 In con	Exation of the substance or mixture on according to Regulation (EC) No 1272/2008 EHS02 flame H250 Catches fire spontaneously if exposed to air. 2 H261 In contact with water releases flammable gases. ements ccording to Regulation (EC) No 1272/2008 ce is classified and labelled according to the CLP regulation. ograms I Danger ements es fire spontaneously if exposed to air. tanger time to the spontaneously if exposed to air. tanger tents tent	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1 Water-react 2.2 Label ele Labelling ad The substand Hazard picto GHS02 Signal word Hazard state H250 Catch H261 In con	Exation of the substance or mixture on according to Regulation (EC) No 1272/2008 EHS02 flame H250 Catches fire spontaneously if exposed to air. 2 H261 In contact with water releases flammable gases. ements ccording to Regulation (EC) No 1272/2008 ce is classified and labelled according to the CLP regulation. ograms I Danger ements es fire spontaneously if exposed to air. tatct with water releases flammable gases.	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1 Water-react. 2.2 Label ele Labelling ad The substand Hazard picto GHS02 Signal word Hazard state H250 Catch H261 In con Precautiona	Exation of the substance or mixture on according to Regulation (EC) No 1272/2008 EHS02 flame H250 Catches fire spontaneously if exposed to air. 2 H261 In contact with water releases flammable gases. ements coording to Regulation (EC) No 1272/2008 ce is classified and labelled according to the CLP regulation. ograms I Danger ements es fire spontaneously if exposed to air. tatct with water releases flammable gases. I Danger ements es fire spontaneously if exposed to air. tatct with water releases flammable gases. IT medical advice is needed, have product container or label at hand.	
SECTION 2.1 Classific Classificatio Classificatio G Pyr. Sol. 1 Water-react. 2.2 Label ele Labelling ac The substand Hazard picto GHS02 Signal word Hazard state Hazard state	Exation of the substance or mixture on according to Regulation (EC) No 1272/2008 EHS02 flame H250 Catches fire spontaneously if exposed to air. 2 H261 In contact with water releases flammable gases. ements ccording to Regulation (EC) No 1272/2008 ce is classified and labelled according to the CLP regulation. ograms I Danger ements es fire spontaneously if exposed to air. tatct with water releases flammable gases.	
SECTION 2.1 Classific Classificatio Classificatio Classificatio Glyr. Sol. 1 Water-react. 2.2 Label ele Labelling ad The substand Hazard picto GHS02 Signal word Hazard state Hazard state	Exation of the substance or mixture on according to Regulation (EC) No 1272/2008 EHS02 flame H250 Catches fire spontaneously if exposed to air. 2 H261 In contact with water releases flammable gases. ements ccording to Regulation (EC) No 1272/2008 ce is classified and labelled according to the CLP regulation. ograms I Danger ements es fire spontaneously if exposed to air. tages fire spontaneously if exposed to air. taget with water releases flammable gases. try statements If medical advice is needed, have product container or label at hand. Keep out of reach of children.	(Contd. on page

Printing date 20.07.2021

Trade name: Magnesium powder (99%)

Revision: 20.07.2021

P231+P232	(Contd. of page 1
	Handle under inert gas. Protect from moisture.
P303+P361+P	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water shower.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, i present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/internationa regulations.
2.3 Other haza	nda

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 7439-95-4 magnesium powder (pyrophoric)
- · Identification number(s)
- EC number: 231-104-6
- Index number: 012-001-00-3

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2. Do not use water.
- Sand. Do not use water.
- Special powder for metal fires. Do not use water.
- CO2, sand, extinguishing powder. Do not use water.
- Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)



Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Magnesium powder (99%)

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Open and handle receptacle with care.

- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 4)

ge 4)

GB

CHEMICALS, INC.

Printing date 20.07.2021

Revision: 20.07.2021

	(Contd. of page
varies from manufacturer to manufacture. Penetration time of glove material	not only depend on the material, but also on further marks of quality a
9.1 Information on basic physical and ch	nemical properties
General Information	
Appearance:	
Form: Colour:	Powder
· Odour:	Grey Odourless
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	657 °C
Initial boiling point and boiling range:	
Flash point:	500 °C
Flammability (solid, gas):	Flammable.
	Highly flammable.
	Contact with water liberates extremely flammable gases.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Spontaneously flammable in air.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
• Vapour pressure at 20 •C:	1 hPa
Density at 20 °C:	1.74 g/cm ³
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	Incolubia
water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	Not must be able
Dynamic: Kinematic:	Not applicable. Not applicable.
Solvent content:	0.0.9/
Organic solvents: VOC (EC)	0.0 % 0.00 %
Solids content:	100.0 %
SOURS CONTENTS	100.0 %

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Magnesium powder (99%)

(Contd. of page 4)

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Contact with water releases flammable gases.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$
- \cdot **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)



Revision: 20.07.2021

(Contd. of page 5)

Trade name: Magnesium powder (99%)

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
14.1 UN-Number	11111410
ADR, IMDG, IATA	UN1418
14.2 UN proper shipping name	
ADR IMDG, IATA	1418 MAGNESIUM POWDER MAGNESIUM POWDER
	MAGNESIUM I OWDER
14.3 Transport hazard class(es)	
ADR	
Class	4.3 Substances which, in contact with water, emit flammab
	gases.
Label	4.3+4.2
IMDG	
Class	4.3 Substances which, in contact with water, emit flammab gases.
Label	4.3/4.2
IATA	
Class	4.3 Substances which, in contact with water, emit flammab
Label	gases. 4.3 (4.2)
14.4 Packing group	(12)
ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Substances which, in contact with water, en
Danger code (Kemler):	flammable gases. 40
EMS Number:	F-G,S-O
Segregation groups	Powdered metals
Stowage Category	A



Printing date 20.07.2021

GB

Printing date 20.07.2021

Revision: 20.07.2021

	(Contd. of page
Handling Code	H1 Keep as dry as reasonably practicable
Segregation Code	SG26 In addition: from goods of classes 2.1 and 3 whe stowed on deck of a containership a minimum distance of tw container spaces athwartship shall be maintained, whe stowed on ro-ro ships a distance of 6 m athwartship shall b maintained. SG32 Stow "away from" liquid halogenated hydrocarbons
	SG32 Slow "away from "inquite introgenated hydrocarbons" SG35 Stow "separated from" acids.
14.7 Transport in bulk according to Ann	nex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
Transport category	3
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 1418 MAGNESIUM POWDER, 4.3 (4.2), II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

· Seveso category P7 PYROPHORIC LIQUIDS AND SOLIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 40

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)

[•] GB

Printing date 20.07.2021

-10

CHEMICALS, INC.

Revision: 20.07.2021

Trade name: Magnesium powder (99%)

(Contd. of page 7)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Pyr. Sol. 1: Pyrophoric solids – Category 1 Water-react. 2: Substances and mixtures which in contact with water emit flammable gases – Category 2