Printing date 20.07.2021

CHEMICALS, INC.

Revision: 20.07.2021

1 1 Product identifier	
1.1 Product identifier	
Trade name: <u>Aluminum nitrate nonahydrate</u> , 98+% (ACS)	
Item number: 93-1325 CAS Number:	
7784-27-2	
EC number:	
236-751-8 • <b>1.2 Relevant identified uses of the substance or mixture and</b>	uses advised against
<i>No further relevant information available.</i>	uses aavisea againsi
1.3 Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	
Strem Chemicals, Inc.	
7 Mulliken Way NEWBURYPORT, MA 01950	
USA	
info@strem.com	
Further information obtainable from: Technical Departmen	t
• 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300	
During normal opening times: $+1$ (978) 499-1600	
SECTION 2: Hazards identification	
2.1 Classification of the substance or mixture	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS08 health hazard	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS08 health hazard Repr. 1A H360 May damage fertility or the unborn child.	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS08 health hazard Repr. 1A H360 May damage fertility or the unborn child.	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS08 health hazard Repr. 1A H360 May damage fertility or the unborn child. GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage.	
<ul> <li>2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008</li> <li>GHS08 health hazard</li> <li>Repr. 1A H360 May damage fertility or the unborn child.</li> <li>GHS05 corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>2.2 Label elements</li> </ul>	
<ul> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>GHS08 health hazard</li> <li>Repr. 1A H360 May damage fertility or the unborn child.</li> <li>GHS05 corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> </ul>	regulation.
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS08 health hazard Repr. 1A H360 May damage fertility or the unborn child. GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. GHS07	regulation.
<ul> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>GHS08 health hazard</li> <li>Repr. 1A H360 May damage fertility or the unborn child.</li> <li>GHS05 corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The substance is classified and labelled according to the CLF</li> </ul>	regulation.
<ul> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>GHS08 health hazard</li> <li>Repr. 1A H360 May damage fertility or the unborn child.</li> <li>GHS05 corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The substance is classified and labelled according to the CLF</li> </ul>	regulation.
<ul> <li>2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008</li> <li>GHS08 health hazard</li> <li>Repr. 1A H360 May damage fertility or the unborn child.</li> <li>GHS05 corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The substance is classified and labelled according to the CLF</li> <li>Hazard pictograms</li> </ul>	regulation.
<ul> <li>2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008</li> <li>GHS08 health hazard</li> <li>Repr. 1A H360 May damage fertility or the unborn child.</li> <li>GHS05 corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The substance is classified and labelled according to the CLF</li> </ul>	regulation.
<ul> <li>2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008</li> <li>GHS08 health hazard</li> <li>Repr. 1A H360 May damage fertility or the unborn child.</li> <li>GHS05 corrosion</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>GHS07</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The substance is classified and labelled according to the CLF</li> <li>Hazard pictograms</li> </ul>	regulation.

Printing date 20.07.2021

CHEMICALS.

Revision: 20.07.2021

### Trade name: Aluminum nitrate nonahydrate, 98+% (ACS)

	(Contd. of page 1)
· Hazard-determ	ining components of labelling:
	minum salt, nonahydrate
· Hazard statem	ents
H315 Causes s	kin irritation.
H318 Causes s	erious eye damage.
H360 May dam	age fertility or the unborn child.
· Precautionary	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P231	Handle under inert gas.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P221	Take any precaution to avoid mixing with combustibles.
P305+P351+P	2338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· 2.3 Other haza	rds
· Results of PBT	and vPvB assessment
· PBT: Not appli	icable.

### · **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.1 Chemical characterisation: Substances

· CAS No. Description

- 7784-27-2 Nitric acid, aluminum salt, nonahydrate
- Identification number(s)
- EC number: 236-751-8

### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Aluminum nitrate nonahydrate, 98+% (ACS)

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Use neutralising agent.

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

### · 7.1 Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

GB



(Contd. of page 2)

Printing date 20.07.2021

CHEMICALS, INC

Revision: 20.07.2021

(Contd. of page 3)

Trade name: Aluminum nitrate nonahydrate, 98+% (ACS)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

General Information		
Appearance: Form:		
Form: Colour:	Crystalline White	
Odour:	white Odourless	
Odour: Odour threshold:		
Oaour inresnoia:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	73.5 °C	
Initial boiling point and boiling ra	<b>inge:</b> Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Insoluble.	

GB

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Aluminum nitrate nonahydrate, 98+% (ACS)

	(Co	ontd. of page
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
VÕC (EC)	0.00 %	
Solids content:	100.0 %	
• 9.2 Other information	No further relevant information available.	

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity
- May damage fertility or the unborn child.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.

(Contd. on page 6)

- GB

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Aluminum nitrate nonahydrate, 98+% (ACS)

· 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN1438	
14.2 UN proper shipping name ADR IMDG, IATA	1438 ALUMINIUM NITRATE ALUMINIUM NITRATE	
14.3 Transport hazard class(es)		
ADR		
Class	5	
Label IMDG, IATA	5.1	
51		
Class	5.1 Oxidising substances.	
Label	5.1	
14.4 Packing group		
ADR, IMDG, IATA	III	
14.5 Environmental hazards:	N	
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
Stowage Category	A	
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	



(Contd. of page 5)

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Aluminum nitrate nonahydrate, 98+% (ACS)

	(Contd. of page
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5 kg
Excepted quantities $(EQ)$	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
IMDG	
Limited quantities (LQ)	5kg
Excepted quantities $(EQ)$	Code: E1
· · · · · · ·	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
UN ''Model Regulation'':	UN 1438 ALUMINIUM NITRATE, 5.1, III

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

- · Contact: Technical Director
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Repr. 1A: Reproductive toxicity – Category 1A