### Safety data sheet according to 1907/2006/EC, Article 31

### Printing date 20.07.2021

CHEMICALS, INC.

Revision: 20.07.2021

1.1 I rounce much	tifier	
Trade name: Alı	uminum 2-ethylhexanoate, basic, min. 96%	
Item number: 93		
CAS Number:		
30745-55-2		
	ntified uses of the substance or mixture and uses advised against and information available.	
U		
1.3 Details of the Manufacturer/Si	e supplier of the safety data sheet unnlier	
Strem Chemicals		
7 Mulliken Way		
NEWBURYPORT	Т, МА 01950	
USA info@strem.com		
	tion abtainable from Tachnical Donautment	
	ution obtainable from: Technical Department elephone number:	
	CHEMTREC: + 1 (800) 424-9300	
During normal o	pening times: +1 (978) 499-1600	
<b>SECTION 2:</b>	Hazards identification	
	n of the substance or mixture	
Classification ac	ecording to Regulation (EC) No 1272/2008	
GHS0	7	
GHS0	7	
$\mathbf{V}$		
Skin Irrit. 2 H31	5 Causes skin irritation.	
Skin Irrit. 2 H31 Eye Irrit. 2 H31	<ul><li><i>Causes skin irritation.</i></li><li><i>Causes serious eye irritation.</i></li></ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33	<ul> <li><sup>15</sup> Causes skin irritation.</li> <li><sup>19</sup> Causes serious eye irritation.</li> <li><sup>25</sup> May cause respiratory irritation.</li> </ul>	
<i>Skin Irrit.</i> 2 H31 <i>Eye Irrit.</i> 2 H31 <i>STOT SE 3 H33</i> <b>2.2 Label elemen</b>	<ul> <li><sup>15</sup> Causes skin irritation.</li> <li><sup>19</sup> Causes serious eye irritation.</li> <li><sup>15</sup> May cause respiratory irritation.</li> </ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33 2.2 Label element Labelling accord The substance is	<ul> <li>5 Causes skin irritation.</li> <li>9 Causes serious eye irritation.</li> <li>85 May cause respiratory irritation.</li> <li>nts</li> <li>ding to Regulation (EC) No 1272/2008</li> <li>classified and labelled according to the CLP regulation.</li> </ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33 2.2 Label elemen Labelling accord	<ul> <li>5 Causes skin irritation.</li> <li>9 Causes serious eye irritation.</li> <li>85 May cause respiratory irritation.</li> <li>nts</li> <li>ding to Regulation (EC) No 1272/2008</li> <li>classified and labelled according to the CLP regulation.</li> </ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33 2.2 Label element Labelling accord The substance is	<ul> <li>5 Causes skin irritation.</li> <li>9 Causes serious eye irritation.</li> <li>85 May cause respiratory irritation.</li> <li>nts</li> <li>ding to Regulation (EC) No 1272/2008</li> <li>classified and labelled according to the CLP regulation.</li> </ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33 2.2 Label element Labelling accord The substance is	<ul> <li>5 Causes skin irritation.</li> <li>9 Causes serious eye irritation.</li> <li>85 May cause respiratory irritation.</li> <li>nts</li> <li>ding to Regulation (EC) No 1272/2008</li> <li>classified and labelled according to the CLP regulation.</li> </ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33 2.2 Label element Labelling accord The substance is	<ul> <li>5 Causes skin irritation.</li> <li>9 Causes serious eye irritation.</li> <li>85 May cause respiratory irritation.</li> <li>nts</li> <li>ding to Regulation (EC) No 1272/2008</li> <li>classified and labelled according to the CLP regulation.</li> </ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33 2.2 Label element Labelling accord The substance is	<ul> <li>5 Causes skin irritation.</li> <li>9 Causes serious eye irritation.</li> <li>85 May cause respiratory irritation.</li> <li>nts</li> <li>ding to Regulation (EC) No 1272/2008</li> <li>classified and labelled according to the CLP regulation.</li> </ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33 2.2 Label elemen Labelling accord The substance is Hazard pictograd	<ul> <li><sup>15</sup> Causes skin irritation.</li> <li><sup>19</sup> Causes serious eye irritation.</li> <li><sup>25</sup> May cause respiratory irritation.</li> <li><sup>11s</sup></li> <li><sup>11s</sup></li> <li><sup>11ng</sup> to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation.</li> <li><sup>11ms</sup></li> </ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33 2.2 Label element Labelling accord The substance is Hazard pictograd GHS07 Signal word War	<ul> <li><sup>15</sup> Causes skin irritation.</li> <li><sup>19</sup> Causes serious eye irritation.</li> <li><sup>15</sup> May cause respiratory irritation.</li> <li><sup>16</sup> Ing to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation.</li> <li><sup>17</sup> ms</li> </ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33 2.2 Label element Labelling accord The substance is Hazard pictograd GHS07 Signal word Wan Hazard-determin	<ul> <li><sup>15</sup> Causes skin irritation.</li> <li><sup>19</sup> Causes serious eye irritation.</li> <li><sup>25</sup> May cause respiratory irritation.</li> <li><sup>11s</sup></li> <li><sup>11s</sup></li> <li><sup>11ng</sup> to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation.</li> <li><sup>11ms</sup></li> </ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33 2.2 Label elemen Labelling accord The substance is Hazard pictograd GHS07 Signal word War Hazard-determin Aluminum 2-ethy Hazard statemen	<ul> <li><sup>15</sup> Causes skin irritation.</li> <li><sup>19</sup> Causes serious eye irritation.</li> <li><sup>15</sup> May cause respiratory irritation.</li> <li><sup>15</sup> Ing to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation.</li> <li><sup>17</sup> ms</li> <li><sup>17</sup> rning</li> <li><sup>17</sup> ning components of labelling: whexanoate, basic, min. 96%</li> <li><sup>17</sup> ts</li> </ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33 2.2 Label elemen Labelling accord The substance is Hazard pictograd GHS07 Signal word War Hazard-determin Aluminum 2-ethy Hazard statemen H315 Causes ski	<ul> <li><sup>15</sup> Causes skin irritation.</li> <li><sup>19</sup> Causes serious eye irritation.</li> <li><sup>15</sup> May cause respiratory irritation.</li> <li><sup>16</sup> Ing to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation.</li> <li><sup>17</sup> ms</li> <li><sup>17</sup> rning</li> <li><sup>17</sup> ning components of labelling: clhexanoate, basic, min. 96%</li> <li><sup>16</sup> ts</li> <li><sup>16</sup> irritation.</li> </ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33 2.2 Label elemen Labelling accord The substance is Hazard pictograd GHS07 Signal word Wan Hazard-determin Aluminum 2-ethy Hazard statemen H315 Causes ski H319 Causes ser	<ul> <li><sup>15</sup> Causes skin irritation.</li> <li><sup>19</sup> Causes serious eye irritation.</li> <li><sup>25</sup> May cause respiratory irritation.</li> <li><sup>26</sup> Ing to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation.</li> <li><sup>27</sup> ming</li> <li><sup>27</sup> ming components of labelling:</li> <li><sup>27</sup> vihexanoate, basic, min. 96%</li> <li><sup>28</sup> ts</li> <li><sup>29</sup> n irritation.</li> <li><sup>29</sup> ious eye irritation.</li> </ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33 2.2 Label elemen Labelling accord The substance is Hazard pictograd GHS07 Signal word Wan Hazard-determin Aluminum 2-ethy Hazard statemen H315 Causes ski H319 Causes ser H335 May cause	<ul> <li><sup>15</sup> Causes skin irritation.</li> <li><sup>19</sup> Causes serious eye irritation.</li> <li><sup>15</sup> May cause respiratory irritation.</li> <li><sup>115</sup> Ins to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation.</li> <li><sup>116</sup> ming components of labelling: clhexanoate, basic, min. 96% ts</li> <li><sup>116</sup> irritation.</li> <li><sup>116</sup> irritation.</li> <li><sup>116</sup> irritation.</li> <li><sup>117</sup> irritation.</li> <li><sup>118</sup> respiratory irritation.</li> </ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33 2.2 Label element Labelling accord The substance is Hazard pictograd GHS07 Signal word War Hazard-determin Aluminum 2-ethy Hazard statement H315 Causes ski H319 Causes ser H335 May cause Precautionary st P101	<ul> <li><sup>15</sup> Causes skin irritation.</li> <li><sup>19</sup> Causes serious eye irritation.</li> <li><sup>15</sup> May cause respiratory irritation.</li> <li><sup>16</sup> Ing to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation.</li> <li><sup>17</sup> ming</li> <li><sup>17</sup> ming components of labelling: clhexanoate, basic, min. 96%</li> <li><sup>16</sup> irritation.</li> <li><sup>17</sup> rous eye irritation.</li> <li><sup>17</sup> respiratory irritation.</li> <li><sup>18</sup> respiratory irritation.</li> <li><sup>19</sup> respira</li></ul>	
Skin Irrit. 2 H31 Eye Irrit. 2 H31 STOT SE 3 H33 2.2 Label element Labelling accord The substance is Hazard pictograd GHS07 Signal word War Hazard-determin Aluminum 2-ethy Hazard statement H315 Causes ski H319 Causes ser H335 May cause Precautionary st	<ul> <li><sup>15</sup> Causes skin irritation.</li> <li><sup>19</sup> Causes serious eye irritation.</li> <li><sup>15</sup> May cause respiratory irritation.</li> <li><sup>115</sup> Ins Components of CC No 1272/2008 classified and labelled according to the CLP regulation.</li> <li><sup>116</sup> ming components of labelling: clhexanoate, basic, min. 96% ts is irritation.</li> <li><sup>117</sup> mirritation.</li> <li><sup>128</sup> respiratory irritation.</li> <li><sup>129</sup> respiratory irritation.</li> <li><sup>121</sup> respiratory irritation.</li> </ul>	

## HEMICALS, INC.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Aluminum	a 2-ethylhexanoate,	basic, min.	<b>96%</b>
----------------------	---------------------	-------------	------------

	(Contd. of page 1)
P262	Do not get in eyes, on skin, or on clothing.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
<i>P305+P351+P</i> .	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
$\cdot$ 2.3 Other hazar	

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.1 Chemical characterisation: Substances

· CAS No. Description

30745-55-2 Aluminum 2-ethylhexanoate, basic, min. 96%

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GB

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2021

Revision: 20.07.2021

(Contd. of page 2)

Trade name: Aluminum 2-ethylhexanoate, basic, min. 96%

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eves and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation *Material of gloves* 

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 4)

### CHEMICALS, IN

# Safety data sheet

accord	Safety data sheet ing to 1907/2006/EC, Article 31	
inting date 20.07.2021	6 /	Revision: 20.07.2021
ade name: Aluminum 2-ethylhexanoate, l	basic, min. 96%	
		(Contd. of page 3
• 9.1 Information on basic physical and c • General Information	hemical properties	
· Appearance: Form:	Powder	
Colour:	White	
· Odour:	Odourless	
· Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not determined.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
• Auto-ignition temperature:	Not determined.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
D '		

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

Dynamic:

Kinematic:

· Solvent content:

Organic solvents: VOC (EC)

Solids content:

• 9.2 Other information

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

No further relevant information available.

Not applicable.

Not applicable.

0.0 %

0.00 %

100.0 %

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 5)

GB

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Aluminum 2-ethylhexanoate, basic, min. 96%

· 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:

• Skin corrosion/irritation Causes skin irritation.

- · Serious eye damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- $\cdot$  Germ cell mutagenicity Based on available data, the classification criteria are not met.
- $\cdot$  Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$

· STOT-single exposure

- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

### **SECTION 14: Transport information**

· 14.1 UN-Number

· ADR, ADN, IMDG, IATA

not regulated

(Contd. on page 6)



GB

# CHEMICALS, INC.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Aluminum 2-ethylhexanoate, basic, min. 96%

	(C	ontd. of page 5
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.	
· UN "Model Regulation":	not regulated	

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

*vPvB: very Persistent and very Bioaccumulative* 

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3