
Printing date 07/20/2021

Reviewed on 07/20/2021

# **1** Identification

- · Product name
- · Trade name: Diethylaluminum chloride, 97%
- Item number: 93-1356
- · CAS Number:
- 96-10-6
- EC number: 202-477-2
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Strem Chemicals, Inc.
  7 Mulliken Way NEWBURYPORT, MA 01950
- USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

## 2 Hazard(s) identification



Flam. Liq. 2H225 Highly flammable liquid and vapor.Self-heat. 2H252 Self-heating in large quantities; may catch fire.Water-react. 1H260 In contact with water releases flammable gases, which may ignite spontaneously.

GHS05 Corrosion

Skin Corr. 1AH314Causes severe skin burns and eye damage.Eye Dam. 1H318Causes serious eye damage.



Acute Tox. 4 H332 Harmful if inhaled.

· Label elements

• GHS label elements

*The substance is classified and labeled according to the Globally Harmonized System (GHS).* • *Hazard pictograms* 



· Signal word Danger

Printing date 07/20/2021

CHEMICALS, INC.

Reviewed on 07/20/2021

rinting date 07/20/2	2021 Reviewed on 07/20/202
rade name: Diethy	laluminum chloride, 97%
	(Contd. of page 1
· Hazard-determi	ining components of labeling:
diethylaluminium	
· Hazard statemen	
	mmable liquid and vapor.
	ng in large quantities; may catch fire.
	t with water releases flammable gases, which may ignite spontaneously.
H332 Harmful ij	
	vere skin burns and eye damage.
· Precautionary s	
P231+P232	Handle under inert gas. Protect from moisture.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen
	and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· Classification sy	
· NFPA ratings (s	scale 0 - 4)
<b>3</b> 2 <i>Fi</i>	$\begin{aligned} \text{lealth} &= 3\\ \text{ire} &= 4\\ \text{eactivity} &= 2 \end{aligned}$
	emonstrates unusual reactivity with water.
· HMIS-ratings (S	scale 0 - 4)
HEALTH 4	Health = 4
	Fire = 4
REACTIVITY 2 1	Reactivity = 2
• Other hazards	
	and vPvB assessment
• <b>PBT:</b> Not applic	
• <b>vPvB:</b> Not appli	cable.
3 Composition/	information on ingredients
Chamical ab	acterization: Substances
· CAS No. Descri	
· Identification n	aluminium chloride
• EC number: 202	
EC number, 202	

# 4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

(Contd. of page 2)

## Safety Data Sheet according to OSHA HCS

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Diethylaluminum chloride, 97%

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Sand. Do not use water.
- CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

#### · Protective Action Criteria for Chemicals

27 mg/m3

290 mg/m3

· PAC-2:

· PAC-3:

1,800 mg/m3

(Contd. on page 4)

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Diethylaluminum chloride, 97%

(Contd. of page 3)

#### 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

96-10-6 diethylaluminium chloride

- REL Long-term value: 2 mg/m<sup>3</sup> as Al
- *TLV* Long-term value: 1\* mg/m<sup>3</sup> as Al;\*as repirable fraction

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment: Wear protective clothing
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 5)

US

(Contd. of page 4)

# Safety Data Sheet according to OSHA HCS

Printing date 07/20/2021

CHEMICALS, INC.

Reviewed on 07/20/2021

#### Trade name: Diethylaluminum chloride, 97%

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Information on basic physical and	chamical properties
• Information on basic physical and • General Information	chemical properties
· Appearance:	
Form:	Liquid
Color:	Colorless
· Odor:	Pungent
• Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	-18 °C (-0 °F)
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
• Density at 20 •C (68 •F):	0.961 g/cm <sup>3</sup> (8.01955 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.

US

Printing date 07/20/2021

Reviewed on 07/20/2021

#### Trade name: Diethylaluminum chloride, 97%

	(Contd. of page 5)
Not determined.	
0.0 %	
$0.0 \ g/l / 0.00 \ lb/gl$	
	0.0 %

#### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Contact with water releases flammable gases.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

96-10-6 diethylaluminium chloride

*Oral LD50 11000 mg/kg (rat)* 

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

## **12** Ecological information

· Toxicity

· Aquatic toxicity: No further relevant information available.

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

(Contd. on page 7)

US

(Contd. of page 6)

## Safety Data Sheet according to OSHA HCS

Printing date 07/20/2021

CHEMICALS, INC.

Reviewed on 07/20/2021

Trade name: Diethylaluminum chloride, 97%

- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment

· PBT: Not applicable.

- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

- *Recommendation:* Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN3394
· UN proper shipping name	
·DOT	Organometallic substance, liquid, pyrophoric, water-reactiv (diethylaluminium chloride)
· IMDG	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC WATER- REACTIVE (diethylaluminium chloride)
·IATA	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC WATER- REACTIVE
· Transport hazard class(es)	
·DOT	
4	4.2 Substances liable to spontaneous combustion
· Class	<i>4.2 Substances liable to spontaneous combustion 4.2, 4.3</i>
· Class · Label	
· Class · Label	
· Class · Label	

Printing date 07/20/2021

Ш

CHEMICALS, INC.

Reviewed on 07/20/2021

	(Contd. of page
·IATA	
· Class · Label	<i>4.2 Substances liable to spontaneous combustion 4.2 (4.3)</i>
· Packing group · DOT, IMDG, IATA	Ι
· Environmental hazards: · Marine pollutant:	No
<ul> <li>Special precautions for user</li> <li>Danger code (Kemler):</li> <li>EMS Number:</li> <li>Stowage Category</li> <li>Handling Code</li> <li>Segregation Code</li> </ul>	Not applicable. X333 F-G,S-M D H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 when stowed o deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an intervening complet compartment or hold from" Class 1.
• Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	l of Not applicable.
· Transport/Additional information:	
• DOT • Quantity limitations	On passenger aircraft/rail: Forbidden On cargo aircraft only: Forbidden
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	0 Code: E0 Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN 3394 ORGANOMETALLIC SUBSTANCE, LIQUID PYROPHORIC, WATER-REACTIVE (DIETHYLALUMINIUM CHLORIDE), 4.2 (4.3), I

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

(Contd. on page 9)

US

Printing date 07/20/2021

CHEMICALS, INC.

Reviewed on 07/20/2021

Trade name: Diethylaluminum chloride, 97%

(Contd.	of page	8)
(Conta.	or page	0)

	(Contd. on page
Chemical safety d	ussessment: A Chemical Safety Assessment has not been carried out.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
P422	Store contents under inert gas.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
1 505 +1 551 +1 55	and easy to do. Continue rinsing.
	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. 88 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press
P231+P232 P301+P310	Handle under inert gas. Protect from moisture.
Precautionary sta	
	ere skin burns and eye damage.
H332 Harmful if	inhaled.
	with water releases flammable gases, which may ignite spontaneously.
	g in large quantities; may catch fire.
-	s mable liquid and vapor.
Hazard statemen	
<i>Hazard-determin</i> diethylaluminium	ing components of labeling:
	-
Signal word Dan	ger -
GHS02 GHS0	5 GHS07
	>
	<b>^</b>
Hazard pictogram	
GHS label element	<b>nts</b> classified and labeled according to the Globally Harmonized System (GHS).
NIOSH-Ca (Nati Substance is not l	onal Institute for Occupational Safety and Health)
Substance is not l	•
	Limit Value established by ACGIH)
Substance is not l	
	ntal Protection Agency)
Carcinogenic cat	egories
Substance is not l	isted.
Chemicals known	n to cause developmental toxicity:
Substance is not l	isted.
	to cause reproductive toxicity for males:
Substance is not l	
	to cause reproductive toxicity for females:
Substance is not l	
Chemicals known	a to cause cancer
<b>1</b> $1$ $0$ $0$ $0$ $0$ $0$	
Substance is listed <b>Proposition 65</b>	4.



Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Diethylaluminum chloride, 97%

(Contd. of page 9)

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/20/2021 / -
- · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Self-heat. 2: Self-heating substances and mixtures – Category 2 Water-react. 1: Substances and mixtures which in contact with water emit flammable gases - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1