CHEMICALS, INC.

SECTION 1: Identification of the substance/mixture and of	the company/undertaking
1.1 Product identifier	1
Trade name: Di-i-butylaluminum chloride, 97%	
Item number: 93-1397 CAS Number: 1779-25-5 EC number: 217-216-8 1.2 Relevant identified uses of the substance or mixture and uses advised No further relevant information available.	l against
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com	
Further information obtainable from: Technical Department 1.4 Emergency telephone number:	
<i>EMERGENCY: CHEMTREC:</i> + 1 (800) 424-9300 <i>During normal opening times:</i> +1 (978) 499-1600	
During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification	
During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture	ch may ignite spontaneously.
During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation (EC) No 1272/200	ch may ignite spontaneously.
During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008	ch may ignite spontaneously.
During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Image: Classification accord	ch may ignite spontaneously.

Revision: 20.07.2021

	(Contd. of page
Hazard pictogr	
JUL F	
<u><u></u></u>	
GHS02 GHS	S05 GHS07
Signal word Da	inger
Hazard-determ	ining components of labelling:
chlorodiisobuty	
Hazard stateme	
	ire spontaneously if exposed to air.
	ng in large quantities; may catch fire.
	t with water releases flammable gases which may ignite spontaneously.
H332 Harmful	
	evere skin burns and eye damage.
Precautionary s	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P231+P232	Handle under inert gas. Protect from moisture.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/internation
	regulations.
Additional info	
EUH014 Reacts	violently with water.
2.3 Other hazar	

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.1 Chemical characterisation: Substances
 CAS No. Description
- 1779-25-5 chlorodiisobutylaluminium
- · Identification number(s)
- EC number: 217-216-8

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)



Printing date 20.07.2021

GB

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Di-i-butylaluminum chloride, 97%

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents:
- Sand. Do not use water.

CO2, sand, extinguishing powder. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

- 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

(Contd. on page 4)

GB

(Contd. of page 2)

CHEMICALS, INC

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Di-i-butylaluminum chloride, 97%

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

1779-25-5 chlorodiisobutylaluminium

WEL Long-term value: 2 mg/m³

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

GB

Printing date 20.07.2021

CHEMICALS, INC.

Revision: 20.07.2021

Trade name: Di-i-butylaluminum chloride, 97%

	(Contd. of page
9.1 Information on basic physical and c	hemical properties
General Information	
Appearance:	· · · ·
Form:	Liquid
Colour:	Colourless
Odour:	Pungent
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: Undetermined.
Flash point:	Not applicable.
Flammability (solid, gas):	Not determined.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Spontaneously flammable in air.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	0.905 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
VÕC (EC)	0.00 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Contact with water releases flammable gases.
- 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6) GB

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Di-i-butylaluminum chloride, 97%

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 5)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity
- Harmful if inhaled.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes severe skin burns and eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- \cdot **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- \cdot Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA

UN3394

(Contd. on page 7)

CHEMICALS, INC.

CHEMICALS, INC.

Printing date 20.07.2021

Revision: 20.07.2021

14.2 UN proper shipping name ADR 3394 OR GANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER, REACTIVE IMDG, IATA ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHOR WATER, REACTIVE 14.3 Transport hazard class(es) ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHOR WATER, REACTIVE 14.3 Transport hazard class(es) 4 14.5 Transport hazard class(es) 4 14.6 Special protein 4.2+4.3 14.7 Transport hazard class 4.2 Substances liable to spontaneous combustion. 14.4 Packing group ADR, IMDG, IATA 1 14.5 Environmental hazards: Marbie pollutant: No 14.6 Special precautions for user EMS Number: Stowage Category D Not applicable. F-G,S-M Stowage Category D D 14.4 Packing Gode HI Keep as dry as reasonably practicable Segregation Code Stowage Category D D 14.6 Special precautions for user EMS Number: Stowage Category D Not applicable. F-G,S-M Stowage Category D D 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Not applicable.		
ADR 3394 ORGANOMETALLIC SUBSTANCE, LIQUI IMDG, IATA DYROPHORIC, WATER- REACTIVE IMDG, IATA ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHOR WATER- REACTIVE ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHOR WATER- REACTIVE ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHOR WATER- REACTIVE USE IAJ Transport hazard class(es) 4 ADR 4 Volt 4 Label 4.2+4.3 IMDG 4.2 Substances liable to spontaneous combustion. Label 4.2/4.3 IATA 4.2 Substances liable to spontaneous combustion. Label 4.2 (4.3) IATA 1 IAS Environmental hazards: Marine pollutant: Marine pollutant: No IAS Special precautions for user Not applicable. FGS-M Stowage Category D Handling Code SG26 In addition: from goods of classes 2.1 and 3 wi stowed on deck of a containership a minimum distance of 1 Segregation Code SG26 Stow "separated from" acids. SG35 Stow "separated from" acids. SG35 Stow "separated from" acids.		(Contd. of pag
IMDG, IATA PYROPHORIC, WATER-REACTIVE IMDG, IATA ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHOR WATER-REACTIVE IAJ Transport hazard class(es) ADR Image: Class 4 Label 4.2+4.3 IMDG Image: Class Image: Class 4.2+4.3 IMDG Image: Class Image: Class 4.2 Substances liable to spontaneous combustion. Label 4.2/4.3 IATA Image: Class Image: Class 4.2 Substances liable to spontaneous combustion. Label 4.2/4.3 IATA Image: Class Image: Class 4.2 Substances liable to spontaneous combustion. Label 4.2/4.3 IATA Image: Class Image: Class 4.2 Substances liable to spontaneous combustion. Label 4.2 (.3) I4.4 Packing group ADR ADR, IMDG, IATA I I1.5 Environmental hazards: Marine pollitant: Marine pollutant: No I4.5 Special precautions for user F-G.S-M Stowage Category D Imading Code SG26 I	14.2 UN proper shipping name	
IMDG, IATA ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHOR WATER- REACTIVE 14.3 Transport hazard class(es) ADR ADR Image: Class in the second seco	ADR	
WATER- REACTIVE IAJA IAJA IAJA		
ADR Class 4 Label 4.2+4.3 IMDG Class 4.2 Substances liable to spontaneous combustion. Label 4.2/4.3 IATA Class 4.2 Substances liable to spontaneous combustion. 4.2/4.3 IATA Class 4.2 Substances liable to spontaneous combustion. 4.2/4.3 IATA Class 4.2 Substances liable to spontaneous combustion. 4.2/4.3 IATA Class 4.2 Substances liable to spontaneous combustion. 4.2 (4.3) IA4 Packing group ADR, IMDG, IATA 1 IA5 Environmental hazards: Marine pollutant: No IA6 Special precautions for user EMS Number: F-G,S-M Stowage Category D HI Keep as dry as reasonably practicable Segregation Code SC26 In addition: from goods of classes 2.1 and 3 wi stowed on ro-ro ships a distance of 6 m athwartship shall maintaned. SG35 Stow "separated from" acids. SG63 Stow "separated from" acids. SG63 Stow "separated from" acids. SG63 Stow "separated from" acids. SG63 Stow "separated from" Class I.	IMDG, IATA	
Class 4 Label 4.2+4.3 IMDG IMDG Class 4.2 Substances liable to spontaneous combustion. Label 4.2/4.3 IATA 4.2/4.3 Class 4.2/4.3 IATA 4.2/4.3 Class 4.2/4.3 IATA 4.2/4.3 IATA 4.2/4.3 IATA 4.2/4.3 IATA 4.2 Substances liable to spontaneous combustion. Label 4.2 (4.3) IAA Packing group 1 IAS Environmental hazards: Mone pollutant: Marine pollutant: No IA Special precautions for user F-G,S-M Stowage Category D Handling Code SG26 In addition: from goods of classes 2.1 and 3 will stowed on cell of a containership a minimum distance of container spaces athwartship shall be maintained, will stowed on no-ro ships a distance of 6 a adminum distance of container spaces athwartship shall be maintained, will stowed on no-ro ships a distance of 6 a minwartship shall be maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an interven. complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of 1	14.3 Transport hazard class(es)	
Label 4.2+4.3 IMDG IMDG IMDG Impose the second	ADR	
Label 4.2+4.3 IMDG IMDG IMDG Impose the second		
Label 4.2+4.3 IMDG IMDG IMDG Impose the second		
Label 4.2+4.3 IMDG IMDG IMDG Impose the second	Class	4
IMDG V V Class 4.2 Substances liable to spontaneous combustion. Label 4.2/4.3 IATA V V V Class 4.2 Substances liable to spontaneous combustion. Label 4.2/4.3 IATA V V V Class 4.2 Substances liable to spontaneous combustion. Label 4.2 (4.3) IA.4 Packing group ADR, IMDG, IATA ADR, IMDG, IATA I 14.5 Environmental hazards: Mon Marine pollutant: No Stowage Category D Handling Code SG26 In addition: from goods of classes 2.1 and 3 wl stowed on deck of a containership a minimum distance of a container spaces athwartship shall be maintained, wl stowed on deck of a container ship a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG35 Stow "separated from" acids. SG3 Stow "separated from" acids. SG35 Stow "separated from" class 1. 14.7 Transport in bulk according to Annex II of I		
View 4.2 Substances liable to spontaneous combustion. Label 4.2/4.3 IATA View View View Class 4.2 Substances liable to spontaneous combustion. Label 4.2 Substances liable to spontaneous combustion. Label 4.2 (4.3) 14.4 Packing group 4.2 (4.3) 14.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user Not applicable. FGS-M D Handling Code HI Keep as dry as reasonably practicable Segregation Code SG26 In addition: from goods of classes 2.1 and 3 wl stowed on deck of a containership a minimum distance of a containership a distance of a containership and intained, wl stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG35 Stow "separated from" acids. SG35 Stow "separated from" acids. SG35 Stow "separated from" acids. SG35 Stow "separated from" acids. SG35 Stow "separated from" acids. SG35 Stow "separated from" acids. SG35 Stow "separated from" acids. SG35 Stow "separated from" acids. SG35 Stow "separated from" class 1. 14.7 Transport in bulk according to Annex II of H <		
Label 4.2/4.3 IATA IATA IATA Iata Iabel 4.2 Substances liable to spontaneous combustion. Label 4.2 (4.3) I4.4 Packing group ADR, IMDG, IATA I4.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user F-G,S-M EMS Number: F-G,S-M Stowage Category D Handling Code SG26 In addition: from goods of classes 2.1 and 3 wl stowed on deck of a containership a minimum distance of container spaces athwartship shall be maintained, wl stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an interven complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of Iata and the store of the stor		
Label 4.2/4.3 IATA IATA IATA Iata Iabel 4.2 Substances liable to spontaneous combustion. Label 4.2 (4.3) I4.4 Packing group ADR, IMDG, IATA I4.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user F-G,S-M EMS Number: F-G,S-M Stowage Category D Handling Code SG26 In addition: from goods of classes 2.1 and 3 wl stowed on deck of a containership a minimum distance of container spaces athwartship shall be maintained, wl stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an interven complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of Iata and the store of the stor		
Label 4.2/4.3 IATA IATA IATA Iata Iabel 4.2 Substances liable to spontaneous combustion. Label 4.2 (4.3) I4.4 Packing group ADR, IMDG, IATA I4.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user F-G,S-M EMS Number: F-G,S-M Stowage Category D Handling Code SG26 In addition: from goods of classes 2.1 and 3 wl stowed on deck of a containership a minimum distance of container spaces athwartship shall be maintained, wl stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an interven complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of Iata and the store of the stor		
Label 4.2/4.3 IATA IATA IATA Iata Iabel 4.2 Substances liable to spontaneous combustion. Label 4.2 (4.3) I4.4 Packing group ADR, IMDG, IATA I4.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user F-G,S-M EMS Number: F-G,S-M Stowage Category D Handling Code SG26 In addition: from goods of classes 2.1 and 3 wl stowed on deck of a containership a minimum distance of container spaces athwartship shall be maintained, wl stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an interven complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of Iata and the store of the stor	Class	4.2 Substances liable to spontaneous combustion.
Class 4.2 Substances liable to spontaneous combustion. Label 4.2 (4.3) 14.4 Packing group 1 ADR, IMDG, IATA I 14.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user Not applicable. FMS Number: F-G,S-M Stowage Category D Handling Code HI Keep as dry as reasonably practicable Segregation Code SG26 In addition: from goods of classes 2.1 and 3 wl stowed on deck of a containership a minimum distance of the container spaces athwartship shall be maintained, wl stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG35 Stow "separated longitudinally by an intervery complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of		
Class 4.2 Substances liable to spontaneous combustion. Label 4.2 (4.3) 14.4 Packing group 1 ADR, IMDG, IATA I 14.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user Not applicable. FMS Number: F-G,S-M Stowage Category D Handling Code HI Keep as dry as reasonably practicable Segregation Code SG26 In addition: from goods of classes 2.1 and 3 wl stowed on deck of a containership a minimum distance of the container spaces athwartship shall be maintained, wl stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG35 Stow "separated longitudinally by an intervery complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of	ΙΑΤΑ	
14.4 Packing group ADR, IMDG, IATA I 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Not applicable. EMS Number: F-G,S-M Stowage Category D Handling Code H1 Keep as dry as reasonably practicable Segregation Code SG26 In addition: from goods of classes 2.1 and 3 wl stowed on deck of a containership a minimum distance of a container spaces athwartship shall be maintained, wl stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an interven. complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of		
ADR, IMDĞ, IATAI14.5 Environmental hazards: Marine pollutant:No14.6 Special precautions for userNot applicable. F-G,S-MEMS Number: Stowage CategoryF-G,S-MD Handling CodeH1 Keep as dry as reasonably practicable Segregation CodeSegregation CodeSG26 In addition: from goods of classes 2.1 and 3 wh stowed on deck of a containership a minimum distance of a container spaces athwartship shall be maintained, wh stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an intervent complete compartment or hold from" Class 1.14.7 Transport in bulk according to Annex II ofI	Label	4.2 (4.3)
14.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user Not applicable. EMS Number: F-G,S-M Stowage Category D Handling Code H1 Keep as dry as reasonably practicable Segregation Code SG26 In addition: from goods of classes 2.1 and 3 wl stowed on deck of a containership a minimum distance of a container spaces athwartship shall be maintained, wl stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an intervent complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of		
Marine pollutant:No14.6 Special precautions for userNot applicable.EMS Number:F-G,S-MStowage CategoryDHandling CodeH1 Keep as dry as reasonably practicableSegregation CodeSG26 In addition: from goods of classes 2.1 and 3 wh stowed on deck of a containership a minimum distance of a container spaces athwartship shall be maintained, wh stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an interven complete compartment or hold from" Class 1.14.7 Transport in bulk according to Annex II of	ADR, IMDG, IATA	I
14.6 Special precautions for userNot applicable.EMS Number:F-G,S-MStowage CategoryDHandling CodeH1 Keep as dry as reasonably practicableSegregation CodeSG26 In addition: from goods of classes 2.1 and 3 wh stowed on deck of a containership a minimum distance of a container spaces athwartship shall be maintained, wh stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an intervent complete compartment or hold from" Class 1.14.7 Transport in bulk according to Annex II ofNot applicable.		λ/ -
EMS Number:F-G,S-MStowage CategoryDHandling CodeH1 Keep as dry as reasonably practicableSegregation CodeSG26 In addition: from goods of classes 2.1 and 3 wh stowed on deck of a containership a minimum distance of a container spaces athwartship shall be maintained, wh stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an intervent complete compartment or hold from" Class 1.14.7 Transport in bulk according to Annex II of		
Stowage Category Handling CodeDHandling CodeH1 Keep as dry as reasonably practicableSegregation CodeSG26 In addition: from goods of classes 2.1 and 3 wl stowed on deck of a containership a minimum distance of a container spaces athwartship shall be maintained, wl stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an intervent complete compartment or hold from" Class 1.14.7 Transport in bulk according to Annex II of		
Handling CodeH1 Keep as dry as reasonably practicableSegregation CodeSG26 In addition: from goods of classes 2.1 and 3 wh stowed on deck of a containership a minimum distance of a container spaces athwartship shall be maintained, wh stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an intervent complete compartment or hold from" Class 1.14.7 Transport in bulk according to Annex II of		
Segregation CodeSG26 In addition: from goods of classes 2.1 and 3 wh stowed on deck of a containership a minimum distance of a container spaces athwartship shall be maintained, wh stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an intervent complete compartment or hold from" Class 1.14.7 Transport in bulk according to Annex II of		_
stowed on deck of a containership a minimum distance of a container spaces athwartship shall be maintained, wh stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an intervent complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of		
container spaces athwartship shall be maintained, wh stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an intervent complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of	segregation Code	
stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an interven complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of		
maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an intervent complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of		
SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an intervent complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of		
SG63 Stow "separated longitudinally by an intervent complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of		
complete compartment or hold from" Class 1. 14.7 Transport in bulk according to Annex II of		
Marpol and the IBC Code Not applicable.		
	Marpol and the IBC Code	Not applicable.

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Di-i-butylaluminum chloride, 97%

	(Contd. of page
· Transport/Additional information:	
$\cdot ADR$	
· Limited quantities (LQ)	0
· Excepted quantities ($\widetilde{E}Q$)	Code: E0
	Not permitted as Excepted Quantity
· IMDG	
· Limited quantities (LQ)	0
· Excepted quantities $(\widetilde{E}Q)$	Code: E0
	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 3394 ORGANOMETALLIC SUBSTANCE, LIQUID PYROPHORIC, WATER- REACTIVE, 4.2 (4.3), I

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category
- P7 PYROPHORIC LIQUIDS AND SOLIDS
- O1 Substances or mixtures with hazard statement EUH014
- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director

· Abbreviations and acronvms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Pyr. Liq. 1: Pyrophoric liquids – Category 1 Self-heat. 2: Self-heating substances and mixtures – Category 2 Water-react. 1: Substances and mixtures which in contact with water emit flammable gases - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B

