Printing date 07/20/2021

Reviewed on 07/20/2021

1 Identification

- · Product name
- · Trade name: Triethylchlorosilane, 99%
- Item number: 93-1463
- · CAS Number:
- 994-30-9
- *EC number:* 213-615-6
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way
- NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

 \cdot Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: chlorotriethylsilane
Hazard statements
H226 Flammable liquid and vapor.
H314 Causes severe skin burns and eye damage.
Precautionary statements


P231 Handle under inert gas.

(Contd. on page 2)

US

Printing date 07/20/2021

Reviewed on 07/20/2021



• Chemical characterization: Substances

· CAS No. Description

994-30-9 chlorotriethylsilane

- · Identification number(s)
- EC number: 213-615-6

4 First-aid measures

- \cdot Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Triethylchlorosilane, 99%

- $\cdot \textit{For safety reasons unsuitable extinguishing agents: } Water with full jet$
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
• Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
· Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
· Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
· Protective Action Criteria for Chemicals
· PAC-1:
Substance is not listed.
· PAC-2:
Substance is not listed.
• PAC-3:

Substance is not listed.

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

CHEMICALS.

(Contd. of page 2)

Printing date 07/20/2021

CHEMICALS, INC.

Reviewed on 07/20/2021

Trade name: Triethylchlorosilane, 99%

	(Contd. of page 3)
Control parameters Components with limit values that require monitoring at the workplace: Not requ Additional information: The lists that were valid during the creation were used as	
Exposure controls Personal protective equipment: Wear protective clothing General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands:	
Protective gloves	
The glove material has to be impermeable and resistant to the product/ the substant Due to missing tests no recommendation to the glove material can be given for the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of da Material of gloves The selection of the suitable gloves does not only depend on the material, but also a varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the pro- observed. Eye protection:	e product/ the preparation/ the iffusion and the degradation on further marks of quality and
Tightly sealed goggles	

· Information on basic physical and chemical properties

· General Information	chemical properties	
· Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Pungent	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	144 °C (291 °F)	
		(Contd. on page 5)

Printing date 07/20/2021

CHEMICALS, INC

Reviewed on 07/20/2021

Trade name:	Triethylchlorosilane,	99%
-------------	-----------------------	------------

		(Contd. of page 4)
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Not determined.	
· Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
• Density at 20 •C (68 •F):	0.8967 g/cm³ (7.48296 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	t er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.

(Contd. on page 6)

US

Printing date 07/20/2021

Reviewed on 07/20/2021

(Contd. of page 5)

Trade name: Triethylchlorosilane, 99%

· Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

 \cdot NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, IMDG, IATA	UN2920	
· UN proper shipping name		
$\cdot DOT$	Corrosive liquids, flammable, n.o.s.	
· IMDG, IATA	CORROSIVE LIQUID, FLAMMABLE, N.O.S.	

Printing date 07/20/2021

CHEMICALS, INC.

Reviewed on 07/20/2021

Trade name: Triethylchlorosilane, 99%

Keviewea	on	07/20/	2021

	(Contd. of pag
Transport hazard class(es)	
DOT	
CORROSIVE	
Class	8 Corrosive substances
Label	8, 3
IMDG	
Class	8 Corrosive substances
Label	8/3
ΙΑΤΑ	
Class Label	8 Corrosive substances 8 (3)
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	63
EMS Number:	F- E , S - C
Stowage Category	
Stowage Code	SW1 Protected from sources of heat. SW2 Clear of living quarters.
Transport in bulk according to A	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
2	On cargo aircraft only: 30 L

(Contd. on page 8)

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Triethylchlorosilane, 99%

(Contd. of page 7)

	-			
15 Re	andate	7411 774	FO TATA A	tion
	2 II.II.II.I	JEV 1.11.		

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

• Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

 $\cdot \textit{NIOSH-Ca} \ (National \ Institute \ for \ Occupational \ Safety \ and \ Health)$

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: chlorotriethylsilane
Hazard statements H226 Flammable liquid and vapor. H314 Causes severe skin burns and eye damage.
Precautionary statements P231 Handle under inert gas. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

(Contd. on page 9)

US

Safety Data Sheet according to OSHA HCS

Printing date 07/20/2021

Trade name: Triethylchlorosilane, 99%

CHEMICALS.

Reviewed on 07/20/2021

	(Contd. of page 8)
P305 +	1+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P403+	<i>Store in a well-ventilated place. Keep container tightly closed.</i>
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

- · Contact: Technical Director
- · Date of preparation / last revision 07/20/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1