Printing date 07/20/2021

Reviewed on 07/20/2021

1 Identification

- · Product name
- · Trade name: Vinyltrichlorosilane, min. 97%
- *Item number:* 93-1492
- · CAS Number:
- 75-94-5
- *EC number:* 200-917-8
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA

info@strem.com

- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture	
GHS02 Flame	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
GHS06 Skull and crossbones	
Acute Tox. 3 H301 Toxic if swallowed.	
Acute Tox. 3 H311 Toxic in contact with skin.	
GHS05 Corrosion	
Skin Corr. 1B H314 Causes severe skin burns and eye damage.	
Eye Dam. 1 H318 Causes serious eye damage.	
\wedge	
GHS07	
Acute Tox. 4 H332 Harmful if inhaled.	
· Label elements	
· GHS label elements	
The substance is classified and labeled according to the Globally Harmonized System (GHS).	(Contd. on page 2)
	(Contd. on page 2)



Printing date 07/20/2021

CHEMICALS, INC.

Reviewed on 07/20/2021

	(Contd. of page
· Hazard pictogram	
\wedge	
GHS02 GHS	05 GHS06
011502 01150	55 (11500
· Signal word Dan	iger
· Hazard-determir	ning components of labeling:
Vinyltrichlorosild	
· Hazard statemen	its
	hly flammable liquid and vapor.
	ic if swallowed or in contact with skin.
	rmful if inhaled.
	uses severe skin burns and eye damage.
· Precautionary st	
P231	Handle under inert gas.
P210 P301+P310	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. 38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese
<i>F303+F331+F3</i> .	and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internation
1001	regulations.
· Classification sys	
· NFPA ratings (se	
· · · ·	
	ealth = 3
	re = 3
	pactivity = 0
· HMIS-ratings (s	cale 0 - 4)
HEALTH 3 H	Iealth = 3
	irre=3
REACTIVITY 0 R	
	•
• Other hazards	
	and vPvB assessment
 • PBT: Not applied • vPvB: Not applied 	
	<i>uvie.</i>
3 Composition/i	information on ingredients
	cterization: Substances

75-94-5 Vinyltrichlorosilane

• Identification number(s) • EC number: 200-917-8

(Contd. on page 3)

US

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Vinyltrichlorosilane, min. 97%

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- \cdot Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.


- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

• PAC-1:

0.60 ppm

(Contd. on page 4)



Reviewed on 07/20/2021

Trade name: Vinyltrichlorosilane, min. 97%

(Contd. of page 3)

7.3 ppm

33 ppm

· PAC-3:

· PAC-2:

7 Handling and storage

· Handling:

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

75-94-5 Vinyltrichlorosilane

WEEL Ceiling limit value: 1 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment: Wear protective clothing
- · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

(Contd. on page 5)

Printing date 07/20/2021

CHEMICALS, INC

Reviewed on 07/20/2021

Trade name: Vinyltrichlorosilane, min. 97%

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Pungent	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	92 °C (198 °F)	
· Flash point:	11 °C (52 °F)	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Not determined.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
• Density at 20 •C (68 •F):	1.243 g/cm ³ (10.37284 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
\cdot Evaporation rate	Not determined.	



Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Vinyltrichlorosilane, min. 97%

		(Contd. of page
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octand	pl/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

US

(Contd. of page 6)

Safety Data Sheet according to OSHA HCS

Printing date 07/20/2021

CHEMICALS, INC

Reviewed on 07/20/2021

Trade name: Vinyltrichlorosilane, min. 97%

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- · Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN1305	
UN proper shipping name DOT IMDG, IATA	Vinyltrichlorosilane VINYLTRICHLOROSILANE	
Transport hazard class(es)		
DOT		
Class Label	3 Flammable liquids 3, 8	
IMDG		
Class Label	3 Flammable liquids 3/8	
IATA		
Class	3 Flammable liquids	

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Vinyltrichlorosilane, min. 97%

	(Contd. of	fpage
Label	3 (8)	
Packing group		
DOT, IMDG, IATA	II	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids	
EMS Number:	F-E,S-C	
Segregation groups	Acids	
Stowage Category	В	
Stowage Code	SW2 Clear of living quarters.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: Forbidden	
	On cargo aircraft only: 5 L	
IMDG		
Limited quantities (LQ)	0	
Excepted quantities (\widetilde{EQ})	Code: E0	
	Not permitted as Excepted Quantity	
UN ''Model Regulation'':	UN 1305 VINYLTRICHLOROSILANE, 3 (8), II	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

(Contd. on page 9)



US

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Vinyltrichlorosilane, min. 97%

(Contd. of page 8)

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Danger
- *Hazard-determining components of labeling: Vinyltrichlorosilane*
- · Hazard statements

H225	Highly flammable	liquid and	vapor.
11220	mgney jeanence ie	ingina ana	rapor

- H301+H311 Toxic if swallowed or in contact with skin.
- H332 Harmful if inhaled.
- H314 Causes severe skin burns and eye damage.
- · Precautionary statements
- P231 Handle under inert gas.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/20/2021 / -
- Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 (Contd. on page 10)

(Contd. on page 10)

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Vinyltrichlorosilane, min. 97%

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 (Contd. of page 9)

05

