Printing date 20.07.2021

CHEMICALS, INC.

Revision: 20.07.2021

1.1 Product id	lentifier	
Trade name:	Tetrakis(dimethylamino)titanium(IV), 99% TDMAT	
		gainst
Manufacture Strem Chemic 7 Mulliken W	als, Inc. <sup>1y</sup> DRT, MA 01950	
<b>1.4 Emergene</b> EMERGENC	mation obtainable from: Technical Department y telephone number: Y: CHEMTREC: + 1 (800) 424-9300 al opening times: +1 (978) 499-1600	
2.1 Classifica	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008	
2.1 Classifica	e e e e e e e e e e e e e e e e e e e	
2.1 Classification Classification GH Flam. Liq. 2 Water-react.	tion of the substance or mixture according to Regulation (EC) No 1272/2008 SO2 flame H225 Highly flammable liquid and vapour. H260 In contact with water releases flammable gases which	may ignite spontaneously.
2.1 Classification Classification GH Flam. Liq. 2 Water-react.	tion of the substance or mixture according to Regulation (EC) No 1272/2008 SO2 flame H225 Highly flammable liquid and vapour.	may ignite spontaneously.
2.1 Classification Classification GH Flam. Liq. 2 Water-react.	tion of the substance or mixture according to Regulation (EC) No 1272/2008 SO2 flame H225 Highly flammable liquid and vapour. H260 In contact with water releases flammable gases which SO5 corrosion	may ignite spontaneously.
2.1 Classification Classification GH Flam. Liq. 2 Water-react.	tion of the substance or mixture according to Regulation (EC) No 1272/2008 SO2 flame H225 Highly flammable liquid and vapour. H260 In contact with water releases flammable gases which SO5 corrosion H314 Causes severe skin burns and eye damage.	may ignite spontaneously.

Printing date 20.07.2021

CHEMICALS, INC.

Revision: 20.07.2021

	(Contd. of pa
<ul> <li>Hazard pictogram</li> </ul>	ams
GHS02 GHS	S05 GHS07
· Signal word Da	inger
. Hazard-dotorm	ining components of labelling:
	s(dimethylammonium)
· Hazard stateme	
Hazara stateme H225	Highly flammable liquid and vapour.
H260	In contact with water releases flammable gases which may ignite spontaneously.
	1332 Harmful if swallowed, in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
· Precautionary s	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P231+P232	Handle under inert gas. Protect from moisture.
P303+P361+P.	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with wa
	shower.
P305+P351+P.	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense
	present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/internation
	regulations.
· Additional info	
	s violently with water.
· 2.3 Other hazar	rds and vPvB assessment

# **SECTION 3: Composition/information on ingredients**

- 3.1 Chemical characterisation: Substances
   CAS No. Description
   3275-24-9 titanium tetrakis(dimethylammonium)
- · Identification number(s)
- EC number: 221-904-3

# **SECTION 4: First aid measures**

# · 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

GB

#### Printing date 20.07.2021

Revision: 20.07.2021

#### Trade name: Tetrakis(dimethylamino)titanium(IV), 99% TDMAT

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- + 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

• Suitable extinguishing agents:

Sand. Do not use water.

CO2, sand, extinguishing powder. Do not use water.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

• 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

(Contd. on page 4)



(Contd. of page 2)

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Tetrakis(dimethylamino)titanium(IV), 99% TDMAT

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

<ul> <li>9.1 Information on basic phy</li> <li>General Information</li> <li>Appearance:</li> </ul>	sical and chemical properties	
Form:	Liquid	
Colour:	Yellow	
· Odour:	Amine-like	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
		(Contd on page 5)

(Contd. of page 3)

Printing date 20.07.2021

CHEMICALS, INC.

Revision: 20.07.2021

Trade name:	Tetrakis(dim	ethylamino)tite	anium(IV), 999	% TDMAT
-------------	--------------	-----------------	----------------	---------

	(Contd. of page 4
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. :: 50 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not determined.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	0.96 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
VOC (EC)	0.00 %
9.2 Other information	No further relevant information available.

#### **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions Contact with water releases flammable gases.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

· Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

(Contd. on page 6)

<sup>-</sup> GB

Printing date 20.07.2021

Revision: 20.07.2021

(Contd. of page 5)

#### Trade name: Tetrakis(dimethylamino)titanium(IV), 99% TDMAT

- · Primary irritant effect:
- Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- $\cdot$  Serious eye damage/irritation
- Causes severe skin burns and eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

# SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information	
UN3399	
3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER	
REACTIVE, FLAMMABLE	
ORGANOMETALLIC SUBSTANCE, LIQUID, WATER	
REACTIVE, FLAMMABLE	

GB –

Printing date 20.07.2021

CHEMICALS, INC.

Revision: 20.07.2021

	(Contd. of page
14.3 Transport hazard class(es)	
ADR	
Class	4
Label	4.3+3
IMDG	
Class	4.3 Substances which, in contact with water, emit flammable
Label	gases. 4.3/3
IATA	
Class	4.3 Substances which, in contact with water, emit flammabl
Cluss	gases.
Label	4.3 (3)
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
EMS Number:	$F$ - $G$ , $\hat{S}$ - $N$
Stowage Category	D SW2 Clean of living quantant
Stowage Code Handling Code	SW2 Clear of living quarters. H1 Keep as dry as reasonably practicable
Segregation Code	SG26 In addition: from goods of classes 2.1 and 3 when
	stowed on deck of a containership a minimum distance of two
	container spaces athwartship shall be maintained, when
	stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.
	SG35 Stow "separated from" acids.
14.7 Transport in bulk according to Anne	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	500 ml



# HEMICALS, INC.

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Tetrakis(dimethylamino)titanium(IV), 99% TDMAT

	(Contd. of page 7)
$\cdot$ Excepted quantities (EQ)	Code: E2 Maximum pat quantity par imper packaging: 20 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG	
· Limited quantities (LQ)	500 ml
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE, 4.3 (3), II

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- $\cdot$  Seveso category
- *O1* Substances or mixtures with hazard statement EUH014 P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. IB: Skin corrosion/irritation – Category 1B