

Printing date 07/20/2021 Reviewed on 07/20/2021

1 Identification

· Product name

· Trade name: Copper powder (99.999%)

· Item number: 93-2971

· CAS Number: 7440-50-8 · EC number: 231-159-6

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Information department: Technical Department

· Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling: copper
- · Hazard statements

H228 Flammable solid.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

(Contd. on page 2)



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Copper powder (99.999%)

(Contd. of page 1)

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description 7440-50-8 copper
- · Identification number(s)
- · EC number: 231-159-6

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

- 11:



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Copper powder (99.999%)

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

3 mg/m3

· PAC-2:

33 mg/m3

· PAC-3:

200 mg/m3

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- $\cdot \textit{Further information about storage conditions: Keep \textit{ receptacle tightly sealed.}}$
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Copper powder (99.999%)

(Contd. of page 3)

· Control parameters

· Components with limit values that require monitoring at the workplace:

7440-50-8 copper

PEL Long-term value: 1*0.1** mg/m³
as Cu *dusts and mists **fume

REL Long-term value: 1*0.1** mg/m³
as Cu *dusts and mists **fume

TLV Long-term value: 1*0.2** mg/m³
*dusts and mists; **fume; as Cu

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Powder

Color: Copper colored
Odor: Odorless

(Contd. on page 5)



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Copper powder (99.999%)

| | (Contd. o | of pag |
|--------------------------------------|--|--------|
| Odor threshold: | Not determined. | |
| pH-value: | Not applicable. | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | Undetermined. | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Flammable. | |
| Ignition temperature: | 465 °C (869 °F) | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Not determined. | |
| Danger of explosion: | Not determined. | |
| Explosion limits: | | |
| Lower: | 2 Vol % | |
| Upper: | 13 Vol % | |
| Vapor pressure: | Not applicable. | |
| Density at 20 °C (68 °F): | 8.92 g/cm³ (74.4374 lbs/gal) | |
| Relative density | Not determined. | |
| Vapor density | Not applicable. | |
| Evaporation rate | Not applicable. | |
| Solubility in / Miscibility with | | |
| Water: | Insoluble. | |
| Partition coefficient (n-octanol/wat | er): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not applicable. | |
| Kinematic: | Not applicable. | |
| Solvent content: | | |
| Organic solvents: | 0.0 % | |
| VOC content: | 0.0~g/l $/$ $0.00~lb/gl$ | |
| Solids content: | 100.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Copper powder (99.999%)

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.

| 14 Trans | port in | formai | ion |
|----------|---------|--------|-----|
|----------|---------|--------|-----|

- · UN-Number
- · **DOT**, **IMDG**, **IATA** UN3089
- · UN proper shipping name
- · DOT Metal powders, flammable, n.o.s.
- · IMDG METAL POWDER, FLAMMABLE, N.O.S., MARINE POLLUTANT

(Contd. on page 7)



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Copper powder (99.999%)

| Transport hazard class(es) DOT Class | IATA | (Contd. of page | |
|--|--|---|--|
| Class 4.1 Flammable solids, self-reactive substances and solidesensitised explosives 4.1 IMDG Class 4.1 Flammable solids, self-reactive substances and solidesensitised explosives 4.1 IATA Label 4.1 Flammable solids, self-reactive substances and solidesensitised explosives 4.1 IATA Class 4.1 Flammable solids, self-reactive substances and solidesensitised explosives 4.1 IATA Label 4.1 Flammable solids, self-reactive substances and solidesensitised explosives 4.1 IATA II Environmental hacards: Marine pollutant: No Yes (DOT) Symbol (fish and tree) Special precautions for user EMS Number: Segregation groups Not applicable. F-G,S-G Heavy metals and their salts (including their organometal compounds), powdered metals Stowage Category Handling Code Segregation Code Segregation Code Segregation From goods of classes 2.1 and 3 when stowed deck of a containership a minimum distance of two container spaa athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. | | METAL POWDER, FLAMMABLE, N.O.S. | |
| Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1 IMDG Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1 IATA Label IATA Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1 IATA Label IATA II Environmental hazards: Marine pollutant: No Yes (DOT) Symbol (fish and tree) Special precautions for user EMS Number: EMS Number: Segregation groups Stowage Category Handling Code Segregation From goods of classes 2.1 and 3 when stowed deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed deck of a containership a minimum distance of row container space athwartship shall be maintained, when stowed deck of a containership a minimum distance of row container space athwartship shall be maintained, when stowed deck of a containership a minimum distance of row container space athwartship shall be maintained. | Transport hazard class(es) | | |
| Label 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable soli | DOT | | |
| Label 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable solids, self-reactive substances and soid desensitised explosives 4.1 Flammable soli | AUTHER | | |
| Class 4.1 Flammable solids, self-reactive substances and solidesensitised explosives 4.1 IATA Class 4.1 Flammable solids, self-reactive substances and solidesensitised explosives 4.1 Label 4.1 Flammable solids, self-reactive substances and solidesensitised explosives 4.1 Environmental hazards: Marine pollutant: No Yes (DOT) Symbol (fish and tree) Special precautions for user EMS Number: F-G,S-G Segregation groups Heavy metals and their salts (including their organometal compounds), powdered metals Stowage Category Handling Code Segregation Code Segregation Code HI Keep as dry as reasonably practicable SGJ Stow "separated from" class 5.1 SG25 Stow "separated from" class 5.1 SG25 Stow "separated from" class 5.1 SG26 In addition: from goods of classes 2.1 and 3 when stowed deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. | Class | 4.1 Flammable solids, self-reactive substances and sol desensitised explosives | |
| Class 4.1 Flammable solids, self-reactive substances and solidesensitised explosives 4.1 Lata Class 4.1 Flammable solids, self-reactive substances and solidesensitised explosives 4.1 Label 4.1 Flammable solids, self-reactive substances and solidesensitised explosives 4.1 Environmental hazards: Marine pollutant: No Yes (DOT) Symbol (fish and tree) Special precautions for user EMS Number: F-G,S-G Segregation groups Heavy metals and their salts (including their organometal compounds), powdered metals Stowage Category Handling Code Segregation Sequence of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. | Label | 4.1 | |
| Label 4.1 IATA | IMDG | | |
| Label 4.1 IATA | | | |
| Class 4.1 Flammable solids, self-reactive substances and solids desensitised explosives 4.1 Packing group DOT, IMDG, IATA II Environmental hazards: Marine pollutant: No Yes (DOT) Symbol (fish and tree) Special precautions for user EMS Number: F-G,S-G Segregation groups Heavy metals and their salts (including their organometal compounds), powdered metals Stowage Category Handling Code Segregation Code Segregation Code Segregation Code Segregation Code Segregation Code Galaxies A.1 Flammable solids, self-reactive substances and solids and solids and self-reactive substances and solids. No Yes (DOT) Symbol (fish and tree) Not applicable. F-G,S-G Heavy metals and their salts (including their organometal compounds), powdered metals B HI Keep as dry as reasonably practicable SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" class 5.1 SG25 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. | Class | 4.1 Flammable solids, self-reactive substances and sol desensitised explosives | |
| Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1 Packing group DOT, IMDG, IATA II Environmental hazards: Marine pollutant: No Yes (DOT) Symbol (fish and tree) Special precautions for user EMS Number: F-G,S-G Segregation groups Heavy metals and their salts (including their organometal compounds), powdered metals Compounds), powdered metals B Handling Code Segregation Code Segregatio | Label | 4.1 | |
| Label desensitised explosives 4.1 | IATA | | |
| Label desensitised explosives 4.1 | | | |
| Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: No Yes (DOT) Symbol (fish and tree) Special precautions for user EMS Number: F-G,S-G Segregation groups Heavy metals and their salts (including their organometal compounds), powdered metals Stowage Category Handling Code Segregation Code Segregation Code Signature Segre | | | |
| Environmental hazards: Marine pollutant: No Yes (DOT) Symbol (fish and tree) Special precautions for user EMS Number: Segregation groups Heavy metals and their salts (including their organometal compounds), powdered metals Stowage Category Handling Code Segregation Code Seg | Label | 4.1 | |
| Marine pollutant: No Yes (DOT) Symbol (fish and tree) Not applicable. F-G,S-G Segregation groups Heavy metals and their salts (including their organometal compounds), powdered metals Stowage Category Handling Code Segregation Code Segregation Code Segregation Code Segregation Code SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. | | II | |
| Yes (DOT) Symbol (fish and tree) Not applicable. FG,S-G Segregation groups Heavy metals and their salts (including their organometal compounds), powdered metals Stowage Category Handling Code Segregation Code Segregation Code SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. | Environmental hazards: | | |
| Symbol (fish and tree) Special precautions for user EMS Number: Segregation groups Heavy metals and their salts (including their organometal compounds), powdered metals Stowage Category Handling Code Segregation Code Segregation Code Segregation Code SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. | Marine pollutant | | |
| Not applicable. EMS Number: Segregation groups Heavy metals and their salts (including their organometal compounds), powdered metals Stowage Category Handling Code Segregation Code Segregation Code SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. | танне рошишт. | | |
| F-G,S-G Heavy metals and their salts (including their organometal compounds), powdered metals Stowage Category Handling Code Segregation Code Segregation Code SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. | тине рошини. | Yes (DOT) | |
| Heavy metals and their salts (including their organometal compounds), powdered metals Stowage Category Handling Code Segregation Code SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. | | Yes (DOT) Symbol (fish and tree) | |
| compounds), powdered metals B Handling Code HI Keep as dry as reasonably practicable Segregation Code SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. | Special precautions for user | Yes (DOT) Symbol (fish and tree) Not applicable. | |
| Stowage Category Handling Code Segregation Code SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. | Special precautions for user EMS Number: | Yes (DOT) Symbol (fish and tree) Not applicable. F-G,S-G | |
| Segregation Code SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. | Special precautions for user EMS Number: | Yes (DOT) Symbol (fish and tree) Not applicable. F-G,S-G Heavy metals and their salts (including their organometali | |
| SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. | Special precautions for user EMS Number: Segregation groups Stowage Category | Yes (DOT) Symbol (fish and tree) Not applicable. F-G,S-G Heavy metals and their salts (including their organometals compounds), powdered metals B | |
| athwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained. | Special precautions for user EMS Number: Segregation groups Stowage Category Handling Code | Yes (DOT) Symbol (fish and tree) Not applicable. F-G,S-G Heavy metals and their salts (including their organometall compounds), powdered metals B H1 Keep as dry as reasonably practicable | |
| Transport in hulk according to Anney II of | Special precautions for user EMS Number: Segregation groups Stowage Category Handling Code | Yes (DOT) Symbol (fish and tree) Not applicable. F-G,S-G Heavy metals and their salts (including their organometall compounds), powdered metals B H1 Keep as dry as reasonably practicable SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed of | |
| | Special precautions for user EMS Number: Segregation groups Stowage Category Handling Code | Yes (DOT) Symbol (fish and tree) Not applicable. F-G,S-G Heavy metals and their salts (including their organometall compounds), powdered metals B H1 Keep as dry as reasonably practicable SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships | |



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Copper powder (99.999%)

(Contd. of page 7)

· Transport/Additional information:

 $\cdot DOT$

· Hazardous substance: 5000 lbs, 2270 kg

· IMDG

Limited quantities (LQ) 1 kg
Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

· UN ''Model Regulation'': UN 3089 METAL POWDERS, FLAMMABLE, N.O.S., 4.1, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

D

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

(Contd. of page 8)



Safety Data Sheet according to OSHA HCS

Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Copper powder (99.999%)

· Hazard pictograms





GHS02

- · **Signal word** Danger
- · Hazard-determining components of labeling:

copper

· Hazard statements

H228 Flammable solid.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/20/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Sol. 1: Flammable solids – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

 $STOT\ SE\ 3:\ Specific\ target\ organ\ toxicity\ (single\ exposure)-Category\ 3$

US