CHEMICALS, INC.

Printing date 20.07.2021	Revision: 20.07.2021
<b>SECTION 1: Identification of the substance/mixture and of the c</b>	company/undertaking
· 1.1 Product identifier	
· Trade name: <u>Copper powder (99.5%)</u>	
<ul> <li>Item number: 93-2999</li> <li>CAS Number: 7440-50-8</li> <li>EC number: 231-159-6</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised agai No further relevant information available.</li> </ul>	inst
• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com	
• Further information obtainable from: Technical Department • 1.4 Emergency telephone number:	
EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600	
SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture	
• Classification according to Regulation (EC) No 1272/2008	
GHS02 flame	
Flam. Sol. 1 H228 Flammable solid.	
GHS09 environment	
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.	
GHS0/	
Eye Irrit. 2H319 Causes serious eye irritation.STOT SE 3H335 May cause respiratory irritation.	
<ul> <li>• 2.2 Label elements</li> <li>• Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.</li> <li>• Hazard pictograms</li> </ul>	
GHS02 GHS07 GHS09	

Printing date 20.07.2021

CHEMICALS, INC

Revision: 20.07.2021

Trade name: Copper powder (99.5%)

· Signal word D	(Contd. of page 1)
· Hazard-determ	nining components of labelling:
copper	
· Hazard statem	<i>ients</i>
H228 Flamma	ble solid.
H319 Causes s	verious eye irritation.
H335 May cau	se respiratory irritation.
H411 Toxic to	aquatic life with long lasting effects.
· Precautionary	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P305+P351+1	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other haze	urds
· Results of PB2	r and vPvB assessment
· PBT: Not appl	licable.
· vPvB: Not app	licable.

#### **SECTION 3: Composition/information on ingredients**

- 3.1 Chemical characterisation: Substances
   CAS No. Description
   7440-50-8 copper
- · Identification number(s)
- EC number: 231-159-6

#### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

GB

Printing date 20.07.2021

Revision: 20.07.2021

(Contd. of page 2)

Trade name: Copper powder (99.5%)

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
  6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
  6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. • Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7440-50-8 copper

WEL Short-term value: 2\*\* mg/m<sup>3</sup> Long-term value: 0.2\* 1\*\* mg/m<sup>3</sup> \*fume \*\*dusts and mists (as Cu)

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes.

(Contd. on page 4)

GB

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Copper powder (99.5%)

(Contd. of page 3)

## Avoid contact with the eyes and skin.

- Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

General Information		
Appearance:		
Form:	Powder	
Colour:	Copper coloured	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Flammable.	
Ignition temperature:	465 °C	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Explosion limits:		
Lower:	2 Vol %	
Upper:	13 Vol %	
Vapour pressure:	Not applicable.	
Density at 20 °C:	8.92 g/cm <sup>3</sup>	
Relative density	Not determined.	
· Vapour density	Not applicable.	



Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Copper powder (99.5%)

		(Contd. of page
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC (EC)	0.00 %	
Solids content:	100.0 %	
• 9.2 Other information	No further relevant information available.	

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- $\cdot$  Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

GB

Printing date 20.07.2021

CHEMICALS, INC.

Revision: 20.07.2021

(Contd. of page 5)

Trade name: Copper powder (99.5%)

- · Ecotoxical effects:
- Remark: Toxic for fish
- $\cdot$  Additional ecological information:
- General notes: Also poisonous for fish and plankton in water bodies.
- Toxic for aquatic organisms • 12.5 Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number · ADR, IMDG, IATA	UN3089
· 14.2 UN proper shipping name · ADR · IMDG	3089 METAL POWDER, FLAMMABLE, N.O.S. METAL POWDER, FLAMMABLE, N.O.S., MARIN POLLUTANT
· IATA	METAL POWDER, FLAMMABLE, N.O.S.
· 14.3 Transport hazard class(es)	
ADR	
· Class	4
· Label	4.1
·IMDG	
· Class	4.1 Flammable solids, self-reactive substances and soli desensitised explosives.

Printing date 20.07.2021

CHEMICALS, INC.

Revision: 20.07.2021

de name: Copper powder (99.5%)	
	(Contd. of page
Label	4.1
IATA	
Class	4.1 Flammable solids, self-reactive substances and solid desensitised explosives.
Label	4.1
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
Constation (ADD)	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Not applicable.
EMS Number:	F-G,S-G
Segregation groups	Heavy metals and their salts (including their organometalli compounds), powdered metals
Stowage Category Handling Code	B HI Kaap as dry as reasonably practicable
Segregation Code	H1 Keep as dry as reasonably practicable SG17 Stow "separated from" class 5.1
Segregation Cour	SG17 Slow "separated from" goods of classes 2.1 and 3. SG25 Stow "separated from" goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of tw container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall b maintained.
14.7 Transport in bulk according to Anno Marpol and the IBC Code	e <b>x II of</b> Not applicable.
-	
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1 kg Code: E2
Excepted quantities $(EQ)$	Coae: E2 Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per inner packaging: 50 g Maximum net quantity per outer packaging: 500 g
IMDG	·····
Limited quantities (LQ)	1 kg
Excepted quantities $(EQ)$	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
UN ''Model Regulation'':	UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II

(Contd. on page 8)

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Copper powder (99.5%)

(Contd. of page 7)

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Sol. 1: Flammable solids – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2