Printing date 20.07.2021

CHEMICALS, INC.

Revision: 20.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: Zinc powder (99.9%) 1.1 mnumber: 93-3060 CAS Number: 7440-66-6 EC number: 231-175-3 Index number: 242-175-3 Index number: 2	rinting date 20.07.2021	Revision: 20.07.2021
$ \begin{array}{c} 1 \mbox{Trade name: Zinc powder (99.9%)} \\ \hline \mbox{Herror number: 93-3060} \\ \hline \mbox{CAS Number: 7440-66-6} \\ \hline \mbox{Cash number: 331-175-3} \\ \hline \mbox{Tabuser: 7440-66-6} \\ \hline \mbox{BC number: 331-175-3} \\ \hline \mbox{Tabuser: 7440-66-6} \\ \hline \mbox{BC number: 354-175-3} \\ \hline \mbox{Tabuser: 7440-66-6} \\ \hline \mbox{BC number: 354-175-3} \\ \hline \mbox{Tabuser: 7440-66-6} \\ \hline \mbox{For number: 354-175-3} \\ \hline \mbox{Tabuser: 7440-66-6} \\ \hline \mbox{For number: 354-175-3} \\ \hline \mbox{Tabuser: 7440-66-6} \\ \hline \mbox{Tabuser: 754-150-6} \\ \hline \mbox{Tabuser: 7440-66-6} \\ \hline Tabuser: 7440-740-740-740-740-740-740-740-740-740$	SECTION 1: Identification of the substance/mixtu	re and of the company/undertaking
$ \begin{array}{c} \text{Hem number: } 93-3060 \\ \text{CAS Number:} \\ 7440-66-6 \\ \text{EC number:} \\ 231-175-3 \\ \text{Index number:} \\ 30-001-00-1 \\ \text{I. 2 Relevant identified uses of the substance or mixture and uses advised against \\ No further relevant information available. \\ \text{I. 3 Details of the supplier of the safety data sheet } \\ \text{Manufacturer/Supplier:} \\ \text{Strem Chemicals, Inc. } \\ \text{Multikent Way } \\ \text{NEWBURYPORT, MA 01950 } \\ \text{USA} \\ \text{info@ strem.com} \\ \text{Further information obtainable from: Technical Department } \\ \text{I. 4 Emergenzy telephone number:} \\ \text{EMERGENCY: CHEMTREC: + 1 (800) 424-9300 } \\ \text{During normal opening times: +1 (978) 499-1600 } \\ \end{array} $	· 1.1 Product identifier	
$\begin{array}{c} \text{CAS Number:}\\ 7440-66-6\\ \text{EC number:}\\ 231-175-3\\ \text{Charmber:}\\ 231-175-3\\ \text{Charmber:}\\ 230-01-00-1\\ \text{Constrained infinited uses of the substance or mixture and uses advised against}\\ \text{No further relevant information available.}\\ 1.3 Relevant identified uses of the substance or mixture and uses advised against\\ \text{No further relevant information available.}\\ 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification SECTION 2: Hazards identification Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 SECTION 2: H250 Catches fire spontaneously if exposed to air. Water-react. 2 H260 In contact with vater releases flammable gases. Sectioned Chronic 1 H410 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life. 1 Aduet in H400 Very toxic to aquatic life. 2 Label elements 2 Jubel elements 2 Jubel elements 2 Jubel elements 2 Jubel elements 1 Aduet for Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. 1 Bazard pictograms 3 Signal word Danger H Bazard Statements H Bazed Stat$	· Trade name: Zinc powder (99.9%)	
• Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com • Further information obtainable from: Technical Department • 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 \widetilde{V} GHS02 flame Pyr. Sol. 1 H250 Catches fire spontaneously if exposed to air. Water-react. 2 H261 In contact with water releases flammable gases. \widetilde{V} GHS09 environment Aquatic Acute 1 H400 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. • 2.2 Label elements Labeling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. • Hazard pictograms \widetilde{V} GHS02 GHS02 GHS09 • Signal word Danger • Hazard statemuts H250 Catches fire spontaneously if exposed to air.	 CAS Number: 7440-66-6 EC number: 231-175-3 Index number: 030-001-00-1 1.2 Relevant identified uses of the substance or mixture and uses of the substance or mixt	uses advised against
$\begin{array}{c} 1.4 \ Emergency \ telephone \ number: \\ EMERGENCY: \ CHEMTREC: + 1 \ (800) \ 424-9300 \\ During \ normal \ opening \ times: + 1 \ (978) \ 499-1600 \\ \hline \end{array}$	• Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA	
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Fyr. Sol. 1 H250 Catches fire spontaneously if exposed to air. Water-react. 2 H261 In contact with water releases flammable gases. GHS09 environment Aquatic Acute 1 H400 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Signal word Danger Hazard statements H250 Catches fire spontaneously if exposed to air. 	• 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300	
 Classification according to Regulation (EC) No 1272/2008 <i>GHS02 flame</i> <i>Pyr. Sol. 1</i> H250 Catches fire spontaneously if exposed to air. Water-react. 2 H261 In contact with water releases flammable gases. <i>GHS09</i> environment Aquatic Acute 1 H400 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Signal word Danger Hazard statements H250 Catches fire spontaneously if exposed to air. 	SECTION 2: Hazards identification	
Pyr. Sol. 1 H250 Catches fire spontaneously if exposed to air. Water-react. 2 H261 In contact with water releases flammable gases. \widehat{V} GHS09 environment Aquatic Acute 1 H400 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. 2.2 Label elements 1.abelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms \widehat{V} \widehat{V} \widehat{O} GHS09 5.Signal word Danger 4.Bazard statements H250 Catches fire spontaneously if exposed to air.		
 Water-react. 2 H261 In contact with water releases flammable gases. Aquatic Acute 1 H400 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS09 Signal word Danger Hazard statements H250 Catches fire spontaneously if exposed to air. 	GHS02 flame	
Aquatic Acute 1 H400 Very toxic to aquatic life. Aquatic Acute 1 H400 Very toxic to aquatic life with long lasting effects. • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. • Hazard pictograms • GHS02 GHS09 • Signal word Danger • Hazard statements H250 Catches fire spontaneously if exposed to air.	Pyr. Sol. 1 H250 Catches fire spontaneously if expose	d to air.
 Aquatic Acute 1 H400 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS09 Signal word Danger Hazard statements H250 Catches fire spontaneously if exposed to air. 	Water-react. 2 H261 In contact with water releases flamm	nable gases.
Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. • Hazard pictograms • Hazard pictograms • Signal word Danger • Hazard statements H250 Catches fire spontaneously if exposed to air.	GHS09 environment	
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS09 Signal word Danger Hazard statements H250 Catches fire spontaneously if exposed to air. 	Aquatic Acute 1 H400 Very toxic to aquatic life.	
 Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS09 Signal word Danger Hazard statements H250 Catches fire spontaneously if exposed to air.	Aquatic Chronic 1 H410 Very toxic to aquatic life with long la	asting effects.
• Signal word Danger • Hazard statements H250 Catches fire spontaneously if exposed to air.	• <i>Labelling according to Regulation (EC) No 1272/2008</i> The substance is classified and labelled according to the CLP i	regulation.
 Signal word Danger Hazard statements H250 Catches fire spontaneously if exposed to air. 		
• Hazard statements H250 Catches fire spontaneously if exposed to air.	GHS02 GHS09	
(Contd. on page		

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Zinc powder (99.9%)

	(Contd. of page 1)
H261 In contact v	vith water releases flammable gases.
H410 Very toxic t	to aquatic life with long lasting effects.
· Precautionary sta	itements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P231+P232	Handle under inert gas. Protect from moisture.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P303+P361+P35	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305+P351+P33	88 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other hazard	S
· Results of PBT a	nd vPvB assessment
· PBT: Not applica	ble.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances · CAS No. Description

7440-66-6 zinc powder -zinc dust (pyrophoric)

- · Identification number(s)
- **EC number:** 231-175-3
- · Index number: 030-001-00-1

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- Sand. Do not use water.

CO2, sand, extinguishing powder. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: Water

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Zinc powder (99.9%)

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
 Respiratory protection: Not required.
- Protection of hands:



Protective gloves

(Contd. on page 4)

(Contd. of page 2)

GB

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Zinc powder (99.9%)

(Contd. of page 3)

Due to missing tests no recommendation chemical mixture.	e and resistant to the product/ the substance/ the preparation. to the glove material can be given for the product/ the preparation/ the eration of the penetration times, rates of diffusion and the degradation
	not only depend on the material, but also on further marks of quality and r.
	found out by the manufacturer of the protective gloves and has to be
• 9.1 Information on basic physical and cl • General Information	hemical properties
· Appearance:	
Form:	Powder
Colour:	Grey
· Odour:	Odourless
• Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/freezing point:	419.58 °C
Initial boiling point and boiling range	
· Flash point:	Not applicable.
· Flammability (solid, gas):	Flammable.
	Highly flammable.
	Contact with water liberates extremely flammable gases.
· Ignition temperature:	
Decomposition temperature:	Not determined.
• Auto-ignition temperature:	Spontaneously flammable in air.
· Explosive properties:	Not determined.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 487 •C:	1 hPa
· Density at 20 •C:	7.14 g/cm^3
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Insoluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
-	



Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Zinc powder (99.9%)

		(Contd. of page 4)
VOC (EC)	0.00 %	
Solids content:	100.0 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \cdot 10.3 Possibility of hazardous reactions Contact with water releases flammable gases.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- **Remark:** Very toxic for fish
- \cdot Additional ecological information:
- · General notes:
- Also poisonous for fish and plankton in water bodies.
- Very toxic for aquatic organisms
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

Printing date 20.07.2021

10

CHEMICALS, INC.

Revision: 20.07.2021

Trade name: Zinc powder (99.9%)

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN1436
14.2 UN proper shipping name	0///450
ADR	1436 ZINC POWDER
IMDG, IATA	ZINC POWDER
14.3 Transport hazard class(es)	
ADR	
Class	4
Label	4.3+4.2
IMDG	
Class	4.3 Substances which, in contact with water, emit flammabigases.
Label	4.3/4.2
Class	4.3 Substances which, in contact with water, emit flammable
Label	gases.
	4.3 (4.2)
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
Danger code (Kemler):	423

Printing date 20.07.2021

CHEMICALS, INC

Revision: 20.07.2021

Trade name: Zinc powder (99.9%)

	(Contd. of page 6
EMS Number:	F- G , S - O
Segregation groups	Heavy metals and their salts (including their organometallic compounds), heavy metals and their salts (including their organometallic compounds), powdered metals
Stowage Category	A
Handling Code	H1 Keep as dry as reasonably practicable
Segregation Code	SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall b maintained. SG35 Stow "separated from" acids. SG36 Stow "separated from" alkalis.
14.7 Transport in bulk according to An	· ·
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	0
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	UN 1436 ZINC POWDER, 4.3 (4.2), II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.

· Seveso category

- P7 PYROPHORIC LIQUIDS AND SOLIDS
- E1 Hazardous to the Aquatic Environment
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 40
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

(Contd. on page 8)

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Zinc powder (99.9%)

(Contd. of page 7)
Contact: Technical Director
Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Pyr. Sol. 1: Pyrophoric solids – Category 1
Water-react. 2: Substances and mixtures which in contact with water emit flammable gases – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

